Run your game and read errors

Digital Technologies · School computers

You will

- run your game and stop it
- find what's wrong when Godot shows an error
- copy an error to look it up or show your kaiako

You need

- your Godot project open, with a main scene and a script (see the guides Make a Godot project, Change the main scene and Add nodes and attach a script)

Before you start

- You'll make two small mistakes on purpose, then fix them.
- When you finish, delete the practice lines so your script is back how it was.

 Click here  Look here

1

Godot › Editor

Click **Run Project** (the triangle, top right).

Or press F5. Godot runs your main scene, wherever you are in the editor.

If something goes wrong
Godot asks you to choose a main scene: see the guide Change the main scene.



2


Godot › Your game window

Your game opens in its own window. Try it out.

Click **Stop** (the square, top right).

Or press F8, or close the game window.

> **Check:** the window's title ends in `(DEBUG)`.



3

Godot › Scene dock

Click the scroll next to your node to open its script.



4

Godot › Script editor


Inside `func _ready():`, add this line (replace `pass` if it's there):

```
print("Hello from player")
```

Keep the indent at the start of the line.

Press `Ctrl` + `S`.

`print` shows a message while your game runs. Use it to check your code is running.



5

Godot › Output


Press F5 to run your game.

Click **Output** at the bottom.

Find your message.

Press F8 to stop.

> **Check:** `Hello from player` is in Output.




6

Godot › Script editor › practice mistake

Change `print` to `prnt`. Godot marks the line in red.

Read the red message at the bottom of the script.

`(6, 5)` means line 6, character 5. A red line is a mistake Godot can find before you run.



7

Godot › Debugger

Press F5 anyway. Godot stops your game and opens **Debugger**.

Read the red message at the top.

Press F8, fix the spelling back to `print`, then press Ctrl + S.

The yellow arrow points at the line to fix.



8

Godot › Debugger › second practice mistake

Under the print line, type `$Missing.hide()` and save.

Press F5.

Godot pauses your game and points at the line.

`null instance` means your code asked for something Godot couldn't find. Check the name matches the Scene dock exactly, including capitals.




9

Godot › Debugger › Errors

Click **Errors**.

Read the red lines. The first one names the file and line, like `player.gd:7`.

Yellow lines are warnings, like `delta` is never used. Your game still runs, so you can leave them for now.




10

Godot › Debugger › Errors

Right-click the error.

Click **Copy Error**.

Paste it into a search, or into a message to your kaiako, so they see exactly what Godot said.



11


Godot › Script editor

Press F8 to stop.

Delete the `$Missing.hide()` line and save.

Press F5 to run again.

> **Check:** your game runs and nothing new is added to Errors.



12

Godot › Editor › other scenes

To run only the scene you have open, click **Run Current Scene**.

Or press F6. Use it to test one scene, like a level, without starting from the main scene.



Reading an error

Read the first red message. Find the file and line number, go to that line, and check spelling, capitals, brackets and indents.

Keys

F5 run your game · F6 run this scene · F8 stop

Checkpoint

- [ ] I can run and stop my game.
- [ ] I can find the line an error points to.
- [ ] I can copy an error to look it up or show my kaiako.