

The **fvextra** package

Geoffrey M. Poore

gpoore@gmail.com

github.com/gpoore/fvextra

v1.3 from 2017/07/08

Abstract

fvextra provides several extensions to **fancyvrb**, including automatic line breaking and improved math mode. It also patches some **fancyvrb** internals.

Contents

1	Introduction	4
2	Usage	4
3	General options	5
4	General commands	10
4.1	Line and text formatting	10
5	Line breaking	10
5.1	Line breaking options	11
5.2	Line breaking and tab expansion	16
5.3	Advanced line breaking	17
5.3.1	A few notes on algorithms	17
5.3.2	Breaks within macro arguments	17
5.3.3	Customizing break behavior	19
6	Pygments support	19
6.1	Options for users	19
6.2	For package authors	20
7	Patches	20
7.1	Visible spaces	20
7.2	<code>obeytabs</code> with visible tabs and with tabs inside macro arguments .	21
7.3	Math mode	21
7.3.1	Spaces	21
7.3.2	Symbols and fonts	22
7.4	Orphaned labels	22
7.5	<code>rulecolor</code> and <code>fillcolor</code>	23
8	Additional modifications to <code>fancyvrb</code>	23
8.1	Backtick and single quotation mark	23
8.2	Line numbering	23
9	Undocumented features of <code>fancyvrb</code>	23
9.1	Undocumented options	23
9.2	Undocumented macros	24
	Version History	24
10	Implementation	25
10.1	Required packages	25
10.2	Utility macros	26
10.3	Hooks	26
10.4	Escaped characters	27

10.5	Patches	27
10.5.1	Visible spaces	27
10.5.2	<code>obeytabs</code> with visible tabs and with tabs inside macro arguments	27
10.5.3	Spacing in math mode	31
10.5.4	Fonts and symbols in math mode	31
10.5.5	Ophaned label	32
10.5.6	<code>rulecolor</code> and <code>fillcolor</code>	33
10.6	Extensions	34
10.6.1	New options requiring minimal implementation	34
10.6.2	Formatting with <code>\FancyVerbFormatLine</code> , <code>\FancyVerbFormatText</code> , and <code>\FancyVerbHighlightLine</code>	35
10.6.3	Line numbering	36
10.6.4	Line highlighting or emphasis	40
10.7	Line breaking	43
10.7.1	Options and associated macros	43
10.7.2	Line breaking implementation	51
10.8	Pygments compatibility	67

1 Introduction

The `fancyvrb` package had its first public release in January 1998. In July of the same year, a few additional features were added. Since then, the package has remained almost unchanged except for a few bug fixes. `fancyvrb` has become one of the primary \LaTeX packages for working with verbatim text.

Additional verbatim features would be nice, but since `fancyvrb` has remained almost unchanged for so long, a major upgrade could be problematic. There are likely many existing documents that tweak or patch `fancyvrb` internals in a way that relies on the existing implementation. At the same time, creating a completely new verbatim package would require a major time investment and duplicate much of `fancyvrb` that remains perfectly functional. Perhaps someday there will be an amazing new verbatim package. Until then, we have `fvextra`.

`fvextra` is an add-on package that gives `fancyvrb` several additional features, including automatic line breaking. Because `fvextra` patches and overwrites some of the `fancyvrb` internals, it may not be suitable for documents that rely on the details of the original `fancyvrb` implementation. `fvextra` tries to maintain the default `fancyvrb` behavior in most cases. All patches (section 7) and modifications to `fancyvrb` defaults (section 8) are documented.

Some features of `fvextra` were originally created as part of the `pythontex` and `minted` packages. `fancyvrb`-related patches and extensions that currently exist in those packages will gradually be migrated into `fvextra`, and both packages will require `fvextra` in the future.

2 Usage

`fvextra` may be used as a drop-in replacement for `fancyvrb`. It will load `fancyvrb` if it has not yet been loaded, and then proceeds to patch `fancyvrb` and define additional features.

The `upquote` package is loaded to give correct backticks (```) and typewriter single quotation marks (`'`). When this is not desirable within a given environment, use the option `curlyquotes`. `fvextra` modifies the behavior of these and other symbols in typeset math within verbatim, so that they will behave as expected (section 7.3). `fvextra` uses the `lineno` package for working with automatic line breaks. `lineno` gives a warning when the `csquotes` package is loaded before it, so `fvextra` should be loaded before `csquotes`. The `ifthen` and `etoolbox` packages are required. `color` or `xcolor` should be loaded manually to use color-dependent features.

While `fvextra` attempts to minimize changes to the `fancyvrb` internals, in some cases it completely overwrites `fancyvrb` macros with new definitions. New definitions typically follow the original definitions as much as possible, but code that depends on the details of the original `fancyvrb` implementation may be incompatible with `fvextra`.

3 General options

`fvextra` adds several general options to `fancyvrb`. All options related to automatic line breaking are described separately in section 5. All options related to syntax highlighting using Pygments are described in section 6.

beameroverlays (boolean) (default: `false`)
 Give the `<` and `>` characters their normal text meanings, so that `beamer` overlays of the form `\only<1>{...}` will work. Note that something like `commandchars=\\\{\}` is required separately to enable macros. This is not incorporated in the `beameroverlays` option because essentially arbitrary command characters could be used; only the `<` and `>` characters are hard-coded for overlays.
 With some font encodings and language settings, `beameroverlays` prevents literal (non-overlay) `<` and `>` characters from appearing correctly, so they must be inserted using commands.

curlyquotes (boolean) (default: `false`)
 Unlike `fancyvrb`, `fvextra` requires the `upquote` package, so the backtick (```) and typewriter single quotation mark (`'`) always appear literally by default, instead of becoming the left and right curly single quotation marks (`‘` `’`). This option allows these characters to be replaced by the curly quotation marks when that is desirable.

<pre>\begin{Verbatim} `quoted text' \end{Verbatim}</pre>	<pre>`quoted text'</pre>
<pre>\begin{Verbatim}[curlyquotes] `quoted text' \end{Verbatim}</pre>	<pre>‘quoted text’</pre>

highlightcolor (string) (default: `LightCyan`)
 Set the color used for `highlightlines`, using a predefined color name from `color` or `xcolor`, or a color defined via `\definecolor`.

highlightlines (string) (default: `<none>`)
 This highlights a single line or a range of lines based on line numbers. The line numbers refer to the line numbers that `fancyvrb` would show if `numbers=left`, etc. They do not refer to original or actual line numbers before adjustment by `firstnumber`.

The highlighting color can be customized with `highlightcolor`.

```

\begin{Verbatim}[numbers=left, highlightlines={1, 3-4}]
First line
Second line
Third line
Fourth line
Fifth line
\end{Verbatim}

```

```

1 First line
2 Second line
3 Third line
4 Fourth line
5 Fifth line

```

The actual highlighting is performed by a set of commands. These may be customized for additional fine-tuning of highlighting. See the default definition of `\FancyVerbHighlightLineFirst` as a starting point.

- `\FancyVerbHighlightLineFirst`: First line in a range.
- `\FancyVerbHighlightLineMiddle`: Inner lines in a range.
- `\FancyVerbHighlightLineLast`: Last line in a range.
- `\FancyVerbHighlightLineSingle`: Single highlighted lines.
- `\FancyVerbHighlightLineNormal`: Normal lines without highlighting.

If these are customized in such a way that indentation or inter-line spacing is changed, then `\FancyVerbHighlightLineNormal` may be modified as well to make all lines uniform. When working with the `First`, `Last`, and `Single` commands, keep in mind that `fvextra` merges all numbers ranges, so that `{1, 2-3, 3-5}` is treated the same as `{1-5}`.

Highlighting is applied after `\FancyVerbFormatText`, so any text formatting defined via that command will work with highlighting. Highlighting is applied before `\FancyVerbFormatLine`, so if `\FancyVerbFormatLine` puts a line in a box, the box will be behind whatever is created by highlighting. This prevents highlighting from vanishing due to user-defined customization.

linenos (boolean) (default: `false`)
`fancyvrb` allows line numbers via the options `numbers=<position>`. This is essentially an alias for `numbers=left`. It primarily exists for better compatibility with the `minted` package.

mathescape (boolean) (default: `false`)
This causes everything between dollar signs `$...$` to be typeset as math. The caret `^` and underscore `_` have their normal math meanings.

This is equivalent to `codes={\catcode`$=3\catcode`^=7\catcode`_=8}`. `mathescape` is always applied *before* `codes`, so that `codes` can be used to override

some of these definitions.

Note that `fvextra` provides several patches that make math mode within verbatim as close to normal math mode as possible (section 7.3).

numberfirstline (boolean) (default: `false`)
 When line numbering is used with `stepnumber` $\neq 1$, the first line may not always be numbered, depending on the line number of the first line. This causes the first line always to be numbered.

<pre> \begin{Verbatim}[numbers=left, stepnumber=2, numberfirstline] First line Second line Third line Fourth line \end{Verbatim} </pre>	
<pre> 1 First line 2 Second line Third line 4 Fourth line </pre>	

numbers (none | left | right | both) (default: `none`)
`fvextra` adds the `both` option for line numbering.

<pre> \begin{Verbatim}[numbers=both] First line Second line Third line Fourth line \end{Verbatim} </pre>	<pre> 1 First line 1 2 Second line 2 3 Third line 3 4 Fourth line 4 </pre>
--	---

space (macro) (default: `\textvisiblespace`, `␣`)
 Redefine the visible space character. Note that this is only used if `showspaces=true`. The color of the character may be set with `spacecolor`.

spacecolor (string) (default: `none`)
 Set the color of visible spaces. By default (`none`), they take the color of their surroundings.

```
\color{gray}
\begin{Verbatim}[showspaces, spacecolor=red]
One two three
\end{Verbatim}
```

Oneutwouthree

stepnumberfromfirst (boolean) (default: **false**)

By default, when line numbering is used with **stepnumber** $\neq 1$, only line numbers that are a multiple of **stepnumber** are included. This offsets the line numbering from the first line, so that the first line, and all lines separated from it by a multiple of **stepnumber**, are numbered.

```
\begin{Verbatim}[numbers=left, stepnumber=2,
                  stepnumberfromfirst]

First line
Second line
Third line
Fourth line
\end{Verbatim}
```

```
1 First line
  Second line
3 Third line
  Fourth line
```

stepnumberoffsetvalues (boolean) (default: **false**)

By default, when line numbering is used with **stepnumber** $\neq 1$, only line numbers that are a multiple of **stepnumber** are included. Using **firstnumber** to offset the numbering will change which lines are numbered and which line gets which number, but will not change which *numbers* appear. This option causes **firstnumber** to be ignored in determining which line numbers are a multiple of **stepnumber**. **firstnumber** is still used in calculating the actual numbers that appear. As a result, the line numbers that appear will be a multiple of **stepnumber**, plus **firstnumber** minus 1.

This option gives the original behavior of **fancyvrb** when **firstnumber** is used with **stepnumber** $\neq 1$ (section 8.2).


```

\begin{Verbatim}[numbers=left, stepnumber=2,
                  firstnumber=4, stepnumberoffsetvalues]
First line
Second line
Third line
Fourth line
\end{Verbatim}

```

```

First line
5 Second line
Third line
7 Fourth line

```

tab (macro) (default: fancyvrb's `\FancyVerbTab`, ↗)
 Redefine the visible tab character. Note that this is only used if `showtabs=true`.
 The color of the character may be set with `tabcolor`.

When redefining the tab, you should include the font family, font shape, and text color in the definition. Otherwise these may be inherited from the surrounding text. This is particularly important when using the tab with syntax highlighting, such as with the `minted` or `pythontex` packages.

`fvetra` patches `fancyvrb` tab expansion so that variable-width symbols such as `\rightarrowfill` may be used as tabs. For example,

```

\begin{Verbatim}[obeytabs, showtabs, breaklines,
                  tab=\rightarrowfill, tabcolor=orange]
↗First ↗Second ↗Third ↗And more text that goes on for a
↪ while until wrapping is needed
↗First ↗Second ↗Third ↗Forth
\end{Verbatim}

```

```

————→First————→Second————→Third————→And more text that goes on for a
↪ while until wrapping is needed
————→First————→Second————→Third————→Forth

```

tabcolor (string) (default: `none`)
 Set the color of visible tabs. By default (`none`), they take the color of their surroundings.

4 General commands

4.1 Line and text formatting


`\FancyVerbFormatLine`
`\FancyVerbFormatText`

`fancyvrb` defines `\FancyVerbFormatLine`, which can be used to apply custom formatting to each individual line of text. By default, it takes a line as an argument and inserts it with no modification. This is equivalent to `\newcommand{\FancyVerbFormatLine}[1]{#1}`.¹

`fvextra` introduces line breaking, which complicates line formatting. We might want to apply formatting to the entire line, including line breaks, line continuation symbols, and all indentation, including any extra indentation provided by line breaking. Or we might want to apply formatting only to the actual text of the line. `fvextra` leaves `\FancyVerbFormatLine` as applying to the entire line, and introduces a new command `\FancyVerbFormatText` that only applies to the text part of the line.² By default, `\FancyVerbFormatText` inserts the text unmodified. When it is customized, it should not use boxes that do not allow line breaks to avoid conflicts with line breaking code.

```
\renewcommand{\FancyVerbFormatLine}[1]{%
  \fcolorbox{DarkBlue}{LightGray}{#1}}
\renewcommand{\FancyVerbFormatText}[1]{\textcolor{Green}{#1}}

\begin{Verbatim}[breaklines]
Some text that proceeds for a while and finally wraps onto another line
Some more text
\end{Verbatim}
```



5 Line breaking

Automatic line breaking may be turned on with `breaklines=true`. By default, breaks only occur at spaces. Breaks may be allowed anywhere with `breakanywhere`,

¹The actual definition in `fancyvrb` is `\def\FancyVerbFormatLine#1{\FV@ObeyTabs{#1}}`. This is problematic because redefining the macro could easily eliminate `\FV@ObeyTabs`, which governs tab expansion. `fvextra` redefines the macro to `\def\FancyVerbFormatLine#1{#1}` and patches all parts of `fancyvrb` that use `\FancyVerbFormatLine` so that `\FV@ObeyTabs` is explicitly inserted at the appropriate points.

²When `breaklines=true`, each line is wrapped in a `\parbox`. `\FancyVerbFormatLine` is outside the `\parbox`, and `\FancyVerbFormatText` is inside.

or only before or after specified characters with **breakbefore** and **breakafter**. Many options are provided for customizing breaks. A good place to start is the description of **breaklines**.

5.1 Line breaking options

Options are provided for customizing typical line breaking features. See section 5.3 for details about low-level customization of break behavior.

breakafter (string) (default: *none*)
 Break lines after specified characters, not just at spaces, when **breaklines**=true. For example, **breakafter**=-/ would allow breaks after any hyphens or slashes. Special characters given to **breakafter** should be backslash-escaped (usually #, {, }, %, [,]; the backslash \ may be obtained via \\ and the space via \space).³

For an alternative, see **breakbefore**. When **breakbefore** and **breakafter** are used for the same character, **breakbeforegroup** and **breakaftergroup** must both have the same setting.

Note that when **commandchars** or **codes** are used to include macros within verbatim content, breaks will not occur within mandatory macro arguments by default. Depending on settings, macros that take optional arguments may not work unless the entire macro including arguments is wrapped in a group (curly braces {}), or other characters specified with **commandchars**. See section 5.3 for details.

```
\begin{Verbatim}[breaklines, breakafter=d]
some_string = 'SomeTextThatGoesOnAndOnForSoLongThatItCouldNeverFitOnOneLine'
\end{Verbatim}

some_string = 'SomeTextThatGoesOnAndOnForSoLongThatItCould
↪ NeverFitOnOneLine'
```

breakaftergroup (boolean) (default: true)
 When **breakafter** is used, group all adjacent identical characters together, and only allow a break after the last character. When **breakbefore** and **breakafter** are used for the same character, **breakbeforegroup** and **breakaftergroup** must both have the same setting.

breakaftersymbolpre (string) (default: \, \footnotesize\ensuremath{_ \rfloor}, _)
 The symbol inserted pre-break for breaks inserted by **breakafter**.

breakaftersymbolpost (string) (default: *none*)

³**breakafter** expands each token it is given once, so when it is given a macro like \%, the macro should expand to a literal character that will appear in the text to be typeset. **fextra** defines special character escapes that are activated for **breakafter** so that this will work with common escapes. The only exception to token expansion is non-ASCII characters under pdfTeX; these should appear literally. **breakafter** is not catcode-sensitive.

The symbol inserted post-break for breaks inserted by `breakafter`.

`breakanywhere` (boolean) (default: `false`)
Break lines anywhere, not just at spaces, when `breaklines=true`.

Note that when `commandchars` or `codes` are used to include macros within verbatim content, breaks will not occur within mandatory macro arguments by default. Depending on settings, macros that take optional arguments may not work unless the entire macro including arguments is wrapped in a group (curly braces `{}`), or other characters specified with `commandchars`). See section 5.3 for details.

```
\begin{Verbatim}[breaklines, breakanywhere]
some_string = 'SomeTextThatGoesOnAndOnForSoLongThatItCouldNeverFitOnOneLine'
\end{Verbatim}

some_string = 'SomeTextThatGoesOnAndOnForSoLongThatItCouldNeve
↪ rFitOnOneLine'
```

`breakanywheresymbolpre` (string) (default: `\,\footnotesize\ensuremath{_}\rfloor`)
The symbol inserted pre-break for breaks inserted by `breakanywhere`.

`breakanywheresymbolpost` (string) (default: `none`)
The symbol inserted post-break for breaks inserted by `breakanywhere`.

`breakautoindent` (boolean) (default: `true`)
When a line is broken, automatically indent the continuation lines to the indentation level of the first line. When `breakautoindent` and `breakindent` are used together, the indentations add. This indentation is combined with `breaksymbolindentleft` to give the total actual left indentation.

`breakbefore` (string) (default: `none`)
Break lines before specified characters, not just at spaces, when `breaklines=true`. For example, `breakbefore=A` would allow breaks before capital A's. Special characters given to `breakbefore` should be backslash-escaped (usually `#`, `{`, `}`, `%`, `[`, `]`; the backslash `\` may be obtained via `\\` and the space via `\space`).⁴

For an alternative, see `breakafter`. When `breakbefore` and `breakafter` are used for the same character, `breakbeforegroup` and `breakaftergroup` must both have the same setting.

Note that when `commandchars` or `codes` are used to include macros within verbatim content, breaks will not occur within mandatory macro arguments by default. Depending on settings, macros that take optional arguments may not work

⁴`breakbefore` expands each token it is given once, so when it is given a macro like `\%`, the macro should expand to a literal character that will appear in the text to be typeset. `fvetra` defines special character escapes that are activated for `breakbefore` so that this will work with common escapes. The only exception to token expansion is non-ASCII characters under pdfTeX; these should appear literally. `breakbefore` is not catcode-sensitive.

unless the entire macro including arguments is wrapped in a group (curly braces `{}`), or other characters specified with `commandchars`). See section 5.3 for details.

```
\begin{Verbatim}[breaklines, breakbefore=A]
some_string = 'SomeTextThatGoesOnAndOnForSoLongThatItCouldNeverFitOnOneLine'
\end{Verbatim}
```

```
some_string = 'SomeTextThatGoesOn_
↪ AndOnForSoLongThatItCouldNeverFitOnOneLine'
```

breakbeforegroup (boolean) (default: `true`)

When **breakbefore** is used, group all adjacent identical characters together, and only allow a break before the first character. When **breakbefore** and **breakafter** are used for the same character, **breakbeforegroup** and **breakaftergroup** must both have the same setting.

breakbeforesymbolpre (string) (default: `\,\footnotesize\ensuremath{_ \rfloor}`)

The symbol inserted pre-break for breaks inserted by **breakbefore**.

breakbeforesymbolpost (string) (default: `none`)

The symbol inserted post-break for breaks inserted by **breakbefore**.

breakindent (dimension) (default: `breakindentnchars`)

When a line is broken, indent the continuation lines by this amount. When **breakautoindent** and **breakindent** are used together, the indentations add. This indentation is combined with **breaksymbolindentleft** to give the total actual left indentation.

breakindentnchars (integer) (default: 0)

This allows **breakindent** to be specified as an integer number of characters rather than as a dimension (assumes a fixed-width font).

breaklines (boolean) (default: `false`)

Automatically break long lines.

By default, automatic breaks occur at spaces. Use **breakanywhere** to enable breaking anywhere; use **breakbefore** and **breakafter** for more fine-tuned breaking.

```
...text.
\begin{Verbatim}[breaklines]
def f(x):
    return 'Some text ' + str(x)
\end{Verbatim}
```

```
...text.
def f(x):
    return 'Some text ' +
↪ str(x)
```

To customize the indentation of broken lines, see **breakindent** and **breakautoindent**.

To customize the line continuation symbols, use `breaksymbolleft` and `breaksymbolright`. To customize the separation between the continuation symbols and the text, use `breaksymbolsepleft` and `breaksymbolsepright`. To customize the extra indentation that is supplied to make room for the break symbols, use `breaksymbolindentleft` and `breaksymbolindentright`. Since only the left-hand symbol is used by default, it may also be modified using the alias options `breaksymbol`, `breaksymbolsep`, and `breaksymbolindent`.

An example using these options to customize the `Verbatim` environment is shown below. This uses the `\carriagereturn` symbol from the `dingbat` package.

```
\begin{Verbatim}[breaklines,
                    breakautoindent=false,
                    breaksymbolleft=\raisebox{0.8ex}{\small\reflectbox{\carriagereturn}},
                    breaksymbolindentleft=0pt,
                    breaksymbolsepleft=0pt,
                    breaksymbolright=\small\carriagereturn,
                    breaksymbolindentright=0pt,
                    breaksymbolsepright=0pt]

def f(x):
    return 'Some text ' + str(x) + ' some more text ' +
        ↪ str(x) + ' even more text that goes on for a while'
\end{Verbatim}
```

```
def f(x):
    return 'Some text ' + str(x) + ' some more text ' +
    ↵ str(x) + ' even more text that goes on for a while'
```

Automatic line breaks will not work with `showspaces=true` unless you use `breakanywhere`, or use `breakbefore` or `breakafter` with `\space`. For example,

```
\begin{Verbatim}[breaklines, showspaces, breakafter=\space]
some_string = 'Some Text That Goes On And On For So Long That It Could Never Fit'
\end{Verbatim}
```

```
some_string_ = 'Some_Text_That_Goes_On_And_On_For_So_Long_That_
    ↪ It_Could_Never_Fit'
```

`breaksymbol` (string) (default: `breaksymbolleft`)
Alias for `breaksymbolleft`.

`breaksymbolleft` (string) (default: `\tiny\ensuremath{\hookrightarrow}`, `↪`)

The symbol used at the beginning (left) of continuation lines when `breaklines=true`. To have no symbol, simply set `breaksymbolleft` to an empty string (“=,” or “={}”). The symbol is wrapped within curly braces {} when used, so there is no danger of formatting commands such as `\tiny` “escaping.”

The `\hookrightarrow` and `\hookleftarrow` may be further customized by the use of the `\rotatebox` command provided by `graphicx`. Additional arrow-type symbols that may be useful are available in the `dingbat` (`\carriagereturn`) and `mnsymbol` (hook and curve arrows) packages, among others.

<code>breaksymbolright</code>	(string)	(default: <code><none></code>)
	The symbol used at breaks (right) when <code>breaklines=true</code> . Does not appear at the end of the very last segment of a broken line.	
<code>breaksymbolindent</code>	(dimension)	(default: <code>breaksymbolindentleftnchars</code>)
	Alias for <code>breaksymbolindentleft</code> .	
<code>breaksymbolindentnchars</code>	(integer)	(default: <code>breaksymbolindentleftnchars</code>)
	Alias for <code>breaksymbolindentleftnchars</code> .	
<code>breaksymbolindentleft</code>	(dimension)	(default: <code>breaksymbolindentleftnchars</code>)
	The extra left indentation that is provided to make room for <code>breaksymbolleft</code> . This indentation is only applied when there is a <code>breaksymbolleft</code> .	
<code>breaksymbolindentleftnchars</code>	(integer)	(default: 4)
	This allows <code>breaksymbolindentleft</code> to be specified as an integer number of characters rather than as a dimension (assumes a fixed-width font).	
<code>breaksymbolindentright</code>	(dimension)	(default: <code>breaksymbolindentrightnchars</code>)
	The extra right indentation that is provided to make room for <code>breaksymbolright</code> . This indentation is only applied when there is a <code>breaksymbolright</code> .	
<code>breaksymbolindentrightnchars</code>	(integer)	(default: 4)
	This allows <code>breaksymbolindentright</code> to be specified as an integer number of characters rather than as a dimension (assumes a fixed-width font).	
<code>breaksymbolsep</code>	(dimension)	(default: <code>breaksymbolsepleftnchars</code>)
	Alias for <code>breaksymbolsepleft</code> .	
<code>breaksymbolsepnchars</code>	(integer)	(default: <code>breaksymbolsepleftnchars</code>)
	Alias for <code>breaksymbolsepleftnchars</code> .	
<code>breaksymbolsepleft</code>	(dimension)	(default: <code>breaksymbolsepleftnchars</code>)
	The separation between the <code>breaksymbolleft</code> and the adjacent text.	
<code>breaksymbolsepleftnchars</code>	(integer)	(default: 2)
	Allows <code>breaksymbolsepleft</code> to be specified as an integer number of characters rather than as a dimension (assumes a fixed-width font).	
<code>breaksymbolsepright</code>	(dimension)	(default: <code>breaksymbolseprightnchars</code>)
	The <i>minimum</i> separation between the <code>breaksymbolright</code> and the adjacent text.	

This is the separation between `breaksymbolright` and the furthest extent to which adjacent text could reach. In practice, `\linewidth` will typically not be an exact integer multiple of the character width (assuming a fixed-width font), so the actual separation between the `breaksymbolright` and adjacent text will generally be larger than `breaksymbolsepright`. This ensures that break symbols have the same spacing from the margins on both left and right. If the same spacing from text is desired instead, `breaksymbolsepright` may be adjusted. (See the definition of `\FV@makeLineNumber` for implementation details.)

`breaksymbolseprightnchars` (integer) (default: 2)
 Allows `breaksymbolsepright` to be specified as an integer number of characters rather than as a dimension (assumes a fixed-width font).

5.2 Line breaking and tab expansion

`fancyvrb` provides an `obeytabs` option that expands tabs based on tab stops rather than replacing them with a fixed number of spaces (see `fancyvrb`'s `tabsize`). The `fancyvrb` implementation of tab expansion is not directly compatible with `fvextra`'s line-breaking algorithm, but `fvextra` builds on the `fancyvrb` approach to obtain identical results.

Tab expansion in the context of line breaking does bring some additional considerations that should be kept in mind. In each line, all tabs are expanded exactly as they would have been had the line not been broken. This means that after a line break, any tabs will not align with tab stops unless the total left indentation of continuation lines is a multiple of the tab stop width. The total indentation of continuation lines is the sum of `breakindent`, `breakautoindent`, and `breaksymbolindentleft` (alias `breaksymbolindent`).

A sample `Verbatim` environment that uses `obeytabs` with `breaklines` is shown below, with numbers beneath the environment indicating tab stops (`tabsize=8` by default). The tab stops in the wrapped and unwrapped lines are identical. However, the continuation line does not match up with the tab stops because by default the width of `breaksymbolindentleft` is equal to four monospace characters. (By default, `breakautoindent=true`, so the continuation line gets a tab plus `breaksymbolindentleft`.)

```
\begin{Verbatim}[obeytabs, showtabs, breaklines]
    ↵First ↵Second ↵Third ↵And more text that goes on for a
    ↵   while until wrapping is needed
    ↵First ↵Second ↵Third ↵Forth
\end{Verbatim}
12345678123456781234567812345678123456781234567812345678
```

We can set the symbol indentation to eight characters by creating a `dimen`,
`\newdimen\temporarydimen`

\settowidth{\temporarydimen}{\ttfamily AaAaAaAa}

```

    ↪First  ↪Second ↪Third  ↪And more text that goes on for a
      ↪    while until wrapping is needed
    ↪First  ↪Second ↪Third  ↪Forth
1234567812345678123456781234567812345678123456781234567812345678

```

5.3.1 A few notes on algorithms

`breakbefore` and `breakafter` insert line breaking commands around specified characters. This process is catcode-independent; tokens are `\detokenized` before they are checked against characters specified via `breakbefore` and `breakafter`.

`\FancyVerbBreakStart`
`\FancyVerbBreakStop`

If you want to allow breaks within macro arguments (optional or mandatory), then you should (re)define your macros so that the relevant arguments are wrapped in the commands

17

For example, suppose you have the macro

```
\newcommand{\mycmd}[1]{\_before:#1:after\_}
```

Then you would discover that line breaking does not occur:

```
\begin{Verbatim}[commandchars=\\\{\}, breaklines, breakafter=a]
\mycmd{1}\mycmd{2}\mycmd{3}\mycmd{4}\mycmd{5}
\end{Verbatim}
```

```
_before:1:after__before:2:after__before:3:after__before:4:after__before:5:after_
```

Now redefine the macro:

```
\renewcommand{\mycmd}[1]{\FancyVerbBreakStart\_before:#1:after\_ \FancyVerbBreakStop}
```

This is the result:

```
\begin{Verbatim}[commandchars=\\\{\}, breaklines, breakafter=a]
\mycmd{1}\mycmd{2}\mycmd{3}\mycmd{4}\mycmd{5}
\end{Verbatim}
```

```
_before:1:after__before:2:after__before:3:after__before:4:a
↪ fter__before:5:after_
```

Instead of completely redefining macros, it may be more convenient to use `\let`. For example,

```
\let\originalmycmd\mycmd
\renewcommand{\mycmd}[1]{%
  \expandafter\FancyVerbBreakStart\originalmycmd{#1}\FancyVerbBreakStop}
```

Notice that in this case `\expandafter` is required, because `\FancyVerbBreakStart` does not perform any expansion and thus will skip over `\originalmycmd{#1}` unless it is already expanded. The `etoolbox` package provides commands that may be useful for patching macros to insert line breaks.

When working with `\FancyVerbBreakStart ... \FancyVerbBreakStop`, keep in mind that any groups `{...}` or math `$. . . $` between the two commands will be skipped as far as line breaks are concerned, and breaks may be inserted within any optional arguments `[...]` depending on settings. Inserting breaks within groups requires another level of `\FancyVerbBreakStart` and `\FancyVerbBreakStop`, and protecting optional arguments requires wrapping the entire macro in a group `{...}`. Also, keep in mind that `\FancyVerbBreakStart` cannot introduce line breaks in a context in which they are never allowed, such as in an `\hbox`.

5.3.3 Customizing break behavior

`\FancyVerbBreakAnywhereBreak`

These macros govern the behavior of breaks introduced by `breakanywhere`, `breakbefore`, and `breakafter`. Breaks introduced by the default `breaklines` when `showspaces=false` are standard breaks following spaces. No special commands are provided for working with them; the normal L^AT_EX commands for breaking should suffice.

By default, these macros use `\discretionary`. `\discretionary` takes three arguments: commands to insert before the break, commands to insert after the break, and commands to insert if there is no break. For example, the default definition of `\FancyVerbBreakAnywhereBreak`:

```
\newcommand{\FancyVerbBreakAnywhereBreak}{%
  \discretionary{\FancyVerbBreakAnywhereSymbolPre}{%
    {\FancyVerbBreakAnywhereSymbolPost}{}}
```

The other macros are equivalent, except that “Anywhere” is swapped for “Before” or “After”.

`\discretionary` will generally only insert breaks when breaking at spaces simply cannot make lines short enough (this may be tweaked to some extent with hyphenation settings). This can produce a somewhat ragged appearance in some cases. If you want breaks exactly at the margin (or as close as possible) regardless of whether a break at a space is an option, you may want to use `\allowbreak` instead. Another option is `\linebreak[n]`, where *n* is between 0 to 4, with 0 allowing a break and 4 forcing a break.

6 Pygments support

6.1 Options for users

`fvextra` defines additional options for working code that has been highlighted with `Pygments`. These options work with the `minted` and `pythontex` packages, and may be enabled for other packages that work with `Pygments` output (section 6.2).

`breakbytoken` (boolean) (default: `false`)

When `breaklines=true`, do not allow breaks within `Pygments tokens`. This would prevent, for example, line breaking within strings.

`breakbytokenanywhere` (boolean) (default: `false`)

When `breaklines=true`, do not allow breaks within `Pygments tokens`, but always allow breaks between tokens even when they are immediately adjacent (not separated by spaces). **This option should be used with care.** Due to the details of how each `Pygments` lexer works, and due to the tokens defined in each lexer, this may result in breaks in locations that might not be anticipated. Also keep in mind that this will not allow breaks between tokens if those tokens are actually “subtokens” within another token.

`\FancyVerbBreakByTokenAnywhereBreak`

This defines the break inserted when `breakbytokenanywhere=true`. By default, it is `\allowbreak`.

6.2 For package authors

By default, line breaking will only partially work with Pygments output; `breakbefore` and `breakafter` will not work with any characters that do not appear literally in Pygments output but rather are replaced with a character macro. Also, `breakbytoken` and `breakbytokenanywhere` will not function at all.

```
\VerbatimPygments{<literal_macro>}{<actual_macro>}
```

To enable full Pygments support, use this macro before `\begin{Verbatim}`, etc. This macro must be used within `\begingroup...\endgroup` to prevent settings from escaping into the rest of the document. It may be used safely at the beginning of a `\newenvironment` definition. When used with `\newcommand`, though, the `\begingroup...\endgroup` will need to be inserted explicitly.

`<literal_macro>` is the Pygments macro that literally appears in Pygments output; it corresponds to the Pygments `commandprefix`. For `minted` and `pythontex`, this is `\PYG`. `<actual_macro>` is the Pygments macro that should actually be used. For `minted` and `pythontex`, this is `\PYG<style>`. In the `minted` and `pythontex` approach, code is only highlighted once (`\PYG`), and then the style is changed by redefining the macro that literally appears (`\PYG`) to use the appropriate style macro (`\PYG<style>`).

`\VerbatimPygments` takes the two Pygments macros and redefines `<literal_macro>` so that it will invoke `<actual_macro>` while fully supporting line breaks, `breakbytoken`, and `breakbytokenanywhere`. No further modification of either `<literal_macro>` or `<actual_macro>` is possible after `\VerbatimPygments` is used.

In packages that do not make a distinction between `<literal_macro>` and `<actual_macro>`, simply use `\VerbatimPygments` with two identical arguments; `\VerbatimPygments` is defined to handle this case.

7 Patches

`fvextra` modifies some `fancyvrb` behavior that is the result of bugs or omissions.

7.1 Visible spaces

The command `\FancyVerbSpace` defines the visible space when `showspaces=true`. The default `fancyvrb` definition allows a font command to escape under some circumstances, so that all following text is forced to be teletype font. The command is redefined to use `\textvisiblespace`.

7.2 obeytabs with visible tabs and with tabs inside macro arguments

The original `fancyvrb` treatment of visible tabs when `showtabs=true` and `obeytabs=true` did not allow variable-width tab symbols such as `\rightarrowfill` to function correctly. This is fixed through a redefinition of `\FV@TrueTab`.

Various macros associated with `obeytabs=true` are also redefined so that tabs may be expanded regardless of whether they are within a group (within `{...}` with the normal \LaTeX meaning due to `commandchars`, etc.). In the `fancyvrb` implementation, using `obeytabs=true` when a tab is inside a group typically causes the entire line to vanish. `fvextra` patches this so that the tab is expanded and will be visible if `showtabs=true`. Note, though, that the tab expansion in these cases is only guaranteed to be correct for leading whitespace that is inside a group. The start of each run of whitespace that is inside a group is treated as a tab stop, whether or not it actually is, due to limitations of the tab expansion algorithm. A more detailed discussion is provided in the implementation.

The example below shows correct tab expansion of leading whitespace within a macro argument. With `fancyvrb`, the line of text would simply vanish in this case.

```
\begin{Verbatim}[obeytabs, showtabs, showspaces, tabsize=4,
  commandchars=\\\{\}, tab=\textcolor{orange}{\rightarrowfill}]
\textcolor{blue}{      ↪      ↪Text after 1 space + 2 tabs}
\end{Verbatim}
```

```
↪→→→Text↪after↪1↪space↪+↪2↪tabs
```

The next example shows that tab expansion inside macros in the midst of text typically does not match up with the correct tab stops, since in such circumstances the beginning of the run of whitespace must be treated as a tab stop.

```
\begin{Verbatim}[obeytabs, showtabs, commandchars=\\\{\},
  tab=\textcolor{orange}{\rightarrowfill}]
\textcolor{blue}{      ↪      ↪2 leading tabs}
\textcolor{blue}{Text ↪      ↪then 2 tabs}
\end{Verbatim}
```

```
→→→→→2 leading tabs
Text→→→→→then 2 tabs
```

7.3 Math mode

7.3.1 Spaces

When `typeset math` is included within verbatim material, `fancyvrb` makes spaces within the math appear literally.

```
\begin{Verbatim}[commandchars=\\\{\}, mathescape]
Verbatim $\displaystyle\frac{1}{x^2 + y^2}$ verbatim
\end{Verbatim}
```

```
Verbatim 
$$\frac{1}{x^2 + y^2}$$
 verbatim
```

`fvextra` patches this by redefining `fancyvrb`'s space character within math mode so that it behaves as expected:

```
Verbatim 
$$\frac{1}{x^2 + y^2}$$
 verbatim
```

7.3.2 Symbols and fonts

With `fancyvrb`, using a single quotation mark (') in typeset math within verbatim material results in an error rather than a prime symbol (').⁵ `fvextra` redefines the behavior of the single quotation mark within math mode to fix this, so that it will become a proper prime.

The `amsmath` package provides a `\text` command for including normal text within math. With `fancyvrb`, `\text` does not behave normally when used in typeset math within verbatim material. `fvextra` redefines the backtick (``) and the single quotation mark so that they function normally within `\text`, becoming left and right quotation marks. It redefines the greater-than sign, less-than sign, comma, and hyphen so that they function normally as well. `fvextra` also switches back to the default document font within `\text`, rather than using the verbatim font, which is typically a monospace or typewriter font.

The result of these modifications is a math mode that very closely mimics the behavior of normal math mode outside of verbatim material.

```
\begin{Verbatim}[commandchars=\\\{\}, mathescape]
Verbatim $\displaystyle f'''(x) = \text{``Some quoted text---''}$
\end{Verbatim}
```

```
Verbatim 
$$f'''(x) = \text{“Some quoted text—”}$$

```

7.4 Orphaned labels

When `frame=lines` is used with a `label`, `fancyvrb` does not prevent the label from being orphaned under some circumstances. `\FV@BeginListFrame@Lines` is

⁵The single quotation mark is made active within verbatim material to prevent ligatures, via `\@noligs`. The default definition is incompatible with math mode.

patched to prevent this.

7.5 rulecolor and fillcolor

The `rulecolor` and `fillcolor` options are redefined so that they accept color names directly, rather than requiring `\color{<color_name>}`. The definitions still allow the old usage.

8 Additional modifications to fancyvrb

`fvextra` modifies some `fancyvrb` behavior with the intention of improving logical consistency or providing better defaults.

8.1 Backtick and single quotation mark

With `fancyvrb`, the backtick ``` and typewriter single quotation mark `'` are typeset as the left and right curly single quotation marks `‘` and `’`. `fvextra` loads the `upquote` package so that these characters will appear literally by default. The original `fancyvrb` behavior can be restored with the `fvextra` option `curlyquotes` (section 3).

8.2 Line numbering

With `fancyvrb`, using `firstnumber` to offset line numbering in conjunction with `stepnumber` changes which line numbers appear. Lines are numbered if their original line numbers, without the `firstnumber` offset, are a multiple of `stepnumber`. But the actual numbers that appear are the offset values that include `firstnumber`. Thus, using `firstnumber=2` with `stepnumber=5` would cause the original lines 5, 10, 15, ... to be numbered, but with the values 6, 11, 16,

`fvextra` changes line numbering so that when `stepnumber` is used, the actual line numbers that appear are always multiples of `stepnumber` by default, regardless of any `firstnumber` offset. The original `fancyvrb` behavior may be turned on by setting `stepnumberoffsetvalues=true` (section 3).

9 Undocumented features of fancyvrb

`fancyvrb` defines some potentially useful but undocumented features.

9.1 Undocumented options

`codes*` (macro) (default: `<empty>`)
`fancyvrb`'s `codes` is used to specify catcode changes. It overwrites any existing `codes`. `codes*` appends changes to existing settings.

`defineactive*` (macro) (default: `<empty>`)

fancyvrb's `defineactive` is used to define the effect of active characters. It overwrites any existing `defineactive`. `defineactive*` appends changes to existing settings.

`formatcom*` (macro) (default: `\empty`)
 fancyvrb's `formatcom` is used to execute commands before verbatim text. It overwrites any existing `formatcom`. `formatcom*` appends changes to existing settings.

9.2 Undocumented macros

`\FancyVerbTab`

This defines the visible tab character (`\>`) that is used when `showtabs=true`. The default definition is

```
\def\FancyVerbTab{%
  \valign{%
    \vfil##\vfil\cr
    \hbox{$\scriptscriptstyle-$}\cr
    \hbox to 0pt{\hss$\scriptscriptstyle\rangle\mskip -.8mu$}\cr
    \hbox{$\scriptstyle\mskip -3mu\mid\mskip -1.4mu$}\cr}}
```

While this may be redefined directly, `fvextra` also defines a new option `tab`

`\FancyVerbSpace`

This defines the visible space character (`_`) that is used when `showspaces=true`. The default definition (as patched by `fvextra`, section 7.1) is `\textvisiblespace`. While this may be redefined directly, `fvextra` also defines a new option `space`.

Version History

v1.3 (2017/07/08)

- Added `beameroverlays` option, which enables `beamer` overlays using the `<` and `>` characters.
- Added options `breakindentnchars`, `breaksymbolsepleftnchars` (alias `breaksymbolsepnchars`), `breaksymbolseprighnchars`, `breaksymbolindentleftnchars` (alias `breaksymbolindentnchars`), and `breaksymbolindentrightnchars`. These are identical to the pre-existing options without the `nchars` suffix, except that they allow indentation to be specified as an integer number of characters rather than as a dimension. As a result of these new options, `\settowidth` is no longer used in the preamble, resolving some font incompatibilities (#4).
- Clarified in the docs that `breaksymbolsepright` is a *minimum*, rather than exact, distance.

v1.2.1 (2016/09/02)

- The package is now compatible with classes and packages that redefine `\raggedright`.
- Fixed a bug that introduced extra space in inline contexts such as `\mintinline` when `breaklines=true` (#3).

v1.2 (2016/07/20)

- Added support for line breaking when working with Pygments for syntax highlighting.
- The default `highlightcolor` is now defined with `rgb` for compatibility with the `color` package. Fixed a bug in the conditional color definition when `color` and `xcolor` are not loaded before `fvextra`.

v1.1 (2016/07/14)

- The options `rulecolor` and `fillcolor` now accept color names directly; using `\color{<color_name>}` is no longer necessary, though it still works.
- Added `tabcolor` and `spacecolor` options for use with `showtabs` and `showspaces`.
- Added `highlightlines` option that takes a line number or range of line numbers and highlights the corresponding lines. Added `highlightcolor` option that controls highlighting color.
- `obeytabs` no longer causes lines to vanish when tabs are inside macro arguments. Tabs and spaces inside a macro argument but otherwise at the beginning of a line are expanded correctly. Tabs inside a macro argument that are preceded by non-whitespace characters (not spaces or tabs) are expanded based on the starting position of the run of whitespace in which they occur.
- The line breaking options `breakanywhere`, `breakbefore`, and `breakafter` now work with multi-byte UTF-8 code points under pdfTeX with `inputenc`. They were already fully functional under XeTeX and LuaTeX.
- Added `curlyquotes` option, which essentially disables the `uquote` package.

v1.0 (2016/06/28)

- Initial release.

10 Implementation

10.1 Required packages

The `upquote` package performs some font checks when it is loaded to determine whether `textcomp` is needed, but errors can result if the font is changed later in the

preamble, so duplicate the package’s font check at the end of the preamble. Also check for a package order issue with `lineno` and `csquotes`.

```

1 \RequirePackage{ifthen}
2 \RequirePackage{etoolbox}
3 \RequirePackage{fancyvrb}
4 \RequirePackage{upquote}
5 \AtEndPreamble{%
6   \ifx\encodingdefault\upquote@OTone
7     \ifx\ttdefault\upquote@cmtt\else\RequirePackage{textcomp}\fi
8   \else
9     \RequirePackage{textcomp}
10  \fi}
11 \RequirePackage{lineno}
12 \@ifpackageloaded{csquotes}%
13  {\PackageWarning{fvextra}{csquotes should be loaded after fvextra, %
14   to avoid a warning from the lineno package}}{}

```

10.2 Utility macros

`\FV@Space@ifx` Macro for testing if a `\let` token is `\FV@Space` with `\ifx`. The space will be active and defined as `\FV@Space`.

```
15 \def\FV@Space@ifx{\FV@Space}
```

`\FV@Tab@ifx` Macro for testing if a `\let` token is `\FV@Tab` with `\ifx`. The tab will be active and defined as `\FV@Tab`.

```
16 \def\FV@Tab@ifx{\FV@Tab}
```

10.3 Hooks

`\FV@FormattingPrep@PreHook` These are hooks for extending `\FV@FormattingPrep`. `\FV@FormattingPrep` is inside a group, before the beginning of processing, so it is a good place to add extension code. These hooks are used for such things as tweaking math mode behavior and preparing for `breakbefore` and `breakafter`. The `PreHook` should typically be used, unless `fancyvrb`’s font settings, whitespace setup, and active character definitions are needed for extension code.

```

17 \let\FV@FormattingPrep@PreHook\@empty
18 \let\FV@FormattingPrep@PostHook\@empty
19 \expandafter\def\expandafter\FV@FormattingPrep\expandafter{%
20   \expandafter\FV@FormattingPrep@PreHook\FV@FormattingPrep\FV@FormattingPrep@PostHook}

```

`\FV@PygmentsHook` This is a hook for turning on Pygments-related features for packages like `minted` and `pythontex` (section 10.8). It needs to be the first thing in `\FV@FormattingPrep@PreHook`, since it will potentially affect some of the later things in the hook. It is activated by `\VerbatimPygments`.

```

21 \let\FV@PygmentsHook\relax
22 \g@addto@macro\FV@FormattingPrep@PreHook{\FV@PygmentsHook}

```

10.4 Escaped characters

`\FV@EscChars` Define versions of common escaped characters that reduce to raw characters. This is useful, for example, when working with text that is almost verbatim, but was captured in such a way that some escapes were unavoidable.

```
23 \edef\FV@hashchar{\string#}
24 \edef\FV@dollarchar{\string$}
25 \edef\FV@ampchar{\string&}
26 \edef\FV@underscorechar{\string_}
27 \edef\FV@tildechar{\string~}
28 \edef\FV@leftsquarebracket{\string[] }
29 \edef\FV@rightsquarebracket{\string[] }
30 \newcommand{\FV@EscChars}{%
31   \let\#\FV@hashchar
32   \let%\FV@percentchar
33   \let{\FV@charlb
34   \let}\FV@charrb
35   \let$\FV@dollarchar
36   \let&\FV@ampchar
37   \let_\FV@underscorechar
38   \let\\FV@backslashchar
39   \let~\FV@tildechar
40   \let~\FV@tildechar
41   \let[\FV@leftsquarebracket
42   \let]\FV@rightsquarebracket
43 } %$ <- highlighting
```

10.5 Patches

10.5.1 Visible spaces

`\FancyVerbSpace` The default definition of visible spaces (`showspaces=true`) could allow font commands to escape under some circumstances, depending on how it is used:

```
{\catcode'\ =12 \gdef\FancyVerbSpace{\tt }}
```

The command is redefined in more robust and standard L^AT_EX form.

```
44 \def\FancyVerbSpace{\textvisiblespace}
```

10.5.2 obeytabs with visible tabs and with tabs inside macro arguments

`\FV@TrueTab` governs tab appearance when `obeytabs=true` and `showtabs=true`. It is redefined so that symbols with flexible width, such as `\rightarrowfill`, will work as expected. In the original `fancyvrb` definition, `\kern\@tempdima\hbox to\z@{...}`. The `\kern` is removed and instead the `\hbox` is given the width `\@tempdima`.

`\FV@TrueTab` and related macros are also modified so that they function for tabs inside macro arguments when `obeytabs=true` (inside curly braces `{}` with their normal meaning, when using `commandchars`, etc.). The `fancyvrb` implementation of tab expansion assumes that tabs are never inside a group; when a group that

contains a tab is present, the entire line typically vanishes. The new implementation keeps the `fancyvrb` behavior exactly for tabs outside groups; they are perfectly expanded to tab stops. Tabs inside groups cannot be perfectly expanded to tab stops, at least not using the `fancyvrb` approach. Instead, when `fvextra` encounters a run of whitespace characters (tabs and possibly spaces), it makes the assumption that the nearest tab stop was at the beginning of the run. This gives the correct behavior if the whitespace characters are leading indentation that happens to be within a macro. Otherwise, it will typically not give correct tab expansion—but at least the entire line will not be discarded, and the run of whitespace will be represented, even if imperfectly.

A general solution to tab expansion may be possible, but will almost certainly require multiple compiles, perhaps even one compile (or more) per tab. The `zref` package provides a `\zsavexposx` macro that stores the current x position on the page for subsequent compiles. This macro, or a similar macro from another package, could be used to establish a reference point at the beginning of each line. Then each run of whitespace that contains a tab could have a reference point established at its start, and tabs could be expanded based on the distance between the start of the run and the start of the line. Such an approach would allow the first run of whitespace to measure its distance from the start of the line on the 2nd compile (once both reference points were established), so it would be able to expand the first run of whitespace correctly on the 3rd compile. That would allow a second run of whitespace to definitely establish its starting point on the 3rd compile, which would allow it to expand correctly on the 4th compile. And so on. Thus, while it should be possible to perform completely correct tab expansion with such an approach, it will in general require at least 4 compiles to do better than the current approach. Furthermore, the sketch of the algorithm provided so far does not include any complications introduced by line breaking. In the current approach, it is necessary to determine how each tab would be expanded in the absence of line breaking, save all tab widths, and then expand using saved widths during the actual typesetting with line breaking.

`FV@TrueTabGroupLevel` Counter for keeping track of the group level (`\currentgrouplevel`) at the very beginning of a line, inside `\FancyVerbFormatLine` but outside `\FancyVerbFormatText`, which is where the tab expansion macro is invoked. This allows us to determine whether we are in a group, and expand tabs accordingly.

```
45 \newcounter{FV@TrueTabGroupLevel}
```

`\FV@@@ObeyTabs` The `fancyvrb` macro responsible for tab expansion is modified so that it can handle tabs inside groups, even if imperfectly. We need to use a special version of the space, `\FV@Space@ObeyTabs`, that within a group will capture all following spaces or tabs and then insert them with tab expansion based on the beginning of the run of whitespace. We need to record the current group level, but then increment it by 1 because all comparisons will be performed within the `\hbox{...}`.

```
46 \def\FV@@@ObeyTabs#1{%
47   \let\FV@Space@Orig\FV@Space
48   \let\FV@Space\FV@Space@ObeyTabs
```

```

49 \setcounter{FV@TrueTabGroupLevel}{\the\currentgrouplevel}%
50 \addtocounter{FV@TrueTabGroupLevel}{1}%
51 \setbox\FV@TabBox=\hbox{#1}\box\FV@TabBox
52 \let\FV@Space\FV@Space@Orig}

\FV@TrueTab Version that follows fancyvrb if not in a group and takes another approach otherwise.
53 \def\FV@TrueTab{%
54 \ifnum\value{FV@TrueTabGroupLevel}=\the\currentgrouplevel\relax
55 \expandafter\FV@TrueTab@NoGroup
56 \else
57 \expandafter\FV@TrueTab@Group
58 \fi}

\FV@TrueTabSaveWidth When linebreaking is in use, the fancyvrb tab expansion algorithm cannot be used
directly, since it involves \hbox, which doesn't allow for line breaks. In those cases,
tab widths will be calculated for the case without breaks and saved, and then saved
widths will be used in the actual typesetting. This macro is \let to width-saving
code in those cases.
59 \let\FV@TrueTabSaveWidth\relax

FV@TrueTabCounter Counter for tracking saved tabs.
60 \newcounter{FV@TrueTabCounter}

\FV@TrueTabSaveWidth@Save Save the current tab width, then increment the tab counter. \@tempdima will hold
the current tab width.
61 \def\FV@TrueTabSaveWidth@Save{%
62 \expandafter\xdef\csname FV@TrueTab:Width\arabic{FV@TrueTabCounter}\endcsname{%
63 \number\@tempdima}%
64 \stepcounter{FV@TrueTabCounter}}

\FV@TrueTab@NoGroup This follows the fancyvrb approach exactly, except for the \hbox to\@tempdima
adjustment and the addition of \FV@TrueTabSaveWidth.
65 \def\FV@TrueTab@NoGroup{%
66 \egroup
67 \@tempdima=\FV@ObeyTabSize sp\relax
68 \@tempcnta=\wd\FV@TabBox
69 \advance\@tempcnta\FV@ObeyTabSize\relax
70 \divide\@tempcnta\@tempdima
71 \multiply\@tempdima\@tempcnta
72 \advance\@tempdima-\wd\FV@TabBox
73 \FV@TrueTabSaveWidth
74 \setbox\FV@TabBox=\hbox\bgroup
75 \unhbox\FV@TabBox\hbox to\@tempdima{\hss\FV@TabChar}}

FV@ObeyTabs@Whitespace@Tab In a group where runs of whitespace characters are collected, we need to keep track
of whether a tab has been found, so we can avoid expansion and the associated
\hbox for spaces without tabs.
76 \newboolean{FV@ObeyTabs@Whitespace@Tab}

```

`\FV@TrueTab@Group` If in a group, a tab should start collecting whitespace characters for later tab expansion, beginning with itself. The collected whitespace will use `\FV@Tab@ifx` and `\FV@Space@ifx` so that any `\ifx` comparisons performed later will behave as expected. This shouldn't be strictly necessary, because `\FancyVerbBreakStart` operates with saved tab widths rather than using the tab expansion code directly. But it is safer in case any other unanticipated scanning is going on.

```

77 \def\FV@TrueTab@Group{%
78   \booltrue\FV@ObeyTabs@Whitespace@Tab}%
79   \gdef\FV@TmpWhitespace{\FV@Tab@ifx}%
80   \FV@ObeyTabs@ScanWhitespace}

```

`\FV@Space@ObeyTabs` Space treatment, like tab treatment, now depends on whether we are in a group, because in a group we want to collect all runs of whitespace and then expand any tabs.

```

81 \def\FV@Space@ObeyTabs{%
82   \ifnum\value\FV@TrueTabGroupLevel=\the\currentgrouplevel\relax
83     \expandafter\FV@Space@ObeyTabs@NoGroup
84   \else
85     \expandafter\FV@Space@ObeyTabs@Group
86   \fi}

```

`\FV@Space@ObeyTabs@NoGroup` Fall back to normal space.

```

87 \def\FV@Space@ObeyTabs@NoGroup{\FV@Space@Orig}

```

`\FV@Space@ObeyTabs@Group` Make a note that no tabs have yet been encountered, store the current space, then scan for following whitespace.

```

88 \def\FV@Space@ObeyTabs@Group{%
89   \boolfalse\FV@ObeyTabs@Whitespace@Tab}%
90   \gdef\FV@TmpWhitespace{\FV@Space@ifx}%
91   \FV@ObeyTabs@ScanWhitespace}

```

`\FV@ObeyTabs@ScanWhitespace` Collect whitespace until the end of the run, then process it. Proper lookahead comparison requires `\FV@Space@ifx` and `\FV@Tab@ifx`.

```

92 \def\FV@ObeyTabs@ScanWhitespace{%
93   \@ifnextchar\FV@Space@ifx%
94   {\FV@TrueTab@CaptureWhitespace@Space}%
95   {\ifx\@let@token\FV@Tab@ifx
96     \expandafter\FV@TrueTab@CaptureWhitespace@Tab
97   \else
98     \expandafter\FV@ObeyTabs@ResolveWhitespace
99   \fi}}
100 \def\FV@TrueTab@CaptureWhitespace@Space#1{%
101   \g@addto@macro\FV@TmpWhitespace{\FV@Space@ifx}%
102   \FV@ObeyTabs@ScanWhitespace}
103 \def\FV@TrueTab@CaptureWhitespace@Tab#1{%
104   \booltrue\FV@ObeyTabs@Whitespace@Tab}%
105   \g@addto@macro\FV@TmpWhitespace{\FV@Tab@ifx}%
106   \FV@ObeyTabs@ScanWhitespace}

```

`\FV@TrueTab@Group@Expand` Yet another tab definition, this one for use in the actual expansion of tabs in whitespace. This uses the `fancyvrb` algorithm, but only over a restricted region known to contain no groups.

```

107 \newbox\FV@TabBox@Group
108 \def\FV@TrueTab@Group@Expand{%
109   \egroup
110   \@tempdima=\FV@ObeyTabSize sp\relax
111   \@tempcnta=\wd\FV@TabBox@Group
112   \advance\@tempcnta\FV@@ObeyTabSize\relax
113   \divide\@tempcnta\@tempdima
114   \multiply\@tempdima\@tempcnta
115   \advance\@tempdima-\wd\FV@TabBox@Group
116   \FV@TrueTabSaveWidth
117   \setbox\FV@TabBox@Group=\hbox\bgroup
118     \unhbox\FV@TabBox@Group\hbox to\@tempdima{\hss\FV@TabChar}}

```

`\FV@ObeyTabs@ResolveWhitespace` Need to make sure the right definitions of the space and tab are in play here. Only do tab expansion, with the associated `\hbox`, if a tab is indeed present.

```

119 \def\FV@ObeyTabs@ResolveWhitespace{%
120   \let\FV@Space\FV@Space@Orig
121   \let\FV@Tab\FV@TrueTab@Group@Expand
122   \expandafter\FV@ObeyTabs@ResolveWhitespace@i\expandafter{\FV@TmpWhitespace}%
123   \let\FV@Space\FV@Space@ObeyTabs
124   \let\FV@Tab\FV@TrueTab}
125 \def\FV@ObeyTabs@ResolveWhitespace@i#1{%
126   \ifbool{FV@ObeyTabs@Whitespace@Tab}%
127     {\setbox\FV@TabBox@Group=\hbox{#1}\box\FV@TabBox@Group}%
128     {#1}}

```

10.5.3 Spacing in math mode

`\FancyVerbMathSpace` `\FV@Space` is defined as either a non-breaking space or a visible representation of a space, depending on the option `showspaces`. Neither option is desirable when typeset math is included within verbatim content, because spaces will not be discarded as in normal math mode. Define a space for math mode.

```

129 \def\FancyVerbMathSpace{ }

```

`\FV@SetupMathSpace` Define a macro that will activate math spaces, then add it to an `fvextra` hook.

```

130 \def\FV@SetupMathSpace{%
131   \everymath\expandafter{\the\everymath\let\FV@Space\FancyVerbMathSpace}}
132 \g@addto@macro\FV@FormattingPrep@PreHook{\FV@SetupMathSpace}

```

10.5.4 Fonts and symbols in math mode

The single quote (') does not become `\prime` when typeset math is included within verbatim content, due to the definition of the character in `\@noligs`. This patch adds a new definition of the character in math mode, inspired by <http://tex.stackexchange.com/q/223876/10742>. It also redefines other characters

in `\@noligs` to behave normally within math mode and switches the default font within math mode, so that `amsmath`'s `\text` will work as expected.

`\FV@pr@ms` Define a version of `\pr@ms` from `latex.ltx` that works with active `'`. In verbatim contexts, `'` is made active by `\@noligs`.

```
133 \begingroup
134 \catcode'\=' \active
135 \catcode'\^=7
136 \gdef\FV@pr@ms{%
137   \ifx'\@let@token
138     \expandafter\pr@@@s
139   \else
140     \ifx'\@let@token
141       \expandafter\expandafter\expandafter\pr@@@t
142     \else
143       \egroup
144     \fi
145   \fi}
146 \endgroup
```

`\FV@SetupMathFont` Set the font back to default from the verbatim font.

```
147 \def\FV@SetupMathFont{%
148   \everymath\expandafter{\the\everymath\fontfamily{\familydefault}\selectfont}}
149 \g@addto@macro\FV@FormattingPrep@PreHook{\FV@SetupMathFont}
```

`\FV@SetupMathLigs` Make all characters in `\@noligs` behave normally, and switch to `\FV@pr@ms`. The relevant definition from `latex.ltx`:

```
\def\verbatim@nolig@list{\do\` \do\<\do\>\do\,\do\' \do\~}
```

```
150 \def\FV@SetupMathLigs{%
151   \everymath\expandafter{%
152     \the\everymath
153     \let\pr@ms\FV@pr@ms
154     \begingroup\lccode\~='\'\lowercase{\endgroup\def~}{%
155       \ifmmode\expandafter\active@math@prime\else'\fi}%
156     \begingroup\lccode\~='\'\lowercase{\endgroup\def~}{'}%
157     \begingroup\lccode\~='\<\lowercase{\endgroup\def~}{<}%
158     \begingroup\lccode\~='\>\lowercase{\endgroup\def~}{>}%
159     \begingroup\lccode\~='\,\lowercase{\endgroup\def~}{,}%
160     \begingroup\lccode\~='\-\lowercase{\endgroup\def~}{-}%
161   }%
162 }
163 \g@addto@macro\FV@FormattingPrep@PreHook{\FV@SetupMathLigs}
```

10.5.5 Orphaned label

`\FV@BeginListFrame@Lines` When `frame=lines` is used with a label, the label can be orphaned. This overwrites the default definition to add `\penalty\@M`. The fix is attributed to <http://tex.stackexchange.com/a/168021/10742>.


```

164 \def\FV@BeginListFrame@Lines{%
165   \begingroup
166   \lineskip\z@skip
167   \FV@SingleFrameLine{\z@}%
168   \kern-0.5\baselineskip\relax
169   \baselineskip\z@skip
170   \kern\FV@FrameSep\relax
171   \penalty\@M
172   \endgroup}

```

10.5.6 rulecolor and fillcolor

The `rulecolor` and `fillcolor` options are redefined so that they accept color names directly, rather than requiring `\color{<color__name>}`. The definitions still allow the old usage.

rulecolor

```

173 \define@key{FV}{rulecolor}{%
174   \ifstrempy{#1}%
175   {\let\FancyVerbRuleColor\relax}%
176   {\ifstrequal{#1}{none}%
177     {\let\FancyVerbRuleColor\relax}%
178     {\def\@tempa{#1}%
179       \FV@KVProcess@RuleColor#1\FV@Undefined}}}
180 \def\FV@KVProcess@RuleColor#1#2\FV@Undefined{%
181   \ifx#1\color
182   \else
183     \expandafter\def\expandafter\@tempa\expandafter{%
184       \expandafter\color\expandafter{\@tempa}}%
185   \fi
186   \let\FancyVerbRuleColor\@tempa}
187 \fvset{rulecolor=none}

```

fillcolor

```

188 \define@key{FV}{fillcolor}{%
189   \ifstrempy{#1}%
190   {\let\FancyVerbFillColor\relax}%
191   {\ifstrequal{#1}{none}%
192     {\let\FancyVerbFillColor\relax}%
193     {\def\@tempa{#1}%
194       \FV@KVProcess@FillColor#1\FV@Undefined}}}
195 \def\FV@KVProcess@FillColor#1#2\FV@Undefined{%
196   \ifx#1\color
197   \else
198     \expandafter\def\expandafter\@tempa\expandafter{%
199       \expandafter\color\expandafter{\@tempa}}%
200   \fi
201   \let\FancyVerbFillColor\@tempa}
202 \fvset{fillcolor=none}

```

10.6 Extensions

10.6.1 New options requiring minimal implementation

linenos fancyvrb allows line numbers via the options `numbers=left` and `numbers=right`. This creates a `linenos` key that is essentially an alias for `numbers=left`.

```
203 \define@booleankey{FV}{linenos}%
204   {\@nameuse{FV@Numbers@left}}{\@nameuse{FV@Numbers@none}}
```

tab Redefine `\FancyVerbTab`.

```
205 \define@key{FV}{tab}{\def\FancyVerbTab{#1}}
```

tabcolor Set tab color, or allow it to adjust to surroundings (the default fancyvrb behavior). This involves re-creating the `showtabs` option to add `\FV@TabColor`.

```
206 \define@key{FV}{tabcolor}%
207   {\ifstrempy{#1}%
208     {\let\FV@TabColor\relax}%
209     {\ifstrequal{#1}{none}%
210       {\let\FV@TabColor\relax}%
211       {\def\FV@TabColor{\textcolor{#1}}}}}
212 \define@booleankey{FV}{showtabs}%
213   {\def\FV@TabChar{\FV@TabColor{\FancyVerbTab}}}%
214   {\let\FV@TabChar\relax}
215 \fvset{tabcolor=none, showtabs=false}
```

space Redefine `\FancyVerbSpace`.

```
216 \define@key{FV}{space}{\def\FancyVerbSpace{#1}}
```

spacecolor Set space color, or allow it to adjust to surroundings (the default fancyvrb behavior). This involves re-creating the `showspaces` option to add `\FV@SpaceColor`.

```
217 \define@key{FV}{spacecolor}%
218   {\ifstrempy{#1}%
219     {\let\FV@SpaceColor\relax}%
220     {\ifstrequal{#1}{none}%
221       {\let\FV@SpaceColor\relax}%
222       {\def\FV@SpaceColor{\textcolor{#1}}}}}
223 \define@booleankey{FV}{showspaces}%
224   {\def\FV@Space{\FV@SpaceColor{\FancyVerbSpace}}}%
225   {\def\FV@Space{\ }}
226 \fvset{spacecolor=none, showspaces=false}
```

mathescape Give `$`, `^`, and `_` their normal catcodes to allow normal typeset math.

```
227 \define@booleankey{FV}{mathescape}%
228   {\let\FancyVerbMathEscape\FV@MathEscape}%
229   {\let\FancyVerbMathEscape\relax}
230 \def\FV@MathEscape{\catcode'\$=3\catcode'\^=7\catcode'\_ =8\relax}
231 \FV@AddToHook\FV@CatCodesHook\FancyVerbMathEscape
232 \fvset{mathescape=false}
```

`beameroverlays` Give < and > their normal catcodes (not `\active`), so that beamer overlays will work.

```

233 \define@booleankey{FV}{beameroverlays}%
234 {\let\FancyVerbBeamerOverlays\FV@BeamerOverlays}%
235 {\let\FancyVerbBeamerOverlays\relax}
236 \def\FV@BeamerOverlays{%
237   \expandafter\def\expandafter\@noligs\expandafter{\@noligs
238     \catcode'\<=12\catcode'\>=12\relax}}
239 \FV@AddToHook\FV@CatCodesHook\FancyVerbBeamerOverlays
240 \fvset{beameroverlays=false}

```

`curlyquotes` Let ` and ' produce curly quotation marks ‘ and ’ rather than the backtick and typewriter single quotation mark produced by default via `upquote`.

```

241 \newbool{FV@CurlyQuotes}
242 \define@booleankey{FV}{curlyquotes}%
243 {\booltrue{FV@CurlyQuotes}}%
244 {\boolfalse{FV@CurlyQuotes}}
245 \def\FancyVerbCurlyQuotes{%
246   \ifbool{FV@CurlyQuotes}%
247     {\expandafter\def\expandafter\@noligs\expandafter{\@noligs
248       \begingroup\lccode'\~=''\lowercase{\endgroup\def~}{'}%
249       \begingroup\lccode'\~=''\lowercase{\endgroup\def~}{'}}}%
250   {}}
251 \g@addto@macro\FV@FormattingPrep@PreHook{\FancyVerbCurlyQuotes}
252 \fvset{curlyquotes=false}

```

10.6.2 Formatting with `\FancyVerbFormatLine`, `\FancyVerbFormatText`, and `\FancyVerbHighlightLine`

`fancyvrb` defines `\FancyVerbFormatLine`, which defines the formatting for each line. The introduction of line breaks introduces an issue for `\FancyVerbFormatLine`. Does it format the entire line, including any whitespace in the margins or behind line break symbols (that is, is it outside the `\parbox` in which the entire line is wrapped when breaking is active)? Or does it only format the text part of the line, only affecting the actual characters (inside the `\parbox`)? Since both might be desirable, `\FancyVerbFormatLine` is assigned to the entire line, and a new macro `\FancyVerbFormatText` is assigned to the text, within the `\parbox`.

An additional complication is that the `fancyvrb` documentation says that the default value is `\def\FancyVerbFormatLine#1{#1}`. But the actual default is `\def\FancyVerbFormatLine#1{\FV@ObeyTabs{#1}}`. That is, `\FV@ObeyTabs` needs to operate directly on the line to handle tabs. As a result, *all* `fancyvrb` commands that involve `\FancyVerbFormatLine` are patched, so that `\def\FancyVerbFormatLine#1{#1}`.

An additional macro `\FancyVerbHighlightLine` is added between `\FancyVerbFormatLine` and `\FancyVerbFormatText`. This is used to highlight selected lines (section 10.6.4). It is inside `\FancyVerbHighlightLine` so that if `\FancyVerbHighlightLine` is used to provide a background color, `\FancyVerbHighlightLine` can override it.

`\FancyVerbFormatLine` Format the entire line, following the definition given in the `fancyvrb` documentation. Because this is formatting the entire line, using boxes works with line breaking.

```
253 \def\FancyVerbFormatLine#1{#1}
```

`\FancyVerbFormatText` Format only the text part of the line. Because this is inside all of the line breaking commands, using boxes here can conflict with line breaking.

```
254 \def\FancyVerbFormatText#1{#1}
```

`\FV@ListProcessLine@NoBreak` Redefined `\FV@ListProcessLine` in which `\FancyVerbFormatText` is added and tab handling is explicit. The `@NoBreak` suffix is added because `\FV@ListProcessLine` will be `\let` to either this macro or to `\FV@ListProcessLine@Break` depending on whether line breaking is enabled.

```
255 \def\FV@ListProcessLine@NoBreak#1{%
256   \hbox to \hsize{%
257     \kern\leftmargin
258     \hbox to \linewidth{%
259       \FV@LeftListNumber
260       \FV@LeftListFrame
261       \FancyVerbFormatLine{%
262         \FancyVerbHighlightLine{%
263           \FV@ObeyTabs{\FancyVerbFormatText{#1}}}\hss
264         \FV@RightListFrame
265         \FV@RightListNumber}%
266       \hss}}
```

`\FV@BProcessLine` Redefined `\FV@BProcessLine` in which `\FancyVerbFormatText` is added and tab handling is explicit.

```
267 \def\FV@BProcessLine#1{%
268   \hbox{\FancyVerbFormatLine{%
269     \FancyVerbHighlightLine{%
270       \FV@ObeyTabs{\FancyVerbFormatText{#1}}}\hss}}
```

10.6.3 Line numbering

Add several new line numbering options. `numberfirstline` always numbers the first line, regardless of `stepnumber`. `stepnumberfromfirst` numbers the first line, and then every line that differs from its number by a multiple of `stepnumber`. `stepnumberoffsetvalues` determines whether line numbers are always an exact multiple of `stepnumber` (the new default behavior) or whether there is an offset when `firstnumber` $\neq 1$ (the old default behavior). A new option `numbers=both` is created to allow line numbers on both left and right simultaneously.

```
FV@NumberFirstLine
271 \newbool{FV@NumberFirstLine}

numberfirstline
272 \define@booleankey{FV}{numberfirstline}%
273 {\booltrue{FV@NumberFirstLine}}%
```

```

274 {\boolfalse{FV@NumberFirstLine}}
275 \fvset{numberfirstline=false}

FV@StepNumberFromFirst
276 \newbool{FV@StepNumberFromFirst}

stepnumberfromfirst
277 \define@booleankey{FV}{stepnumberfromfirst}%
278 {\booltrue{FV@StepNumberFromFirst}}%
279 {\boolfalse{FV@StepNumberFromFirst}}
280 \fvset{stepnumberfromfirst=false}

FV@StepNumberOffsetValues
281 \newbool{FV@StepNumberOffsetValues}

stepnumberoffsetvalues
282 \define@booleankey{FV}{stepnumberoffsetvalues}%
283 {\booltrue{FV@StepNumberOffsetValues}}%
284 {\boolfalse{FV@StepNumberOffsetValues}}
285 \fvset{stepnumberoffsetvalues=false}

\FV@Numbers@left Redefine fancyvrb macro to account for numberfirstline, stepnumberfromfirst,
and stepnumberoffsetvalues. The \let\FancyVerbStartNum\@one is needed to
account for the case where firstline is never set, and defaults to zero (\z@).
286 \def\FV@Numbers@left{%
287   \let\FV@RightListNumber\relax
288   \def\FV@LeftListNumber{%
289     \ifx\FancyVerbStartNum\z@
290       \let\FancyVerbStartNum\@one
291     \fi
292     \ifbool{FV@StepNumberFromFirst}%
293       {\@tempcnta=\FV@CodeLineNo
294        \@tempcntb=\FancyVerbStartNum
295        \advance\@tempcntb\FV@StepNumber
296        \divide\@tempcntb\FV@StepNumber
297        \multiply\@tempcntb\FV@StepNumber
298        \advance\@tempcnta\@tempcntb
299        \advance\@tempcnta-\FancyVerbStartNum
300        \@tempcntb=\@tempcnta}%
301       {\ifbool{FV@StepNumberOffsetValues}%
302        {\@tempcnta=\FV@CodeLineNo
303         \@tempcntb=\FV@CodeLineNo}%
304        {\@tempcnta=\c@FancyVerbLine
305         \@tempcntb=\c@FancyVerbLine}}%
306       \divide\@tempcntb\FV@StepNumber
307       \multiply\@tempcntb\FV@StepNumber
308       \ifnum\@tempcnta=\@tempcntb
309         \if@FV@NumberBlankLines
310           \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%

```

```

311     \else
312         \ifx\FV@Line\empty
313         \else
314             \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
315         \fi
316     \fi
317 \else
318     \ifbool{FV@NumberFirstLine}{%
319         \ifnum\FV@CodeLineNo=\FancyVerbStartNum
320             \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
321         \fi}{}%
322     \fi}%
323 }

```

`\FV@Numbers@right` Redefine fancyvrb macro to account for numberfirstline, stepnumberfromfirst, and stepnumberoffsetvalues.

```

324 \def\FV@Numbers@right{%
325     \let\FV@LeftListNumber\relax
326     \def\FV@RightListNumber{%
327         \ifx\FancyVerbStartNum\z@
328             \let\FancyVerbStartNum\@ne
329         \fi
330         \ifbool{FV@StepNumberFromFirst}{%
331             {\@tempcnta=\FV@CodeLineNo
332              \@tempcntb=\FancyVerbStartNum
333              \advance\@tempcntb\FV@StepNumber
334              \divide\@tempcntb\FV@StepNumber
335              \multiply\@tempcntb\FV@StepNumber
336              \advance\@tempcnta\@tempcntb
337              \advance\@tempcnta-\FancyVerbStartNum
338              \@tempcntb=\@tempcnta}%
339             {\ifbool{FV@StepNumberOffsetValues}{%
340                 {\@tempcnta=\FV@CodeLineNo
341                  \@tempcntb=\FV@CodeLineNo}%
342                 {\@tempcnta=\c@FancyVerbLine
343                  \@tempcntb=\c@FancyVerbLine}}}%
344             \divide\@tempcntb\FV@StepNumber
345             \multiply\@tempcntb\FV@StepNumber
346             \ifnum\@tempcnta=\@tempcntb
347                 \ifFV@NumberBlankLines
348                     \hbox to\z@{\kern\FV@NumberSep\theFancyVerbLine\hss}%
349                 \else
350                     \ifx\FV@Line\empty
351                     \else
352                         \hbox to\z@{\kern\FV@NumberSep\theFancyVerbLine\hss}%
353                     \fi
354                 \fi
355             \else
356                 \ifbool{FV@NumberFirstLine}{%
357                     \ifnum\FV@CodeLineNo=\FancyVerbStartNum

```

```

358         \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
359         \fi}{}%
360     \fi}%
361 }

```

`\FV@Numbers@both` Define a new macro to allow `numbers=both`. This copies the definitions of `\FV@LeftListNumber` and `\FV@RightListNumber` from `\FV@Numbers@left` and `\FV@Numbers@right`, without the `\relax`'s.

```

362 \def\FV@Numbers@both{%
363     \def\FV@LeftListNumber{%
364         \ifx\FancyVerbStartNum\z@
365             \let\FancyVerbStartNum\@ne
366         \fi
367         \ifbool{FV@StepNumberFromFirst}%
368             {\@tempcnta=\FV@CodeLineNo
369              \@tempcntb=\FancyVerbStartNum
370              \advance\@tempcntb\FV@StepNumber
371              \divide\@tempcntb\FV@StepNumber
372              \multiply\@tempcntb\FV@StepNumber
373              \advance\@tempcnta\@tempcntb
374              \advance\@tempcnta-\FancyVerbStartNum
375              \@tempcntb=\@tempcnta}%
376             {\ifbool{FV@StepNumberOffsetValues}%
377              {\@tempcnta=\FV@CodeLineNo
378               \@tempcntb=\FV@CodeLineNo}%
379              {\@tempcnta=\c@FancyVerbLine
380               \@tempcntb=\c@FancyVerbLine}}}%
381         \divide\@tempcntb\FV@StepNumber
382         \multiply\@tempcntb\FV@StepNumber
383         \ifnum\@tempcnta=\@tempcntb
384             \if@FV@NumberBlankLines
385                 \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
386             \else
387                 \ifx\FV@Line\empty
388                     \else
389                         \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
390                     \fi
391                 \fi
392             \else
393                 \ifbool{FV@NumberFirstLine}{%
394                     \ifnum\FV@CodeLineNo=\FancyVerbStartNum
395                         \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
396                     \fi}{}%
397                 \fi}%
398     \def\FV@RightListNumber{%
399         \ifx\FancyVerbStartNum\z@
400             \let\FancyVerbStartNum\@ne
401         \fi
402         \ifbool{FV@StepNumberFromFirst}%
403             {\@tempcnta=\FV@CodeLineNo

```

```

404 \tempcntb=\FancyVerbStartNum
405 \advance\tempcntb\FV@StepNumber
406 \divide\tempcntb\FV@StepNumber
407 \multiply\tempcntb\FV@StepNumber
408 \advance\tempcnta\tempcntb
409 \advance\tempcnta-\FancyVerbStartNum
410 \tempcntb=\tempcnta}%
411 {\ifbool{FV@StepNumberOffsetValues}}%
412   {\tempcnta=\FV@CodeLineNo
413     \tempcntb=\FV@CodeLineNo}%
414   {\tempcnta=\c@FancyVerbLine
415     \tempcntb=\c@FancyVerbLine}}%
416 \divide\tempcntb\FV@StepNumber
417 \multiply\tempcntb\FV@StepNumber
418 \ifnum\tempcnta=\tempcntb
419   \ifFV@NumberBlankLines
420     \hbox to\z@{\kern\FV@NumberSep\theFancyVerbLine\hss}%
421   \else
422     \ifx\FV@Line\empty
423     \else
424       \hbox to\z@{\kern\FV@NumberSep\theFancyVerbLine\hss}%
425     \fi
426   \fi
427 \else
428   \ifbool{FV@NumberFirstLine}}{%
429     \ifnum\FV@CodeLineNo=\FancyVerbStartNum
430       \hbox to\z@{\hss\theFancyVerbLine\kern\FV@NumberSep}%
431     \fi}}%
432 \fi}%
433 }

```

10.6.4 Line highlighting or emphasis

This adds an option `highlightlines` that allows specific lines, or lines within a range, to be highlighted or otherwise emphasized.

```

highlightlines
\FV@HighlightLinesList 434 \define@key{FV}{highlightlines}{\def\FV@HighlightLinesList{#1}}%
435 \fvset{highlightlines=}

highlightcolor Define color for highlighting. The default is LightCyan. A good alternative for a
\FV@HighlightColor brighter color would be LemonChiffon.
436 \define@key{FV}{highlightcolor}{\def\FancyVerbHighlightColor{#1}}%
437 \let\FancyVerbHighlightColor\empty
438 \ifcsname definecolor\endcsname
439 \ifx\definecolor\relax
440 \else
441   \definecolor{FancyVerbHighlightColor}{rgb}{0.878, 1, 1}
442   \fvset{highlightcolor=FancyVerbHighlightColor}

```



```

443 \fi\fi
444 \AtBeginDocument{%
445   \ifx\FancyVerbHighlightColor\@empty
446     \ifcsname definecolor\endcsname
447     \ifx\definecolor\relax
448     \else
449     \definecolor{FancyVerbHighlightColor}{rgb}{0.878, 1, 1}
450     \fvset{highlightcolor=FancyVerbHighlightColor}
451     \fi\fi
452 \fi}

```

`\FancyVerbHighlightLine` This is the entry macro into line highlighting. By default it should do nothing. It is always invoked between `\FancyVerbFormatLine` and `\FancyVerbFormatText`, so that it can provide a background color (won't interfere with line breaking) and can override any formatting provided by `\FancyVerbFormatLine`. It is `\let` to `\FV@HighlightLine` when highlighting is active.

```

453 \def\FancyVerbHighlightLine#1{#1}

```

`\FV@HighlightLine` This determines whether highlighting should be performed, and if so, which macro should be invoked.

```

454 \def\FV@HighlightLine#1{%
455   \@tempcnta=\c@FancyVerbLine
456   \@tempcntb=\c@FancyVerbLine
457   \ifcsname FV@HighlightLine:\number\@tempcnta\endcsname
458     \advance\@tempcntb\m@ne
459     \ifcsname FV@HighlightLine:\number\@tempcntb\endcsname
460     \advance\@tempcntb\tw@
461     \ifcsname FV@HighlightLine:\number\@tempcntb\endcsname
462     \let\FV@HighlightLine@Next\FancyVerbHighlightLineMiddle
463     \else
464     \let\FV@HighlightLine@Next\FancyVerbHighlightLineLast
465     \fi
466   \else
467     \advance\@tempcntb\tw@
468     \ifcsname FV@HighlightLine:\number\@tempcntb\endcsname
469     \let\FV@HighlightLine@Next\FancyVerbHighlightLineFirst
470     \else
471     \let\FV@HighlightLine@Next\FancyVerbHighlightLineSingle
472     \fi
473   \fi
474 \else
475   \let\FV@HighlightLine@Next\FancyVerbHighlightLineNormal
476 \fi
477 \FV@HighlightLine@Next{#1}%
478 }

```

`\FancyVerbHighlightLineNormal` A normal line that is not highlighted or otherwise emphasized. This could be redefined to de-emphasize the line.

```

479 \def\FancyVerbHighlightLineNormal#1{#1}

```

`\FV@TmpLength`

```
480 \newlength{\FV@TmpLength}
```

`\FancyVerbHighlightLineFirst` The first line in a multi-line range.

`\fboxsep` is set to zero so as to avoid indenting the line or changing inter-line spacing. It is restored to its original value inside to prevent any undesired effects. The `\strut` is needed to get the highlighting to be the appropriate height. The `\rlap` and `\hspace` make the `\colorbox` expand to the full `\linewidth`. Note that if `\fboxsep` \neq 0, then we would want to use `\dimexpr\linewidth-2\fboxsep` or add `\hspace{-2\fboxsep}` at the end.

If this macro is customized so that the text cannot take up the full `\linewidth`, then adjustments may need to be made here or in the line breaking code to make sure that line breaking takes place at the appropriate location.

```
481 \def\FancyVerbHighlightLineFirst#1{%
482   \setlength{\FV@TmpLength}{\fboxsep}%
483   \setlength{\fboxsep}{0pt}%
484   \colorbox{\FancyVerbHighlightColor}{%
485     \setlength{\fboxsep}{\FV@TmpLength}%
486     \rlap{\strut#1}%
487     \hspace{\linewidth}}}
```

`\FancyVerbHighlightLineMiddle` A middle line in a multi-line range.

```
488 \let\FancyVerbHighlightLineMiddle\FancyVerbHighlightLineFirst
```

`\FancyVerbHighlightLineLast` The last line in a multi-line range.

```
489 \let\FancyVerbHighlightLineLast\FancyVerbHighlightLineFirst
```

`\FancyVerbHighlightLineSingle` A single line not in a multi-line range.

```
490 \let\FancyVerbHighlightLineSingle\FancyVerbHighlightLineFirst
```

`\FV@HighlightLinesPrep` Process the list of lines to highlight (if any). A macro is created for each line to be highlighted. During highlighting, a line is highlighted if the corresponding macro exists. All of the macro creating is ultimately within the current environment group so it stays local. `\FancyVerbHighlightLine` is `\let` to a version that will invoke the necessary logic.

```
491 \def\FV@HighlightLinesPrep{%
492   \ifx\FV@HighlightLinesList\@empty
493   \else
494     \let\FancyVerbHighlightLine\FV@HighlightLine
495     \expandafter\FV@HighlightLinesPrep@i
496     \fi}
497 \def\FV@HighlightLinesPrep@i{%
498   \renewcommand{\do}[1]{%
499     \ifstrempy{##1}{\FV@HighlightLinesParse##1-\FV@Undefined}}%
500   \expandafter\docsvlist\expandafter{\FV@HighlightLinesList}}
501 \def\FV@HighlightLinesParse#1-#2\FV@Undefined{%
502   \ifstrempy{#2}%
503   {\FV@HighlightLinesParse@Single{#1}}%
```

```

504   {\FV@HighlightLinesParse@Range{#1}#2\relax}}
505 \def\FV@HighlightLinesParse@Single#1{%
506   \expandafter\let\csname FV@HighlightLine:\detokenize{#1}\endcsname\relax}
507 \newcounter{FV@HighlightLinesStart}
508 \newcounter{FV@HighlightLinesStop}
509 \def\FV@HighlightLinesParse@Range#1#2-{%
510   \setcounter{FV@HighlightLinesStart}{#1}%
511   \setcounter{FV@HighlightLinesStop}{#2}%
512   \stepcounter{FV@HighlightLinesStop}%
513   \FV@HighlightLinesParse@Range@Loop}
514 \def\FV@HighlightLinesParse@Range@Loop{%
515   \ifnum\value{FV@HighlightLinesStart}<\value{FV@HighlightLinesStop}\relax
516     \expandafter\let\csname FV@HighlightLine:\arabic{FV@HighlightLinesStart}\endcsname\relax
517     \stepcounter{FV@HighlightLinesStart}%
518     \expandafter\FV@HighlightLinesParse@Range@Loop
519   \fi}
520 \g@addto@macro\FV@FormattingPrep@PreHook{\FV@HighlightLinesPrep}

```

10.7 Line breaking

The following code adds automatic line breaking functionality to `fancyvrb`'s `Verbatim` environment. Automatic breaks may be inserted after spaces, or before or after specified characters. Breaking before or after specified characters involves scanning each line token by token to insert `\discretionary` at all potential break locations.

10.7.1 Options and associated macros

Begin by defining keys, with associated macros, bools, and dimens.

`\FV@SetToWidthNChars` Set a dimen to the width of a given number of characters. This is used in setting several indentation-related dimensions.

```

521 \newcount\FV@LoopCount
522 \newbox\FV@NCharsBox
523 \def\FV@SetToWidthNChars#1#2{%
524   \FV@LoopCount=#2\relax
525   \ifnum\FV@LoopCount>0
526     \def\FV@NChars{%
527       \loop
528       \ifnum\FV@LoopCount>0
529         \expandafter\def\expandafter\FV@NChars\expandafter{\FV@NChars x}%
530       \fi
531       \advance\FV@LoopCount by -1
532       \ifnum\FV@LoopCount>0
533         \repeat
534       \setbox\FV@NCharsBox\hbox{\FV@NChars}%
535       #1=\wd\FV@NCharsBox
536     \else
537       #1=0pt\relax

```

```

538 \fi
539 }

FV@BreakLines Turn line breaking on or off. The \FV@ListProcessLine from fancyvrb is \let to
a (patched) version of the original or a version that supports line breaks.
540 \newboolean{FV@BreakLines}
541 \define@booleankey{FV}{breaklines}{%
542   {\FV@BreakLinestrue
543     \let\FV@ListProcessLine\FV@ListProcessLine@Break}%
544   {\FV@BreakLinesfalse
545     \let\FV@ListProcessLine\FV@ListProcessLine@NoBreak}
546 \AtEndOfPackage{\fvset{breaklines=false}}

\FV@BreakLinesIndentationHook A hook for performing on-the-fly indentation calculations when breaklines=true.
This is used for all *NChars related indentation. It is important to use
\FV@FormattingPrep@PostHook because it is always invoked after any font-related
settings.
547 \def\FV@BreakLinesIndentationHook{}
548 \g@addto@macro\FV@FormattingPrep@PostHook{%
549   \ifFV@BreakLines
550     \FV@BreakLinesIndentationHook
551   \fi}

\FV@BreakIndent Indentation of continuation lines.
\FV@BreakIndentNChars 552 \newdimen\FV@BreakIndent
553 \newcount\FV@BreakIndentNChars
554 \define@key{FV}{breakindent}{%
555   \FV@BreakIndent=#1\relax
556   \FV@BreakIndentNChars=0\relax}
557 \define@key{FV}{breakindentnchars}{\FV@BreakIndentNChars=#1\relax}
558 \g@addto@macro\FV@BreakLinesIndentationHook{%
559   \ifnum\FV@BreakIndentNChars>0
560     \FV@SetToWidthNChars{\FV@BreakIndent}{\FV@BreakIndentNChars}%
561   \fi}
562 \fvset{breakindentnchars=0}

FV@BreakAutoIndent Auto indentation of continuation lines to indentation of original line. Adds to
\FV@BreakIndent.
563 \newboolean{FV@BreakAutoIndent}
564 \define@booleankey{FV}{breakautoindent}{%
565   {\FV@BreakAutoIndentrue}{\FV@BreakAutoIndentfalse}
566 \fvset{breakautoindent=true}

\FancyVerbBreakSymbolLeft The left-hand symbol indicating a break. Since breaking is done in such a way
that a left-hand symbol will often be desired while a right-hand symbol may not
be, a shorthand option breaksymbol is supplied. This shorthand convention is
continued with other options applying to the left-hand symbol.
567 \define@key{FV}{breaksymbolleft}{\def\FancyVerbBreakSymbolLeft{#1}}

```

```

568 \define@key{FV}{breaksymbol}{\fvset{breaksymbolleft=#1}}
569 \fvset{breaksymbolleft=\tiny\ensuremath{\hookrightarrow}}

\FancyVerbBreakSymbolRight The right-hand symbol indicating a break.
570 \define@key{FV}{breaksymbolright}{\def\FancyVerbBreakSymbolRight{#1}}
571 \fvset{breaksymbolright={}}

\FV@BreakSymbolSepLeft Separation of left break symbol from the text.
\FV@BreakSymbolSepLeftNChars 572 \newdimen\FV@BreakSymbolSepLeft
573 \newcount\FV@BreakSymbolSepLeftNChars
574 \define@key{FV}{breaksymbolsepleft}{%
575 \FV@BreakSymbolSepLeft=#1\relax
576 \FV@BreakSymbolSepLeftNChars=0\relax}
577 \define@key{FV}{breaksymbolsep}{\fvset{breaksymbolsepleft=#1}}
578 \define@key{FV}{breaksymbolsepleftnchars}{\FV@BreakSymbolSepLeftNChars=#1\relax}
579 \define@key{FV}{breaksymbolsepnchars}{\fvset{breaksymbolsepleftnchars=#1}}
580 \g@addto@macro\FV@BreakLinesIndentationHook{%
581 \ifnum\FV@BreakSymbolSepLeftNChars>0
582 \FV@SetToWidthNChars{\FV@BreakSymbolSepLeft}{\FV@BreakSymbolSepLeftNChars}%
583 \fi}
584 \fvset{breaksymbolsepleftnchars=2}

\FV@BreakSymbolSepRight Separation of right break symbol from the text.
\FV@BreakSymbolSepRightNChars 585 \newdimen\FV@BreakSymbolSepRight
586 \newcount\FV@BreakSymbolSepRightNChars
587 \define@key{FV}{breaksymbolsepright}{%
588 \FV@BreakSymbolSepRight=#1\relax
589 \FV@BreakSymbolSepRightNChars=0\relax}
590 \define@key{FV}{breaksymbolseprightnchars}{\FV@BreakSymbolSepRightNChars=#1\relax}
591 \g@addto@macro\FV@BreakLinesIndentationHook{%
592 \ifnum\FV@BreakSymbolSepRightNChars>0
593 \FV@SetToWidthNChars{\FV@BreakSymbolSepRight}{\FV@BreakSymbolSepRightNChars}%
594 \fi}
595 \fvset{breaksymbolseprightnchars=2}

\FV@BreakSymbolIndentLeft Additional left indentation to make room for the left break symbol.
\FV@BreakSymbolIndentLeftNChars 596 \newdimen\FV@BreakSymbolIndentLeft
597 \newcount\FV@BreakSymbolIndentLeftNChars
598 \define@key{FV}{breaksymbolindentleft}{%
599 \FV@BreakSymbolIndentLeft=#1\relax
600 \FV@BreakSymbolIndentLeftNChars=0\relax}
601 \define@key{FV}{breaksymbolindent}{\fvset{breaksymbolindentleft=#1}}
602 \define@key{FV}{breaksymbolindentleftnchars}{\FV@BreakSymbolIndentLeftNChars=#1\relax}
603 \define@key{FV}{breaksymbolindentnchars}{\fvset{breaksymbolindentleftnchars=#1}}
604 \g@addto@macro\FV@BreakLinesIndentationHook{%
605 \ifnum\FV@BreakSymbolIndentLeftNChars>0
606 \FV@SetToWidthNChars{\FV@BreakSymbolIndentLeft}{\FV@BreakSymbolIndentLeftNChars}%
607 \fi}
608 \fvset{breaksymbolindentleftnchars=4}

```

`\FV@BreakSymbolIndentRight` Additional right indentation to make room for the right break symbol.

`\FV@BreakSymbolIndentRightNChars`

```

609 \newdimen\FV@BreakSymbolIndentRight
610 \newcount\FV@BreakSymbolIndentRightNChars
611 \define@key{FV}{breaksymbolindentright}{%
612   \FV@BreakSymbolIndentRight=#1\relax
613   \FV@BreakSymbolIndentRightNChars=0\relax}
614 \define@key{FV}{breaksymbolindentrightnchars}{\FV@BreakSymbolIndentRightNChars=#1\relax}
615 \g@addto@macro\FV@BreakLinesIndentationHook{%
616   \ifnum\FV@BreakSymbolIndentRightNChars>0
617     \FV@SetToWidthNChars{\FV@BreakSymbolIndentRight}{\FV@BreakSymbolIndentRightNChars}%
618   \fi}
619 \fvset{breaksymbolindentrightnchars=4}

```

We need macros that contain the logic for typesetting the break symbols. By default, the symbol macros contain everything regarding the symbol and its typesetting, while these macros contain pure logic. The symbols should be wrapped in braces so that formatting commands (for example, `\tiny`) don't escape.

`\FancyVerbBreakSymbolLeftLogic` The left break symbol should only appear with continuation lines. Note that `linenumber` here refers to local line numbering for the broken line, *not* line numbering for all lines in the environment being typeset.

```

620 \newcommand{\FancyVerbBreakSymbolLeftLogic}[1]{%
621   \ifnum\value{linenumber}=1\relax\else{#1}\fi}

```

`FancyVerbLineBreakLast` We need a counter for keeping track of the local line number for the last segment of a broken line, so that we can avoid putting a right continuation symbol there. A line that is broken will ultimately be processed twice when there is a right continuation symbol, once to determine the local line numbering, and then again for actual insertion into the document.

```

622 \newcounter{FancyVerbLineBreakLast}

```

`\FV@SetLineBreakLast` Store the local line number for the last continuation line.

```

623 \newcommand{\FV@SetLineBreakLast}{%
624   \setcounter{FancyVerbLineBreakLast}{\value{linenumber}}}

```

`\FancyVerbBreakSymbolRightLogic` Only insert a right break symbol if not on the last continuation line.

```

625 \newcommand{\FancyVerbBreakSymbolRightLogic}[1]{%
626   \ifnum\value{linenumber}=\value{FancyVerbLineBreakLast}\relax\else{#1}\fi}

```

`\FancyVerbBreakStart` Macro that starts fine-tuned breaking (`breakanywhere`, `breakbefore`, `breakafter`) by examining a line token-by-token. Initially `\let` to `\relax`; later `\let` to `\FV@Break` as appropriate.

```

627 \let\FancyVerbBreakStart\relax

```

`\FancyVerbBreakStop` Macro that stops the fine-tuned breaking region started by `\FancyVerbBreakStart`. Initially `\let` to `\relax`; later `\let` to `\FV@EndBreak` as appropriate.

```

628 \let\FancyVerbBreakStop\relax

```

`\FV@Break@Token` Macro that controls token handling between `\FancyVerbBreakStart` and `\FancyVerbBreakStop`. Initially `\let` to `\relax`; later `\let` to `\FV@Break@AnyToken` or `\FV@Break@BeforeAfterToken` as appropriate. There is no need to `\let\FV@Break@Token\relax` when `breakanywhere`, `breakbefore`, and `breakafter` are not in use. In that case, `\FancyVerbBreakStart` and `\FancyVerbBreakStop` are `\let` to `\relax`, and `\FV@Break@Token` is never invoked.

```
629 \let\FV@Break@Token\relax
```

`FV@BreakAnywhere` Allow line breaking (almost) anywhere. Set `\FV@Break` and `\FV@EndBreak` to be used, and `\let\FV@Break@Token` to the appropriate macro.

```
630 \newboolean{FV@BreakAnywhere}
631 \define@booleankey{FV}{breakanywhere}%
632   {\FV@BreakAnywheretrue
633     \let\FancyVerbBreakStart\FV@Break
634     \let\FancyVerbBreakStop\FV@EndBreak
635     \let\FV@Break@Token\FV@Break@AnyToken}%
636   {\FV@BreakAnywheretruefalse
637     \let\FancyVerbBreakStart\relax
638     \let\FancyVerbBreakStop\relax}
639 \fvset{breakanywhere=false}
```

`\FV@BreakBefore` Allow line breaking (almost) anywhere, but only before specified characters.

```
640 \define@key{FV}{breakbefore}{%
641   \ifstrempy{#1}%
642   {\let\FV@BreakBefore\@empty
643     \let\FancyVerbBreakStart\relax
644     \let\FancyVerbBreakStop\relax}%
645   {\def\FV@BreakBefore{#1}%
646     \let\FancyVerbBreakStart\FV@Break
647     \let\FancyVerbBreakStop\FV@EndBreak
648     \let\FV@Break@Token\FV@Break@BeforeAfterToken}%
649   }
650 \fvset{breakbefore={}}
```

`FV@BreakBeforeGroup` Determine whether breaking before specified characters is always allowed before each individual character, or is only allowed before the first in a group of identical characters.

```
651 \newboolean{FV@BreakBeforeGroup}
652 \define@booleankey{FV}{breakbeforegroup}%
653   {\FV@BreakBeforeGrouptrue}%
654   {\FV@BreakBeforeGroupfalse}%
655 \fvset{breakbeforegroup=true}
```

`\FV@BreakBeforePrep` We need a way to break before characters if and only if they have been specified as breaking characters. It would be possible to do that via a nested conditional, but that would be messy. It is much simpler to create an empty macro whose name contains the character, and test for the existence of this macro. This needs to be done inside a `\begingroup...\endgroup` so that the

macros do not have to be cleaned up manually. A good place to do this is in `\FV@FormattingPrep`, which is inside a group and before processing starts. The macro is added to `\FV@FormattingPrep@PreHook`, which contains `fvextra` extensions to `\FV@FormattingPrep`, after `\FV@BreakAfterPrep` is defined below.

The procedure here is a bit roundabout. We need to use `\FV@EscChars` to handle character escapes, but the character redefinitions need to be kept local, requiring that we work within a `\begingroup... \endgroup`. So we loop through the breaking tokens and assemble a macro that will itself define character macros. Only this defining macro is declared global, and it contains *expanded* characters so that there is no longer any dependence on `\FV@EscChars`.

`\FV@BreakBeforePrep@PygmentsHook` allows additional break preparation for Pygments-based packages such as `minted` and `pythontex`. When Pygments highlights code, it converts some characters into macros; they do not appear literally. As a result, for breaking to occur correctly, breaking macros need to be created for these character macros and not only for the literal characters themselves.

A pdfTeX-compatible version for working with UTF-8 is defined later, and `\FV@BreakBeforePrep` is `\let` to it under pdfTeX as necessary.

```

656 \def\FV@BreakBeforePrep{%
657   \ifx\FV@BreakBefore\@empty\relax
658   \else
659     \gdef\FV@BreakBefore@Def{%
660       \begingroup
661       \def\FV@BreakBefore@Process##1##2\FV@Undefined{%
662         \expandafter\FV@BreakBefore@Process@i\expandafter{##1}%
663         \expandafter\ifx\expandafter\relax\detokenize{##2}\relax
664         \else
665           \FV@BreakBefore@Process##2\FV@Undefined
666         \fi
667       }%
668       \def\FV@BreakBefore@Process@i##1{%
669         \g@addto@macro\FV@BreakBefore@Def{%
670           \@namedef{FV@BreakBefore@Token\detokenize{##1}}{}}%
671       }%
672       \FV@EscChars
673       \expandafter\FV@BreakBefore@Process\FV@BreakBefore\FV@Undefined
674       \endgroup
675       \FV@BreakBefore@Def
676       \FV@BreakBeforePrep@PygmentsHook
677     \fi
678   }
679   \let\FV@BreakBeforePrep@PygmentsHook\relax

```

`\FV@BreakAfter` Allow line breaking (almost) anywhere, but only after specified characters.

```

680 \define@key{FV}{breakafter}{%
681   \ifstrempy{#1}%
682   {\let\FV@BreakAfter\@empty
683     \let\FancyVerbBreakStart\relax
684     \let\FancyVerbBreakStop\relax}%

```



```

685 {\def\FV@BreakAfter{#1}%
686 \let\FancyVerbBreakStart\FV@Break
687 \let\FancyVerbBreakStop\FV@EndBreak
688 \let\FV@Break@Token\FV@Break@BeforeAfterToken}%
689 }
690 \fvset{breakafter={}}

```

FV@BreakAfterGroup Determine whether breaking after specified characters is always allowed after each individual character, or is only allowed after groups of identical characters.

```

691 \newboolean{FV@BreakAfterGroup}
692 \define@booleankey{FV}{breakaftergroup}%
693 {\FV@BreakAfterGrouptrue}%
694 {\FV@BreakAfterGroupfalse}%
695 \fvset{breakaftergroup=true}

```

\FV@BreakAfterPrep This is the `breakafter` equivalent of `\FV@BreakBeforePrep`. It is also used within `\FV@FormattingPrep`. The order of `\FV@BreakBeforePrep` and `\FV@BreakAfterPrep` is important; `\FV@BreakAfterPrep` must always be second, because it checks for conflicts with `breakbefore`.

A pdfTeX-compatible version for working with UTF-8 is defined later, and `\FV@BreakAfterPrep` is `\let` to it under pdfTeX as necessary.

```

696 \def\FV@BreakAfterPrep{%
697 \ifx\FV@BreakAfter\@empty\relax
698 \else
699 \gdef\FV@BreakAfter@Def{%
700 \begingroup
701 \def\FV@BreakAfter@Process##1##2\FV@Undefined{%
702 \expandafter\FV@BreakAfter@Process@i\expandafter{##1}%
703 \expandafter\ifx\expandafter\relax\detokenize{##2}\relax
704 \else
705 \FV@BreakAfter@Process##2\FV@Undefined
706 \fi
707 }%
708 \def\FV@BreakAfter@Process@i##1{%
709 \ifcsname FV@BreakBefore@Token\detokenize{##1}\endcsname
710 \ifthenelse{\boolean{FV@BreakBeforeGroup}}{%
711 {\ifthenelse{\boolean{FV@BreakAfterGroup}}{%
712 {}%
713 {\PackageError{fvextra}%
714 {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"%
715 {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"}}}%
716 {\ifthenelse{\boolean{FV@BreakAfterGroup}}{%
717 {\PackageError{fvextra}%
718 {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"%
719 {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"}}}%
720 {}}%
721 \fi
722 \g@addto@macro\FV@BreakAfter@Def{%
723 \@namedef{FV@BreakAfter@Token\detokenize{##1}}{}}}%

```

```

724     }%
725     \FV@EscChars
726     \expandafter\FV@BreakAfter@Process\FV@BreakAfter\FV@Undefined
727     \endgroup
728     \FV@BreakAfter@Def
729     \FV@BreakAfterPrep@PygmentsHook
730 \fi
731 }
732 \let\FV@BreakAfterPrep@PygmentsHook\relax

```

Now that `\FV@BreakBeforePrep` and `\FV@BreakAfterPrep` are defined, add them to `\FV@FormattingPrep@PreHook`, which is the `fvextra` extension to `\FV@FormattingPrep`. The ordering here is important, since `\FV@BreakAfterPrep` contains compatibility checks with `\FV@BreakBeforePrep`, and thus must be used after it. Also, we have to check for the pdfTeX engine with `inputenc` using UTF-8, and use the UTF macros instead when that is the case.

```

733 \g@addto@macro\FV@FormattingPrep@PreHook{%
734   \ifcsname pdfmatch\endcsname
735   \ifx\pdfmatch\relax
736   \else
737     \ifcsname inputencodingname\endcsname
738     \ifx\inputencodingname\relax
739     \else
740       \ifdefstring{\inputencodingname}{utf8}%
741       {\let\FV@BreakBeforePrep\FV@BreakBeforePrep@UTF
742        \let\FV@BreakAfterPrep\FV@BreakAfterPrep@UTF}%
743       }%
744     \fi\fi
745   \fi\fi
746   \FV@BreakBeforePrep\FV@BreakAfterPrep}

```

`\FancyVerbBreakAnywhereSymbolPre` The pre-break symbol for breaks introduced by `breakanywhere`. That is, the symbol before breaks that occur between characters, rather than at spaces.

```

747 \define@key{FV}{breakanywheresymbolpre}{%
748   \ifstrempy{#1}%
749   {\def\FancyVerbBreakAnywhereSymbolPre{}}%
750   {\def\FancyVerbBreakAnywhereSymbolPre{\hbox{#1}}}%
751 \fvset{breakanywheresymbolpre={\,\footnotesize\ensuremath{\_}\rfloor}}

```

`\FancyVerbBreakAnywhereSymbolPost` The post-break symbol for breaks introduced by `breakanywhere`.

```

752 \define@key{FV}{breakanywheresymbolpost}{%
753   \ifstrempy{#1}%
754   {\def\FancyVerbBreakAnywhereSymbolPost{}}%
755   {\def\FancyVerbBreakAnywhereSymbolPost{\hbox{#1}}}%
756 \fvset{breakanywheresymbolpost={}}

```

`\FancyVerbBreakBeforeSymbolPre` The pre-break symbol for breaks introduced by `breakbefore`.

```

757 \define@key{FV}{breakbeforesymbolpre}{%
758   \ifstrempy{#1}%

```

```

759     {\def\FancyVerbBreakBeforeSymbolPre{}}}%
760     {\def\FancyVerbBreakBeforeSymbolPre{\hbox{#1}}}%
761     \fvset{breakbeforesymbolpre={\,\footnotesize\ensuremath{\_}\rfloor}}}}

\FancyVerbBreakBeforeSymbolPost The post-break symbol for breaks introduced by breakbefore.
762 \define@key{FV}{breakbeforesymbolpost}{%
763   \ifstrempy{#1}%
764   {\def\FancyVerbBreakBeforeSymbolPost{}}}%
765   {\def\FancyVerbBreakBeforeSymbolPost{\hbox{#1}}}%
766   \fvset{breakbeforesymbolpost={}}}}

\FancyVerbBreakAfterSymbolPre The pre-break symbol for breaks introduced by breakafter.
767 \define@key{FV}{breakaftersymbolpre}{%
768   \ifstrempy{#1}%
769   {\def\FancyVerbBreakAfterSymbolPre{}}}%
770   {\def\FancyVerbBreakAfterSymbolPre{\hbox{#1}}}%
771   \fvset{breakaftersymbolpre={\,\footnotesize\ensuremath{\_}\rfloor}}}}

\FancyVerbBreakAfterSymbolPost The post-break symbol for breaks introduced by breakafter.
772 \define@key{FV}{breakaftersymbolpost}{%
773   \ifstrempy{#1}%
774   {\def\FancyVerbBreakAfterSymbolPost{}}}%
775   {\def\FancyVerbBreakAfterSymbolPost{\hbox{#1}}}%
776   \fvset{breakaftersymbolpost={}}}}

\FancyVerbBreakAnywhereBreak The macro governing breaking for breakanywhere=true.
777 \newcommand{\FancyVerbBreakAnywhereBreak}{%
778   \discretionary{\FancyVerbBreakAnywhereSymbolPre}%
779   {\FancyVerbBreakAnywhereSymbolPost}{}}}}

\FancyVerbBreakBeforeBreak The macro governing breaking for breakbefore=true.
780 \newcommand{\FancyVerbBreakBeforeBreak}{%
781   \discretionary{\FancyVerbBreakBeforeSymbolPre}%
782   {\FancyVerbBreakBeforeSymbolPost}{}}}}

\FancyVerbBreakAfterBreak The macro governing breaking for breakafter=true.
783 \newcommand{\FancyVerbBreakAfterBreak}{%
784   \discretionary{\FancyVerbBreakAfterSymbolPre}%
785   {\FancyVerbBreakAfterSymbolPost}{}}}}

```

10.7.2 Line breaking implementation

Helper macros

\FV@LineBox A box for saving a line of text, so that its dimensions may be determined and thus we may figure out if it needs line breaking.

```

786 \newsavebox{\FV@LineBox}

```

`\FV@LineIndentBox` A box for saving the indentation of code, so that its dimensions may be determined for use in auto-indentation of continuation lines.

```
787 \newsavebox{\FV@LineIndentBox}
```

`\FV@LineIndentChars` A macro for storing the indentation characters, if any, of a given line. For use in auto-indentation of continuation lines

```
788 \let\FV@LineIndentChars\@empty
```

`\FV@GetLineIndent` A macro that takes a line and determines the indentation, storing the indentation chars in `\FV@LineIndentChars`.

```
789 \def\FV@CleanRemainingChars#1\FV@Undefined{}
790 \def\FV@GetLineIndent{\afterassignment\FV@CheckIndentChar\let\FV@NextChar=}
791 \def\FV@CheckIndentChar{%
792   \ifx\FV@NextChar\FV@Undefined\relax
793     \let\FV@Next=\relax
794   \else
795     \ifx\FV@NextChar\FV@Space@ifx\relax
796       \g@addto@macro{\FV@LineIndentChars}{\FV@Space@ifx}%
797       \let\FV@Next=\FV@GetLineIndent
798     \else
799       \ifx\FV@NextChar\FV@Tab@ifx\relax
800         \g@addto@macro{\FV@LineIndentChars}{\FV@Tab@ifx}%
801         \let\FV@Next=\FV@GetLineIndent
802       \else
803         \let\FV@Next=\FV@CleanRemainingChars
804       \fi
805     \fi
806   \fi
807   \FV@Next
808 }
```

Tab expansion

The `fancyvrb` option `obeytabs` uses a clever algorithm involving boxing and unboxing to expand tabs based on tab stops rather than a fixed number of equivalent space characters. (See the definitions of `\FV@@ObeyTabs` and `\FV@TrueTab` in section 10.5.2.) Unfortunately, since this involves `\hbox`, it interferes with the line breaking algorithm, and an alternative is required.

There are probably many ways tab expansion could be performed while still allowing line breaks. The current approach has been chosen because it is relatively straightforward and yields identical results to the case without line breaks. Line breaking involves saving a line in a box, and determining whether the box is too wide. During this process, if `obeytabs=true`, `\FV@TrueTabSaveWidth`, which is inside `\FV@TrueTab`, is `\let` to a version that saves the width of every tab in a macro. When a line is broken, all tabs within it will then use a variant of `\FV@TrueTab` that sequentially retrieves the saved widths. This maintains the exact behavior of the case without line breaks.

Note that the special version of `\FV@TrueTab` is based on the `fvextra` patched version of `\FV@TrueTab`, not on the original `\FV@TrueTab` defined in `fancyvrb`.

```
\FV@TrueTab@UseWidth  Version of \FV@TrueTab that uses pre-computed tab widths.
809 \def\FV@TrueTab@UseWidth{%
810   \@tempdima=\csname FV@TrueTab:Width\arabic{FV@TrueTabCounter}\endcsname sp\relax
811   \stepcounter{FV@TrueTabCounter}%
812   \hbox to\@tempdima{\hss\FV@TabChar}}
```

Line scanning and break insertion macros

The strategy here is to scan a line token-by-token, and insert breaks at appropriate points. An alternative would be to make characters active, and have them expand to literal versions of themselves plus appropriate breaks. Both approaches have advantages and drawbacks. A catcode-based approach could work, but in general would require redefining some existing active characters to insert both appropriate breaks and their original definitions. The current approach works regardless of catcodes. It is also convenient for working with macros that expand to single characters, such as those created in highlighting code with Pygments (which is used by `minted` and `pythontex`). In that case, working with active characters would not be enough, and scanning for macros (or redefining them) is necessary. With the current approach, working with more complex macros is also straightforward. Adding support for line breaks within a macro simply requires wrapping macro contents with `\FancyVerbBreakStart...``\FancyVerbBreakStop`. A catcode-based approach could require `\scantokens` or a similar retokenization in some cases, but would have the advantage that in other cases no macro redefinition would be needed.

`\FV@Break` The entry macro for breaking lines, either anywhere or before/after specified characters. The current line (or argument) will be scanned token by token/group by group, and accumulated (with added potential breaks) in `\FV@TmpLine`. After scanning is complete, `\FV@TmpLine` will be inserted. It would be possible to insert each token/group into the document immediately after it is scanned, instead of accumulating them in a “buffer.” But that would interfere with macros. Even in the current approach, macros that take optional arguments are problematic.⁶ The last token is tracked with `\FV@LastToken`, to allow lookbehind when breaking by groups of identical characters. `\FV@LastToken` is `\let` to `\FV@Undefined` any time the last token was something that shouldn’t be compared against (for example, a non-empty group), and it is not reset whenever the last token may be ignored (for example, `{}`). When setting `\FV@LastToken`, it is vital always to use `\let\FV@LastToken=...` so that `\let\FV@LastToken==` will work (so that the equals sign = won’t break things).

⁶Through a suitable definition that tracks the current state and looks for square brackets, this might be circumvented. Then again, in verbatim contexts, macro use should be minimal, so the restriction to macros without optional arguments should generally not be an issue.

The current definition of `\FV@Break@Token` is swapped for a UTF-8 compatible one under pdfTeX when necessary. The standard macros are defined next, since they make the algorithms simpler to understand. The more complex UTF variants are defined later. When swapping for the UTF macros, it is important to make sure that pdfTeX is indeed in use, that `inputenc` is indeed in use, and that the current encoding is UTF-8. The checks take into account the possibility of an errant `\ifx` test creating a previously non-existent macro and then `\letting` it to `\relax`.

```

813 \def\FV@Break{%
814   \def\FV@TmpLine{%
815     \let\FV@LastToken=\FV@Undefined
816     \ifcsname pdfmatch\endcsname
817     \ifx\pdfmatch\relax
818     \else
819       \ifcsname inputencodingname\endcsname
820       \ifx\inputencodingname\relax
821       \else
822         \ifdefstring{\inputencodingname}{utf8}%
823         {\ifx\FV@Break@Token\FV@Break@AnyToken
824           \let\FV@Break@Token\FV@Break@AnyToken@UTF
825           \else
826             \ifx\FV@Break@Token\FV@Break@BeforeAfterToken
827             \let\FV@Break@Token\FV@Break@BeforeAfterToken@UTF
828             \fi
829             \fi}%
830         {}%
831       \fi\fi
832     \fi\fi
833     \FV@Break@Scan
834   }

```

`\FV@EndBreak`

```

835 \def\FV@EndBreak{\FV@TmpLine}

```

`\FV@Break@Scan` Look ahead via `\@ifnextchar`. Don't do anything if we're at the end of the region to be scanned. Otherwise, invoke a macro to deal with what's next based on whether it is math, or a group, or something else.

This and some following macros are defined inside of groups, to ensure proper catcodes.

```

836 \begingroup
837 \catcode'\$=3%
838 \gdef\FV@Break@Scan{%
839   \@ifnextchar\FV@EndBreak%
840   {}%
841   {\ifx\@let@token$\relax
842     \let\FV@Break@Next\FV@Break@Math
843     \else
844     \ifx\@let@token\bgroup\relax
845     \let\FV@Break@Next\FV@Break@Group

```

```

846     \else
847         \let\FV@Break@Next\FV@Break@Token
848     \fi
849 \fi
850 \FV@Break@Next}%
851 }
852 \endgroup

```

\FV@Break@Math Grab an entire math span, and insert it into `\FV@TmpLine`. Due to grouping, this works even when math contains things like `\text{x}`. After dealing with the math span, continue scanning.

```

853 \begingroup
854 \catcode'\$=3%
855 \gdef\FV@Break@Math$#1${%
856     \g@addto@macro{\FV@TmpLine}{$#1$}%
857     \let\FV@LastToken=\FV@Undefined
858     \FV@Break@Scan}
859 \endgroup

```

\FV@Break@Group Grab the group, and insert it into `\FV@TmpLine` (as a group) before continuing scanning.

```

860 \def\FV@Break@Group#1{%
861     \g@addto@macro{\FV@TmpLine}{{#1}}%
862     \ifstrepty{#1}{\let\FV@LastToken=\FV@Undefined}%
863     \FV@Break@Scan}

```

\FV@Break@AnyToken Deal with breaking around any token. This doesn't break macros with *mandatory* arguments, because `\FancyVerbBreakAnywhereBreak` is inserted *before* the token. Groups themselves are added without any special handling. So a macro would end up right next to its original arguments, without anything being inserted. Optional arguments will cause this approach to fail; there is currently no attempt to identify them, since that is a much harder problem.

If it is ever necessary, it would be possible to create a more sophisticated version involving catcode checks via `\ifcat`. Something like this:

```

\begingroup
\catcode'\a=11%
\catcode'\+=12%
\gdef\FV@Break...
    \ifcat\noexpand#1a%
        \g@addto@macro{\FV@TmpLine}...
    \else
    ...
\endgroup

```

```

864 \def\FV@Break@AnyToken#1{%
865     \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakAnywhereBreak#1}%
866     \FV@Break@Scan}

```

`\FV@Break@BeforeAfterToken` Deal with breaking around only specified tokens. This is a bit trickier. We only break if a macro corresponding to the token exists. We also need to check whether the specified token should be grouped, that is, whether breaks are allowed between identical characters. All of this has to be written carefully so that nothing is accidentally inserted into the stream for future scanning.

Dealing with tokens followed by empty groups (for example, `\x{}`) is particularly challenging when we want to avoid breaks between identical characters. When a token is followed by a group, we need to save the current token for later reference (`\x` in the example), then capture and save the following group, and then—only if the group was empty—see if the following token is identical to the old saved token.

```

867 \def\FV@Break@BeforeAfterToken#1{%
868   \ifcsname FV@BreakBefore@Token\detokenize{#1}\endcsname
869     \let\FV@Break@Next\FV@Break@BeforeTokenBreak
870   \else
871     \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
872       \let\FV@Break@Next\FV@Break@AfterTokenBreak
873     \else
874       \let\FV@Break@Next\FV@Break@BeforeAfterTokenNoBreak
875     \fi
876   \fi
877   \FV@Break@Next{#1}%
878 }
879 \def\FV@Break@BeforeAfterTokenNoBreak#1{%
880   \g@addto@macro{\FV@TmpLine}{#1}%
881   \let\FV@LastToken=#1%
882   \FV@Break@Scan}
883 \def\FV@Break@BeforeTokenBreak#1{%
884   \ifthenelse{\boolean{FV@BreakBeforeGroup}}{%
885     {\ifx#1\FV@LastToken\relax
886       \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
887         \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan
888         \def\FV@RescanToken{#1}%
889       \else
890         \g@addto@macro{\FV@TmpLine}{#1}%
891         \let\FV@Break@Next\FV@Break@Scan
892         \let\FV@LastToken=#1%
893       \fi
894     \else
895       \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
896         \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak}%
897         \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan
898         \def\FV@RescanToken{#1}%
899       \else
900         \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak#1}%
901         \let\FV@Break@Next\FV@Break@Scan
902         \let\FV@LastToken=#1%
903       \fi
904     \fi}%
905   {\ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname

```



```

906     \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak}%
907     \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan
908     \def\FV@RescanToken{#1}%
909     \else
910     \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak#1}%
911     \let\FV@Break@Next\FV@Break@Scan
912     \let\FV@LastToken=#1%
913     \fi}%
914     \FV@Break@Next}
915 \def\FV@Break@BeforeTokenBreak@AfterRescan{%
916   \expandafter\FV@Break@AfterTokenBreak\FV@RescanToken}
917 \def\FV@Break@AfterTokenBreak#1{%
918   \let\FV@LastToken=#1%
919   \@ifnextchar\FV@Space@ifx%
920   {\g@addto@macro{\FV@TmpLine}{#1}\FV@Break@Scan}%
921   {\ifthenelse{\boolean{FV@BreakAfterGroup}}%
922     {\ifx\@let@token#1\relax
923       \g@addto@macro{\FV@TmpLine}{#1}%
924       \let\FV@Break@Next\FV@Break@Scan
925     \else
926       \ifx\@let@token\bgroup\relax
927         \g@addto@macro{\FV@TmpLine}{#1}%
928         \let\FV@Break@Next\FV@Break@AfterTokenBreak@Group
929       \else
930         \g@addto@macro{\FV@TmpLine}{#1\FancyVerbBreakAfterBreak}%
931         \let\FV@Break@Next\FV@Break@Scan
932       \fi
933     \fi}%
934   {\g@addto@macro{\FV@TmpLine}{#1\FancyVerbBreakAfterBreak}%
935     \let\FV@Break@Next\FV@Break@Scan}%
936   \FV@Break@Next}%
937 }
938 \def\FV@Break@AfterTokenBreak@Group#1{%
939   \g@addto@macro{\FV@TmpLine}{#{#1}}%
940   \ifstrempy{#1}%
941     {\let\FV@Break@Next\FV@Break@AfterTokenBreak@Group@i}%
942     {\let\FV@Break@Next\FV@Break@Scan\let\FV@LastToken=\FV@Undefined}%
943   \FV@Break@Next}
944 \def\FV@Break@AfterTokenBreak@Group@i{%
945   \@ifnextchar\FV@LastToken%
946   {\FV@Break@Scan}%
947   {\g@addto@macro{\FV@TmpLine}{\FancyVerbBreakAfterBreak}%
948     \FV@Break@Scan}}

```

Line scanning and break insertion macros for pdfTeX with UTF-8

The macros above work with the XeTeX and LuaTeX engines and are also fine for pdfTeX with 8-bit character encodings. Unfortunately, pdfTeX works with multi-byte UTF-8 code points at the byte level, making things significantly trickier. The code below re-implements the macros in a manner compatible with the `inputenc`

package with option `utf8`. Note that there is no attempt for compatibility with `utf8x`; `utf8` has been significantly improved in recent years and should be sufficient in the vast majority of cases. And implementing variants for `utf8` was already sufficiently painful.

All of the UTF macros are only needed with pdfTeX, so they are created conditionally, inspired by the approach of the `iftex` package. The pdfTeX test deals with the possibility that a previous test using `\ifx` rather than the cleaner `\ifcsname` has already been performed.

```
949 \ifcsname pdfmatch\endcsname
950 \ifx\pdfmatch\relax
951 \else
```

`\FV@UTF@two@octets` These are variants of the `utf8.def` macros that capture all bytes of a multi-byte code point and then pass them on as a single argument for further processing. The `\FV@UTF@three@octets` current `\FV@Break` (or other invoking macro) will have `\let \FV@Break@NextNext` to an appropriate macro that performs further processing. All code points are checked for validity here so as to raise errors as early as possible. Otherwise an invalid terminal byte sequence might gobble `\FV@EndBreak`, `\FV@Undefined`, or another delimiting macro, potentially making debugging much more difficult. It would be possible to use `\UTFviii@defined{<bytes>}` to trigger an error directly, but the current approach is to attempt to typeset invalid code points, which should trigger errors without relying on the details of the `utf8.def` implementation.

```
952 \def\FV@UTF@two@octets#1#2{%
953   \ifcsname u8:\detokenize{#1#2}\endcsname
954   \else
955     #1#2%
956   \fi
957   \FV@Break@NextNext{#1#2}}
958 \def\FV@UTF@three@octets#1#2#3{%
959   \ifcsname u8:\detokenize{#1#2#3}\endcsname
960   \else
961     #1#2#3%
962   \fi
963   \FV@Break@NextNext{#1#2#3}}
964 \def\FV@UTF@four@octets#1#2#3#4{%
965   \ifcsname u8:\detokenize{#1#2#3#4}\endcsname
966   \else
967     #1#2#3#4%
968   \fi
969   \FV@Break@NextNext{#1#2#3#4}}
```

`\FV@U8:<byte>` Define macros for each active byte. These are used for determining whether the current token is the first byte in a multi-byte sequence, and if so, invoking the necessary macro to capture the remaining bytes. The code is adapted from the beginning of `utf8.def`. Completely capitalized macro names are used to avoid having to worry about `\uppercase`.

```
970 \begingroup
```

```

971 \catcode'\~=13
972 \catcode\'\"=12
973 \def\FV@UTFviii@loop{%
974   \uccode'\~\count@
975   \uppercase\expandafter{\FV@UTFviii@Tmp}%
976   \advance\count@\@ne
977   \ifnum\count@<\@tempcnta
978     \expandafter\FV@UTFviii@loop
979   \fi}

```

Setting up 2-byte UTF-8:

```

980 \count@"C2
981 \@tempcnta"E0
982 \def\FV@UTFviii@Tmp{\expandafter\gdef\csname FV@U8:\string~\endcsname{%
983   \FV@UTF@two@octets}}
984 \FV@UTFviii@loop

```

Setting up 3-byte UTF-8:

```

985 \count@"E0
986 \@tempcnta"F0
987 \def\FV@UTFviii@Tmp{\expandafter\gdef\csname FV@U8:\string~\endcsname{%
988   \FV@UTF@three@octets}}
989 \FV@UTFviii@loop

```

Setting up 4-byte UTF-8:

```

990 \count@"F0
991 \@tempcnta"F4
992 \def\FV@UTFviii@Tmp{\expandafter\gdef\csname FV@U8:\string~\endcsname{%
993   \FV@UTF@four@octets}}
994 \FV@UTFviii@loop
995 \endgroup

```

\FV@BreakBeforePrep@UTF We need UTF variants of the `breakbefore` and `breakafter` prep macros. These are only ever used with `inputenc` with UTF-8. There is no need for encoding checks here; checks are performed in `\FV@FormattingPrep@PreHook` (checks are inserted into it after the non-UTF macro definitions).

```

996 \def\FV@BreakBeforePrep@UTF{%
997   \ifx\FV@BreakBefore\@empty\relax
998   \else
999     \gdef\FV@BreakBefore@Def{%
1000     \begingroup
1001     \def\FV@BreakBefore@Process##1{%
1002       \ifcsname FV@U8:\detokenize{##1}\endcsname
1003         \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{##1}\endcsname
1004         \let\FV@Break@NextNext\FV@BreakBefore@Process@ii
1005       \else
1006         \ifx##1\FV@Undefined
1007           \let\FV@Break@Next\@gobble
1008         \else
1009           \let\FV@Break@Next\FV@BreakBefore@Process@i
1010         \fi

```

```

1011     \fi
1012     \FV@Break@Next##1%
1013 }%
1014 \def\FV@BreakBefore@Process@i##1{%
1015     \expandafter\FV@BreakBefore@Process@ii\expandafter{##1}}%
1016 \def\FV@BreakBefore@Process@ii##1{%
1017     \g@addto@macro\FV@BreakBefore@Def{%
1018         \@namedef{FV@BreakBefore@Token\detokenize{##1}}{}}%
1019     \FV@BreakBefore@Process
1020 }%
1021 \FV@EscChars
1022 \expandafter\FV@BreakBefore@Process\FV@BreakBefore\FV@Undefined
1023 \endgroup
1024 \FV@BreakBefore@Def
1025 \FV@BreakBeforePrep@PygmentsHook
1026 \fi
1027 }

```

\FV@BreakAfterPrep@UTF

```

1028 \def\FV@BreakAfterPrep@UTF{%
1029     \ifx\FV@BreakAfter\@empty\relax
1030     \else
1031         \gdef\FV@BreakAfter@Def{}%
1032         \begingroup
1033         \def\FV@BreakAfter@Process##1{%
1034             \ifcsname FV@U8:\detokenize{##1}\endcsname
1035                 \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{##1}\endcsname
1036                 \let\FV@Break@NextNext\FV@BreakAfter@Process@ii
1037             \else
1038                 \ifx##1\FV@Undefined
1039                     \let\FV@Break@Next\@gobble
1040                 \else
1041                     \let\FV@Break@Next\FV@BreakAfter@Process@i
1042                 \fi
1043             \fi
1044             \FV@Break@Next##1%
1045         }%
1046         \def\FV@BreakAfter@Process@i##1{%
1047             \expandafter\FV@BreakAfter@Process@ii\expandafter{##1}}%
1048         \def\FV@BreakAfter@Process@ii##1{%
1049             \ifcsname FV@BreakBefore@Token\detokenize{##1}\endcsname
1050                 \ifthenelse{\boolean{FV@BreakBeforeGroup}}{%
1051                     {\ifthenelse{\boolean{FV@BreakAfterGroup}}{%
1052                         {}%
1053                         {\PackageError{fvextra}%
1054                             {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"}%
1055                             {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}}}%
1056                     {\ifthenelse{\boolean{FV@BreakAfterGroup}}{%
1057                         {\PackageError{fvextra}%
1058                             {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"}%

```

```

1059         {Conflicting breakbeforegroup and breakaftergroup for "\detokenize{##1}"}}}%
1060     {}}%
1061     \fi
1062     \g@addto@macro\FV@BreakAfter@Def{%
1063         \@namedef{FV@BreakAfter@Token\detokenize{##1}}{}}}%
1064     \FV@BreakAfter@Process
1065 }%
1066 \FV@EscChars
1067 \expandafter\FV@BreakAfter@Process\FV@BreakAfter\FV@Undefined
1068 \endgroup
1069 \FV@BreakAfter@Def
1070 \FV@BreakAfterPrep@PygmentsHook
1071 \fi
1072 }

```

\FV@Break@AnyToken@UTF Instead of just adding each token to `\FV@TmpLine` with a preceding break, also check for multi-byte code points and capture the remaining bytes when they are encountered.

```

1073 \def\FV@Break@AnyToken@UTF#1{%
1074     \ifcsname FV@U8:\detokenize{#1}\endcsname
1075         \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{#1}\endcsname
1076         \let\FV@Break@NextNext\FV@Break@AnyToken@UTF@i
1077     \else
1078         \let\FV@Break@Next\FV@Break@AnyToken@UTF@i
1079     \fi
1080     \FV@Break@Next{#1}%
1081 }
1082 \def\FV@Break@AnyToken@UTF@i#1{%
1083     \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakAnywhereBreak#1}%
1084     \FV@Break@Scan}

```

\FV@Break@BeforeAfterToken@UTF Due to the way that the flow works, #1 will sometimes be a single byte and sometimes be a multi-byte UTF-8 code point. As a result, it is vital use use `\detokenize` in the UTF-8 leading byte checks; `\string` would only deal with the first byte. It is also important to keep track of the distinction between `\FV@Break@Next#1` and `\FV@Break@Next{#1}`. In some cases, a multi-byte sequence is being passed on as a single argument, so it must be enclosed in curly braces; in other cases, it is being re-inserted into the scanning stream and curly braces must be avoided lest they be interpreted as part of the original text.

```

1085 \def\FV@Break@BeforeAfterToken@UTF#1{%
1086     \ifcsname FV@U8:\detokenize{#1}\endcsname
1087         \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{#1}\endcsname
1088         \let\FV@Break@NextNext\FV@Break@BeforeAfterToken@UTF@i
1089     \else
1090         \let\FV@Break@Next\FV@Break@BeforeAfterToken@UTF@i
1091     \fi
1092     \FV@Break@Next{#1}%
1093 }
1094 \def\FV@Break@BeforeAfterToken@UTF@i#1{%

```

```

1095 \ifcsname FV@BreakBefore@Token\detokenize{#1}\endcsname
1096 \let\FV@Break@Next\FV@Break@BeforeTokenBreak@UTF
1097 \else
1098 \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
1099 \let\FV@Break@Next\FV@Break@AfterTokenBreak@UTF
1100 \else
1101 \let\FV@Break@Next\FV@Break@BeforeAfterTokenNoBreak@UTF
1102 \fi
1103 \fi
1104 \FV@Break@Next{#1}%
1105 }
1106 \def\FV@Break@BeforeAfterTokenNoBreak@UTF#1{%
1107 \g@addto@macro{\FV@TmpLine}{#1}%
1108 \def\FV@LastToken{#1}%
1109 \FV@Break@Scan}
1110 \def\FV@Break@BeforeTokenBreak@UTF#1{%
1111 \def\FV@CurrentToken{#1}%
1112 \ifthenelse{\boolean{FV@BreakBeforeGroup}}{%
1113 {\ifx\FV@CurrentToken\FV@LastToken\relax
1114 \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
1115 \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan@UTF
1116 \def\FV@RescanToken{#1}%
1117 \else
1118 \g@addto@macro{\FV@TmpLine}{#1}%
1119 \let\FV@Break@Next\FV@Break@Scan
1120 \def\FV@LastToken{#1}%
1121 \fi
1122 \else
1123 \ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
1124 \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak}%
1125 \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan@UTF
1126 \def\FV@RescanToken{#1}%
1127 \else
1128 \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak#1}%
1129 \let\FV@Break@Next\FV@Break@Scan
1130 \def\FV@LastToken{#1}%
1131 \fi
1132 \fi}%
1133 {\ifcsname FV@BreakAfter@Token\detokenize{#1}\endcsname
1134 \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak}%
1135 \let\FV@Break@Next\FV@Break@BeforeTokenBreak@AfterRescan@UTF
1136 \def\FV@RescanToken{#1}%
1137 \else
1138 \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakBeforeBreak#1}%
1139 \let\FV@Break@Next\FV@Break@Scan
1140 \def\FV@LastToken{#1}%
1141 \fi}%
1142 \FV@Break@Next}
1143 \def\FV@Break@BeforeTokenBreak@AfterRescan@UTF{%
1144 \expandafter\FV@Break@AfterTokenBreak@UTF\expandafter{\FV@RescanToken}}

```

```

1145 \def\FV@Break@AfterTokenBreak@UTF#1{%
1146   \def\FV@LastToken{#1}%
1147   \ifnextchar\FV@Space@ifx%
1148     {\g@addto@macro{\FV@TmpLine}{#1}\FV@Break@Scan}%
1149     {\ifthenelse{\boolean{FV@BreakAfterGroup}}{%
1150       {\g@addto@macro{\FV@TmpLine}{#1}%
1151         \ifx\@let@token\bgroup\relax
1152           \let\FV@Break@Next\FV@Break@AfterTokenBreak@Group@UTF
1153         \else
1154           \let\FV@Break@Next\FV@Break@AfterTokenBreak@UTF@i
1155         \fi}%
1156       {\g@addto@macro{\FV@TmpLine}{#1\FancyVerbBreakAfterBreak}%
1157       \let\FV@Break@Next\FV@Break@Scan}%
1158     \FV@Break@Next}%
1159 }
1160 \def\FV@Break@AfterTokenBreak@UTF@i#1{%
1161   \ifcsname FV@U8:\detokenize{#1}\endcsname
1162     \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{#1}\endcsname
1163     \let\FV@Break@NextNext\FV@Break@AfterTokenBreak@UTF@i
1164   \else
1165     \def\FV@NextToken{#1}%
1166     \ifx\FV@LastToken\FV@NextToken
1167     \else
1168       \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakAfterBreak}%
1169     \fi
1170     \let\FV@Break@Next\FV@Break@Scan
1171   \fi
1172   \FV@Break@Next#1}
1173 \def\FV@Break@AfterTokenBreak@Group@UTF#1{%
1174   \g@addto@macro{\FV@TmpLine}{\{#1\}}%
1175   \ifstrempy{#1}%
1176     {\let\FV@Break@Next\FV@Break@AfterTokenBreak@Group@UTF@i}%
1177     {\let\FV@Break@Next\FV@Break@Scan\let\FV@LastToken=\FV@Undefined}%
1178   \FV@Break@Next}
1179 \def\FV@Break@AfterTokenBreak@Group@UTF@i{%
1180   \ifnextchar\bgroup%
1181     {\FV@Break@Scan}%
1182     {\FV@Break@AfterTokenBreak@Group@UTF@ii}}
1183 \def\FV@Break@AfterTokenBreak@Group@UTF@ii#1{%
1184   \ifcsname FV@U8:\detokenize{#1}\endcsname
1185     \expandafter\let\expandafter\FV@Break@Next\csname FV@U8:\detokenize{#1}\endcsname
1186     \let\FV@Break@NextNext\FV@Break@AfterTokenBreak@Group@UTF@ii
1187   \else
1188     \def\FV@NextToken{#1}%
1189     \ifx\FV@LastToken\FV@NextToken
1190     \else
1191       \g@addto@macro{\FV@TmpLine}{\FancyVerbBreakAfterBreak}%
1192     \fi
1193     \let\FV@Break@Next\FV@Break@Scan
1194   \fi

```

```
1195 \FV@Break@Next#1}
```

End the conditional creation of the pdfTeX UTF macros:

```
1196 \fi\fi
```

Line processing before scanning

\FV@makeLineNumber The `lineno` package is used for formatting wrapped lines and inserting break symbols. We need a version of `lineno`'s `\makeLineNumber` that is adapted for our purposes. This is adapted directly from the example `\makeLineNumber` that is given in the `lineno` documentation under the discussion of internal line numbers. The `\FV@SetLineBreakLast` is needed to determine the internal line number of the last segment of the broken line, so that we can disable the right-hand break symbol on this segment. When a right-hand break symbol is in use, a line of code will be processed twice: once to determine the last internal line number, and once to use this information only to insert right-hand break symbols on the appropriate lines. During the second run, `\FV@SetLineBreakLast` is disabled by `\letting` it to `\relax`.

```
1197 \def\FV@makeLineNumber{%
1198   \hss
1199   \FancyVerbBreakSymbolLeftLogic{\FancyVerbBreakSymbolLeft}%
1200   \hbox to \FV@BreakSymbolSepLeft{\hfill}%
1201   \rlap{\hskip\linewidth
1202     \hbox to \FV@BreakSymbolSepRight{\hfill}%
1203     \FancyVerbBreakSymbolRightLogic{\FancyVerbBreakSymbolRight}%
1204     \FV@SetLineBreakLast
1205   }%
1206 }
```

\FV@RaggedRight We need a copy of the default `\raggedright` to ensure that everything works with classes or packages that use a special definition.

```
1207 \def\FV@RaggedRight{%
1208   \let\\\@centercr
1209   \@rightskip\@flushglue\rightskip\@rightskip\leftskip\z@skip\parindent\z@}
```

\FV@SaveLineBox This is the macro that does most of the work. It was inspired by Marco Daniel's code at <http://tex.stackexchange.com/a/112573/10742>.

This macro is invoked when a line is too long. We modify the `\linewidth` to take into account `breakindent` and `breakautoindent`, and insert `\hboxes` to fill the empty space. We also account for `breaksymbolindentleft` and `breaksymbolindentright`, but *only* when there are actually break symbols. The code is placed in a `\parbox`. Break symbols are inserted via `lineno`'s `internallinenumbers*`, which does internal line numbers without continuity between environments (the `linenumber` counter is automatically reset). The beginning of the line has negative `\hspace` inserted to pull it out to the correct starting position. `\struts` are used to maintain correct line heights. The `\parbox` is followed by an empty `\hbox` that takes up the space needed for a

right-hand break symbol (if any). `\FV@BreakByTokenAnywhereHook` is a hook for using `breakbytokenanywhere` when working with Pygments. Since it is within `internallinenumbers*`, its effects do not escape.

```

1210 \def\FV@SaveLineBox#1{%
1211   \savebox{\FV@LineBox}{%
1212     \advance\linewidth by -\FV@BreakIndent
1213     \hbox to \FV@BreakIndent{\hfill}%
1214     \ifthenelse{\boolean{FV@BreakAutoIndent}}{%
1215       {\let\FV@LineIndentChars\empty
1216         \FV@GetLineIndent#1\FV@Undefined
1217         \savebox{\FV@LineIndentBox}{\FV@LineIndentChars}%
1218         \hbox to \wd\FV@LineIndentBox{\hfill}%
1219         \advance\linewidth by -\wd\FV@LineIndentBox
1220         \setcounter{FV@TrueTabCounter}{0}}%
1221       {}%
1222     \ifdefempty{\FancyVerbBreakSymbolLeft}{}%
1223     {\hbox to \FV@BreakSymbolIndentLeft{\hfill}%
1224       \advance\linewidth by -\FV@BreakSymbolIndentLeft}%
1225     \ifdefempty{\FancyVerbBreakSymbolRight}{}%
1226     {\advance\linewidth by -\FV@BreakSymbolIndentRight}%
1227     \parbox[t]{\linewidth}{%
1228       \FV@RaggedRight
1229       \leftlinenumbers*
1230       \begin{internallinenumbers*}%
1231       \let\makeLineNumber\FV@makeLineNumber
1232       \noindent\hspace*{-\FV@BreakIndent}%
1233       \ifdefempty{\FancyVerbBreakSymbolLeft}{}%
1234       \hspace*{-\FV@BreakSymbolIndentLeft}%
1235       \ifthenelse{\boolean{FV@BreakAutoIndent}}{%
1236         {\hspace*{-\wd\FV@LineIndentBox}}%
1237         {}%
1238       \FV@BreakByTokenAnywhereHook
1239       \strut\FancyVerbFormatText{%
1240         \FancyVerbBreakStart #1\FancyVerbBreakStop}\nobreak\strut
1241       \end{internallinenumbers*}
1242     }%
1243     \ifdefempty{\FancyVerbBreakSymbolRight}{}%
1244     {\hbox to \FV@BreakSymbolIndentRight{\hfill}}%
1245   }%
1246 }
1247 \let\FV@BreakByTokenAnywhereHook\relax

```

`\FV@ListProcessLine@Break` This macro is based on the original `\FV@ListProcessLine` and follows it as closely as possible. The `\linewidth` is reduced by `\FV@FrameSep` and `\FV@FrameRule` so that text will not overrun frames. This is done conditionally based on which frames are in use. We save the current line in a box, and only do special things if the box is too wide. For uniformity, all text is placed in a `\parbox`, even if it doesn't need to be wrapped.

If a line is too wide, then it is passed to `\FV@SaveLineBox`. If there is no

right-hand break symbol, then the saved result in `\FV@LineBox` may be used immediately. If there is a right-hand break symbol, then the line must be processed a second time, so that the right-hand break symbol may be removed from the final segment of the broken line (since it does not continue). During the first use of `\FV@SaveLineBox`, the counter `FancyVerbLineBreakLast` is set to the internal line number of the last segment of the broken line. During the second use of `\FV@SaveLineBox`, we disable this (`\let\FV@SetLineBreakLast\relax`) so that the value of `FancyVerbLineBreakLast` remains fixed and thus may be used to determine when a right-hand break symbol should be inserted.

```

1248 \def\FV@ListProcessLine@Break#1{%
1249   \hbox to \hsize{%
1250     \kern\leftmargin
1251     \hbox to \linewidth{%
1252       \ifx\FV@RightListFrame\relax\else
1253         \advance\linewidth by -\FV@FrameSep
1254         \advance\linewidth by -\FV@FrameRule
1255       \fi
1256       \ifx\FV@LeftListFrame\relax\else
1257         \advance\linewidth by -\FV@FrameSep
1258         \advance\linewidth by -\FV@FrameRule
1259       \fi
1260       \ifx\FV@Tab\FV@TrueTab
1261         \let\FV@TrueTabSaveWidth\FV@TrueTabSaveWidth@Save
1262         \setcounter{FV@TrueTabCounter}{0}%
1263       \fi
1264       \sbox{\FV@LineBox}{%
1265         \FancyVerbFormatLine{%
1266           %\FancyVerbHighlightLine %<-- Default definition using \rlap breaks breaking
1267           {\FV@ObeyTabs{\FancyVerbFormatText{#1}}}}}%
1268       \ifx\FV@Tab\FV@TrueTab
1269         \let\FV@TrueTabSaveWidth\relax
1270       \fi
1271       \ifdim\wd\FV@LineBox>\linewidth
1272         \setcounter{FancyVerbLineBreakLast}{0}%
1273       \ifx\FV@Tab\FV@TrueTab
1274         \let\FV@Tab\FV@TrueTab@UseWidth
1275         \setcounter{FV@TrueTabCounter}{0}%
1276       \fi
1277       \FV@SaveLineBox{#1}%
1278       \ifdefempty{\FancyVerbBreakSymbolRight}{\relax}{%
1279         \let\FV@SetLineBreakLast\relax
1280         \setcounter{FV@TrueTabCounter}{0}%
1281         \FV@SaveLineBox{#1}}}%
1282       \FV@LeftListNumber
1283       \FV@LeftListFrame
1284       \FancyVerbFormatLine{%
1285         \FancyVerbHighlightLine{\usebox{\FV@LineBox}}}%
1286       \FV@RightListFrame
1287       \FV@RightListNumber

```

```

1288 \ifx\FV@Tab\FV@TrueTab@UseWidth
1289 \let\FV@Tab\FV@TrueTab
1290 \fi
1291 \else
1292 \FV@LeftListNumber
1293 \FV@LeftListFrame
1294 \FancyVerbFormatLine{%
1295 \FancyVerbHighlightLine{%
1296 \parbox[t]{\linewidth}{%
1297 \noindent\strut\FV@ObeyTabs{\FancyVerbFormatText{#1}}\strut}}}%
1298 \FV@RightListFrame
1299 \FV@RightListNumber
1300 \fi}%
1301 \hss}\baselineskip\z@\lineskip\z@}

```

10.8 Pygments compatibility

This section makes line breaking compatible with [Pygments](#), which is used by several packages including `minted` and `pythontex` for syntax highlighting. A few additional line breaking options are also defined for working with Pygments.

`\FV@BreakBeforePrep@Pygments` Pygments converts some characters into macros to ensure that they appear literally. As a result, `breakbefore` and `breakafter` would fail for these characters. This macro checks for the existence of breaking macros for these characters, and creates breaking macros for the corresponding Pygments character macros as necessary.

The argument that the macro receives is the detokenized name of the main Pygments macro, with the trailing space that detokenization produces stripped. All macro names must end with a space, because the breaking algorithm uses detokenization on each token when checking for breaking macros, and this will produce a trailing space.

```

1302 \def\FV@BreakBeforePrep@Pygments#1{%
1303 \ifcsname FV@BreakBefore@Token\@backslashchar\endcsname
1304 \namedef{FV@BreakBefore@Token#1Zbs }{ }%
1305 \fi
1306 \ifcsname FV@BreakBefore@Token\FV@underscorechar\endcsname
1307 \namedef{FV@BreakBefore@Token#1Zus }{ }%
1308 \fi
1309 \ifcsname FV@BreakBefore@Token\@charlb\endcsname
1310 \namedef{FV@BreakBefore@Token#1Zob }{ }%
1311 \fi
1312 \ifcsname FV@BreakBefore@Token\@charrb\endcsname
1313 \namedef{FV@BreakBefore@Token#1Zcb }{ }%
1314 \fi
1315 \ifcsname FV@BreakBefore@Token\detokenize{~}\endcsname
1316 \namedef{FV@BreakBefore@Token#1Zca }{ }%
1317 \fi
1318 \ifcsname FV@BreakBefore@Token\FV@ampchar\endcsname
1319 \namedef{FV@BreakBefore@Token#1Zam }{ }%
1320 \fi

```

```

1321 \ifcsname FV@BreakBefore@Token\detokenize{<}\endcsname
1322 \namedef{FV@BreakBefore@Token#1Zlt }{}%
1323 \fi
1324 \ifcsname FV@BreakBefore@Token\detokenize{>}\endcsname
1325 \namedef{FV@BreakBefore@Token#1Zgt }{}%
1326 \fi
1327 \ifcsname FV@BreakBefore@Token\FV@hashchar\endcsname
1328 \namedef{FV@BreakBefore@Token#1Zsh }{}%
1329 \fi
1330 \ifcsname FV@BreakBefore@Token\@percentchar\endcsname
1331 \namedef{FV@BreakBefore@Token#1Zpc }{}%
1332 \fi
1333 \ifcsname FV@BreakBefore@Token\FV@dollarchar\endcsname
1334 \namedef{FV@BreakBefore@Token#1Zdl }{}%
1335 \fi
1336 \ifcsname FV@BreakBefore@Token\detokenize{-}\endcsname
1337 \namedef{FV@BreakBefore@Token#1Zhy }{}%
1338 \fi
1339 \ifcsname FV@BreakBefore@Token\detokenize{'}\endcsname
1340 \namedef{FV@BreakBefore@Token#1Zsq }{}%
1341 \fi
1342 \ifcsname FV@BreakBefore@Token\detokenize{"}\endcsname
1343 \namedef{FV@BreakBefore@Token#1Zdq }{}%
1344 \fi
1345 \ifcsname FV@BreakBefore@Token\FV@tildechar\endcsname
1346 \namedef{FV@BreakBefore@Token#1Zti }{}%
1347 \fi
1348 \ifcsname FV@BreakBefore@Token\detokenize{@}\endcsname
1349 \namedef{FV@BreakBefore@Token#1Zat }{}%
1350 \fi
1351 \ifcsname FV@BreakBefore@Token\detokenize{[]}\endcsname
1352 \namedef{FV@BreakBefore@Token#1Zlb }{}%
1353 \fi
1354 \ifcsname FV@BreakBefore@Token\detokenize{[]}\endcsname
1355 \namedef{FV@BreakBefore@Token#1Zrb }{}%
1356 \fi
1357 }

```

\FV@BreakAfterPrep@Pygments

```

1358 \def\FV@BreakAfterPrep@Pygments#1{%
1359 \ifcsname FV@BreakAfter@Token\@backslashchar\endcsname
1360 \namedef{FV@BreakAfter@Token#1Zbs }{}%
1361 \fi
1362 \ifcsname FV@BreakAfter@Token\FV@underscorechar\endcsname
1363 \namedef{FV@BreakAfter@Token#1Zus }{}%
1364 \fi
1365 \ifcsname FV@BreakAfter@Token\@charlb\endcsname
1366 \namedef{FV@BreakAfter@Token#1Zob }{}%
1367 \fi
1368 \ifcsname FV@BreakAfter@Token\@charrb\endcsname

```

```

1369     \@namedef{FV@BreakAfter@Token#1Zcb }{}%
1370 \fi
1371 \ifcsname FV@BreakAfter@Token\detokenize{^}\endcsname
1372     \@namedef{FV@BreakAfter@Token#1Zca }{}%
1373 \fi
1374 \ifcsname FV@BreakAfter@Token\FV@ampchar\endcsname
1375     \@namedef{FV@BreakAfter@Token#1Zam }{}%
1376 \fi
1377 \ifcsname FV@BreakAfter@Token\detokenize{<}\endcsname
1378     \@namedef{FV@BreakAfter@Token#1Zlt }{}%
1379 \fi
1380 \ifcsname FV@BreakAfter@Token\detokenize{>}\endcsname
1381     \@namedef{FV@BreakAfter@Token#1Zgt }{}%
1382 \fi
1383 \ifcsname FV@BreakAfter@Token\FV@hashchar\endcsname
1384     \@namedef{FV@BreakAfter@Token#1Zsh }{}%
1385 \fi
1386 \ifcsname FV@BreakAfter@Token\@percentchar\endcsname
1387     \@namedef{FV@BreakAfter@Token#1Zpc }{}%
1388 \fi
1389 \ifcsname FV@BreakAfter@Token\FV@dollarchar\endcsname
1390     \@namedef{FV@BreakAfter@Token#1Zdl }{}%
1391 \fi
1392 \ifcsname FV@BreakAfter@Token\detokenize{-}\endcsname
1393     \@namedef{FV@BreakAfter@Token#1Zhy }{}%
1394 \fi
1395 \ifcsname FV@BreakAfter@Token\detokenize{'}\endcsname
1396     \@namedef{FV@BreakAfter@Token#1Zsq }{}%
1397 \fi
1398 \ifcsname FV@BreakAfter@Token\detokenize{"}\endcsname
1399     \@namedef{FV@BreakAfter@Token#1Zdq }{}%
1400 \fi
1401 \ifcsname FV@BreakAfter@Token\FV@tildechar\endcsname
1402     \@namedef{FV@BreakAfter@Token#1Zti }{}%
1403 \fi
1404 \ifcsname FV@BreakAfter@Token\detokenize{@}\endcsname
1405     \@namedef{FV@BreakAfter@Token#1Zat }{}%
1406 \fi
1407 \ifcsname FV@BreakAfter@Token\detokenize{[]}\endcsname
1408     \@namedef{FV@BreakAfter@Token#1Zlb }{}%
1409 \fi
1410 \ifcsname FV@BreakAfter@Token\detokenize{[]}\endcsname
1411     \@namedef{FV@BreakAfter@Token#1Zrb }{}%
1412 \fi
1413 }

```

breakbytoken When Pygments is used, do not allow breaks within **Pygments tokens**. So, for example, breaks would not be allowed within a string, but could occur before or after it. This has no affect when Pygments is not in use, and is only intended for

minted, pythontex, and similar packages.

```
1414 \newbool{FV@breakbytoken}
1415 \define@booleankey{FV}{breakbytoken}%
1416 {\booltrue{FV@breakbytoken}}%
1417 {\boolfalse{FV@breakbytoken}\boolfalse{FV@breakbytokenanywhere}}
```

breakbytokenanywhere **breakbytoken** prevents breaks *within* tokens. Breaks outside of tokens may still occur at spaces. This option also enables breaks between immediately adjacent tokens that are not separated by spaces. Its definition is tied in with **breakbytoken** so that **breakbytoken** may be used as a check for whether either option is in use; essentially, **breakbytokenanywhere** is treated as a special case of **breakbytoken**.

```
1418 \newbool{FV@breakbytokenanywhere}
1419 \define@booleankey{FV}{breakbytokenanywhere}%
1420 {\booltrue{FV@breakbytokenanywhere}\booltrue{FV@breakbytoken}}%
1421 {\boolfalse{FV@breakbytokenanywhere}\boolfalse{FV@breakbytoken}}
```

FancyVerbBreakByTokenAnywhereBreak This is the break introduced when **breakbytokenanywhere=true**. Alternatives would be `\discretionary{}{}{} or \linebreak[0]`.

```
1422 \def\FancyVerbBreakByTokenAnywhereBreak{\allowbreak{}}
```

\VerbatimPygments This is the command that activates Pygments features. It must be invoked before `\begin{Verbatim}`, etc., but inside a `\begin{group}... \end{group}` so that its effects do not escape into the rest of the document (for example, within the beginning of an environment. It takes two arguments: The Pygments macro that literally appears (`\PYG` for **minted** and **pythontex**), and the Pygments macro that should actually be used (`\PYG<style_name>` for **minted** and **pythontex**). The two are distinguished because it can be convenient to highlight everything using the same literal macro name, and then `\let` it to appropriate values to change styles, rather than redoing all highlighting to change styles. It modifies `\FV@PygmentsHook`, which is at the beginning of `\FV@FormattingPrep@PreHook`, to make the actual changes at the appropriate time.

```
1423 \def\VerbatimPygments#1#2{%
1424   \def\FV@PygmentsHook{\FV@VerbatimPygments{#1}{#2}}}
```

\FV@VerbatimPygments This does all the actual work. Again, **#1** is the Pygments macro that literally appears, and **#2** is the macro that is actually to be used.

The **breakbefore** and **breakafter** hooks are redefined. This requires some trickery to get the detokenized name of the main Pygments macro without the trailing space that detokenization of a macro name produces.

In the non-**breakbytoken** case, **#1** is redefined to use **#2** internally, bringing in `\FancyVerbBreakStart` and `\FancyVerbBreakStop` to allow line breaks.

In the **breakbytoken** cases, an `\hbox` is used to prevent breaks within the macro (breaks could occur at spaces even without `\FancyVerbBreakStart`). The **breakbytokenanywhere** case is similar but a little tricky. `\FV@BreakByTokenAnywhereHook`, which is inside `\FV@SaveLineBox` where line breaking occurs, is used to define `\FV@BreakByTokenAnywhereBreak` so that it will “do nothing” the first time it is used and on subsequent invocations become `\FancyVerbBreakByTokenAnywhereBreak`.

Because the hook is within the `internallinenumbers*` environment, the redefinition doesn't escape, and the default global definition of `\FV@BreakByTokenAnywhereBreak` as `\relax` is not affected. We don't want the actual break to appear before the first Pygments macro in case it might cause a spurious break after leading whitespace. But we must have breaks *before* Pygments macros because otherwise lookahead would be necessary.

An intermediate variable `\FV@PYG` is defined to avoid problems in case `#1=#2`. There is also a check for a non-existent `#2` (`\PYG<style_name>` may not be created until a later compile in the `pythontex` case); if `#2` does not exist, fall back to `#1`. For the existence check, `\ifx...\relax` must be used instead of `\ifcsname`, because `#2` will be a macro, and will typically be created with `\csname...\endcsname` which will `\let` the macro to `\relax` if it doesn't already exist.

```

1425 \def\FV@VerbatimPygments#1#2{%
1426   \edef\FV@PYG@Literal{\expandafter\FV@DetokMacro@StripSpace\detokenize{#1}}%
1427   \def\FV@BreakBeforePrep@PygmentsHook{%
1428     \expandafter\FV@BreakBeforePrep@Pygments\expandafter{\FV@PYG@Literal}}%
1429   \def\FV@BreakAfterPrep@PygmentsHook{%
1430     \expandafter\FV@BreakAfterPrep@Pygments\expandafter{\FV@PYG@Literal}}%
1431   \ifx#2\relax
1432     \let\FV@PYG#1%
1433   \else
1434     \let\FV@PYG#2%
1435   \fi
1436   \ifbool{FV@breakbytoken}%
1437   {\ifbool{FV@breakbytokenanywhere}%
1438     {\def\FV@BreakByTokenAnywhereHook{%
1439       \def\FV@BreakByTokenAnywhereBreak{%
1440         \let\FV@BreakByTokenAnywhereBreak\FancyVerbBreakByTokenAnywhereBreak}}%
1441       \def#1##1##2{%
1442         \FV@BreakByTokenAnywhereBreak
1443         \leavevmode\hbox{\FV@PYG{##1}{##2}}}%
1444       {\def#1##1##2{%
1445         \leavevmode\hbox{\FV@PYG{##1}{##2}}}%
1446       {\def#1##1##2{%
1447         \FV@PYG{##1}{\FancyVerbBreakStart##2\FancyVerbBreakStop}}}%
1448     }
1449   \let\FV@BreakByTokenAnywhereBreak\relax
1450   \def\FV@DetokMacro@StripSpace#1 {#1}

```