
### SERVIDOR - BANCO DE DADOS





## CONEXÃO



```
create database V8Academy;
use V8Academy;
CREATE TABLE gestor (
  id_gestor INT PRIMARY KEY AUTO_INCREMENT,
  nome VARCHAR(100),
  departamento VARCHAR(100)
);
CREATE TABLE estagiario (
  id_estagiario INT PRIMARY KEY AUTO_INCREMENT,
  nome VARCHAR(100),
  matricula VARCHAR(20),
  data_nascimento DATE,
  id_gestor INT,
  FOREIGN KEY (id_gestor) REFERENCES gestor(id_gestor)
);
```

# PASSO A PASSO MYSQL

### VIRTUAL BOX

```
>_
                                 sptech@sptech: ~
                                                                            - 2 X
Arquivo Ações Editar Exibir Ajuda
                  sptech@sptech: ~
                                                 ×
sptech@sptech:~$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or ackslashg.
Your MySQL connection id is 24
Server version: 8.0.36-0ubuntu0.22.04.1 (Ubuntu)
Copyright (c) 2000, 2024, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement
mysql>
```

#### CONTROLE DO MYSQL VIA VM

```
nysql> use V8Academy;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
nysql> show tables;
 Tables_in_V8Academy
 estagiario
 gestor
2 rows in set (0,00 sec)
nysql> select e.nome as estagiario, g.nome as gestor from estagiario e inner
join gestor g on e.id_gestor = g.id gestor;
 estagiario | gestor
 Pedro Almeida | João Silva
 Ana Souza | João Silva
 Carlos Santos | Maria Oliveira
```

