hackeRnews CHEAT SHEET

An R wrapper for the official Hacker News API

`0110101101010`
`0101101010011`

Profile

get_updates()
Hacker News updated profiles

get_user_by_username(username**)**
Get Hacker News user

{
username
Username of the user,
that should be retrieved.

Latest stories

get_latest_ask_stories(max_items**)**
Hacker News latest ask stories

get_latest_ask_stories_ids()
Hacker News latest ask stories ids

get_latest_job_stories(max_items**)**
Hacker News latest job stories

get_latest_job_stories_ids()
Hacker News latest job stories ids

get_latest_show_stories(max_items**)**
Hacker News latest show stories

get_latest_show_stories_ids()
Hacker News latest show stories ids

Best stories

get_best_stories(max_items**)**
Hacker News best stories

get_best_stories_ids()
Hacker News best stories ids

Top stories

get_top_stories(max_items**)**
Hacker News top stories

get_top_stories_ids()
Hacker News top stories ids

New stories

get_new_stories(max_items**)**
Hacker News newest stories

get_new_stories_ids()
Hacker News best stories ids

Items

get_item_by_id(id**)**
Get Hacker News by Id

{
id
Id of the item,
that should be retrieved.

get_items_by_ids(ids**)**
Get Hacker News by ids

{
ids
List of ids

get_max_item_id()
Hacker News item largest id

get_comments(item**)**
Hacker News nested comments

{
item
Item whose children (comments)
will be retrieved

{
max_items
Maximum number of items to retrieve.
If max_items = null, returns all available.