



ASPIRE STUDY KANPUR

MCA Entrance Classes By Shivam Gupta

JNU MCA 2019

WWW.ASPIRESTUDY.IN | WWW.MYASPIRESTUDY.COM

FOR CLASSROOM / ONLINE COACHING : CALL US 8400072444, 7007286637

JNU MCA Original Paper - 2019

1. In C language, the memory can be allocated to a variable var at compile time by using
 (a) `malloc(var)`
 (b) `calloc(var)`
 (c) `realloc(var)`
 (d) declaring var with appropriate type
2. The COUNT function in SQL return the number of
 (a) Values
 (b) Distinct rows
 (c) Distinct Values
 (d) Distinct groups
3. The function $(p \vee (r \vee q) \wedge \sim(\sim q \wedge \sim r))$ is equal to the function
 (a) $q \vee r$
 (b) $((p \vee r) \vee q) \wedge (p \vee r)$
 (c) $(p \wedge q) \vee (p \wedge r)$
 (d) $(p \vee q) \wedge \sim(p \vee r)$
4. The value of the series $\sum \frac{1}{n^2}$ is
 (a) $\frac{\pi^2}{3}$
 (b) $\frac{\pi^2}{4}$
 (c) $\frac{\pi^2}{5}$
 (d) $\frac{\pi^2}{6}$
5. The bitwise operator that can help make '0' as '1' of a particular bit in a number in C
 (a) `&&`
 (b) `&`
 (c) `|`
 (d) `||`
6. An array of five pointers to integer is declared by
 (a) `int *ptr[5]0;`
 (b) `int *ptr[5];`
 (c) `int (*ptr[5])();`
 (d) `int **ptr[5];`
7. $\cos(\tan^{-1}(\sin(\cot^{-1}(x))))$ is
 (a) $\sqrt{\frac{1+x^2}{2+x^2}}$
 (b) $\sqrt{\frac{1-x^2}{2+x^2}}$
 (c) $\sqrt{\frac{1+x^2}{4+x^2}}$
 (d) $\sqrt{\frac{x^2-1}{x^2-2}}$
8. The determinant $\begin{vmatrix} 1 & 5 & 3 \\ 1 & 10 & 6 \\ 1 & 15 & 9 \end{vmatrix}$ is
 (a) 0 (b) 3 (c) 5 (d) 6
9. In a cyclic group, the following is not correct.
 (a) It must have some generator
 (b) It must be abelian
 (c) there is no relation among the element
 (d) generator need not be unique.
10. A. The product of two even permutations is even.
 B. The product of two odd permutations is odd.
 (a) statement A is true
 (b) statement B is true
 (c) both statements A and B are true
 (d) both statements A and B are false
11. When a monkey's baby was 30 days old, it started eating banana and ate banana. Its appetite grew and each day it ate $3/2$ times of the previous day. How old will it be when it can eat at least five bananas?
 (a) 32 (b) 34 (c) 38 (d) 40
12. Define R, a relation, on $N \times N$: for all a, b, x, y in N , $(a, b)R(x, y)$ iff $ay = bx$. Which is true?
 (a) R is reflexive only
 (b) R is symmetric only
 (c) R is transitive only
 (d) all are true.
13. Page stealing is related to
 (a) an efficient system
 (b) taking page frames from other working set
 (c) tuning the goal
 (d) taking larger space from the disk space for pages, which are memory-out.
14. Let f be a mapping from A to B , where A and B are non – empty sets. Then f is a function only if
 (a) it is one – one
 (b) it is onto



ASPIRE STUDY KANPUR

MCA Entrance Classes By Shivam Gupta

- (c) All element in B are associated with some element(s) of A
 (d) None of these
15. The matrix $\begin{pmatrix} 1 & 1 & 1 \\ 1 & 2 & 3 \\ 1 & 1 & 4 \end{pmatrix}$ satisfies which one of the following properties?
 (a) symmetric (b) orthogonal
 (c) Invertible (d) Singular
16. The value of the integral $\int_0^{\infty} \frac{\sin^2 x}{x^2} dx$ is
 (a) $\log_e \pi$ (b) $\frac{\pi}{4}$
 (c) $\log_e 2$ (d) $\frac{\pi}{2}$
17. $(1110.01)_2$ is
 (a) $(14.25)_{10}$ (b) $(12.75)_{10}$
 (c) $(13.25)_{10}$ (d) $(14.75)_{10}$
18. In a gathering of students, the probability of a student having tea is 0.5, that of a student having coffee is 0.7 and that of a student having neither tea nor coffee is 0.1. What is the probability of a student having both tea and coffee?
 (a) 0.1 (b) 0.3 (c) 0.4 (d) 0.5
19. Which of the following is a group?
 (a) Real numbers under multiplication
 (b) Positive real numbers under multiplication
 (c) Real $n \times n$ matrices under multiplication
 (d) Integers under multiplication
20. Let α, β be the roots of polynomial $f(x) = 2x^2 - 7x + 4$. The value of difference of the roots $|\alpha - \beta|$ is
 (a) $17/2$ (b) 17
 (c) $\sqrt{17}/2$ (d) $\sqrt{17}$
21. The quick sort method in average case has the order
 (a) $O(n)$ (b) $O(n^2)$
 (c) $O(n \log_2 n)$ (d) $O(n^2 - 1)$
22. How many different committees of 3 people consisting of 2 men and 1 woman can be made from a group consisting of 10 men and 7 women?
 (a) 630 (b) 315
 (c) 70 (d) None of these
23. Which is not true about $s_n = \frac{1}{n}$?
 (a) sequence is converges to 0
 (b) $\limsup s_n = 0$
 (c) $\lim_{n \rightarrow \infty} \sum_{i=1}^n s_i = L$
 (d) series $\sum s_n^2$ converges
24. The data structure used to hold a node in breath-first search in a graph is
 (a) tree (b) array
 (c) queue (d) stack
25. The next term in the series is RLDR, SMCQ, TNBP, ...
 (a) UOAO (b) VOKO
 (c) OKPR (d) WPST
26. The value of integral $\int_0^{\infty} \frac{x^{n+1}}{n+1} dx$, for $0 < n < 1$, is
 (a) $\frac{\pi}{\cot nx}$ (b) $\frac{\pi}{\cos nx}$
 (c) $\frac{\pi}{\tan nx}$ (d) $\frac{\pi}{\sin nx}$
27. The method of computing the roots of polynomial equations have order of convergence in the order
 (a) Bisection method > secant method > Newton method
 (b) Secant Method > bisection method > Newton Method
 (c) Newton method > secant method > bisection method
 (d) Secant Method > Newton method > bisection method
28. For the curve $xy = \sqrt{x^2 + y^2}$, the slope $\frac{dy}{dx}$ at any point is given by
 (a) $\frac{x(1-y^2)}{y(1-x^2)}$ (b) $-\frac{x(1-y^2)}{y(1-x^2)}$
 (c) $\frac{1-y^2}{1-x^2}$ (d) $-\frac{1-y^2}{1-x^2}$
29. If 'RIST' is written as '7614' and 'MTAL' is written as '5423'. Then, 'RAIL' written in the code as
 (a) 5429 (b) 7124
 (c) 7263 (d) 6412
30. If $3^x \cdot 3^y \cdot 3^z = 81$, then $x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$ will be
 (a) 16 (b) 12 (c) 9 (d) 6
31. The value of $(-1)^{1/3}$ is
 (a) $\cos \frac{\pi}{3} + i \sin \frac{\pi}{3}$ (b) $\cos \frac{\pi}{4} + i \sin \frac{\pi}{4}$
 (c) $\cos \frac{2\pi}{5} + i \sin \frac{2\pi}{5}$ (d) $\cos \frac{3\pi}{7} + i \sin \frac{3\pi}{7}$



ASPIRE STUDY KANPUR

MCA Entrance Classes By Shivam Gupta

32. The key used to represent the relationship between two tables is called
 (a) Primary Key (b) Secondary Key
 (c) Foreign Key (d) Super Key
33. The values of scalars a, b such that for all vectors A and B , $a(2A - 7B) + 2aB - 2(2A - bB) = 0$ are
 (a) $a = 3, b = 5$ (b) $a = 2, b = 5$
 (c) $a = 1, b = 7$ (d) $a = 0, b = 3$
34. Which of the following must be true for a continuous function on (a, b) ?
 (a) function achieves its maximum on (a, b)
 (b) function is bounded
 (c) if $f(a) = 5$ and $f(b) = 9$, then $f(c) = 7$, for some c in (a, b)
 (d) None of these
35. The Cartesian product $Z \times Z = \{(a, b) | a, b \in Z\}$ with operation $+$ defined as $x + y = (a + c, b + d)$. Which is not correct?
 (a) it is associative
 (b) it is commutative
 (c) it has inverse of each element
 (d) it has identity element as $(1, 0)$
36. A fair coin is tossed successively until a head appears. What is the chance of making at least 3 tosses?
 (a) $\frac{1}{4}$ (b) $\frac{3}{4}$ (c) $\frac{3}{8}$ (d) $\frac{3}{16}$
37. In a tree, the terminal nodes have degree
 (a) 3 (b) 2 (c) 1 (d) 0
38. The number of solutions of $\begin{pmatrix} 1 & 2 & 7 \\ 1 & 7 & 9 \\ 1 & 2 & 7 \end{pmatrix} x = \begin{pmatrix} 1 \\ 2 \\ 1 \end{pmatrix}$ is
 (a) 0 (b) 1 (c) Infinite (d) None of the above
39. The declaration `int(*p)()` signifies
 (a) p is a pointer to a function
 (b) p is a function of pointer variable
 (c) p is a pointer to a function that returns int
 (d) p is a function pointer
40. Playing is related to ground as Swimming is related to
 (a) Water (b) Tank
 (c) Pool (d) Pond
41. The group (G, o) is commutative if, for all a, b in G , the following holds
 (a) $(aob)^{-1} = b^{-1}oa^{-1}$
 (b) $(aob)^{-1} = a^{-1}ob^{-1}$
 (c) $(aob)^{-1} = aob$
 (d) $(aob)^{-1} = boa$
42. The remainder obtained after $x^4 + x^2 + x + 1$ is divided by $x^2 + x + 1$ is
 (a) 1 (b) x (c) $x + 1$ (d) None
43. $\cos^{-1}\left(\frac{1-x^2}{1+x^2}\right)$ is
 (a) $2\tan^{-1}(x)$ (b) $6\tan^{-1}(x)$
 (c) $\sec^{-1}(x)$ (d) $3\cot^{-1}(x)$
44. Which is ODD word?
 (a) Centimetre (b) Inch
 (c) Yard (d) Kiloliter
45. A rectangular vessel of size $2\text{ cm} \times 5\text{ cm} \times 8\text{ cm}$ full of water is emptied to a cylindrical container having the base diameter is 8 cm . Its height will be
 (a) $\frac{5}{\pi}$ (b) $\frac{15}{\pi}$ (c) $\frac{10}{\pi}$ (d) 20
46. $\sin^{-1}(x) + \sin^{-1}(\sqrt{1-x^2})$ is
 (a) $\frac{\pi}{3}$ (b) $\frac{\pi}{2}$ (c) $\frac{\pi}{4}$ (d) 1
47. Which is the most appropriate word for '?' ?
 Banana Fruit Market
 Novels ? Book Store
 (a) Vegetable (b) Shopping
 (c) Story (d) Book
48. Let (G, o) be a group such that for all a, b in G , $aob = a + b - 3$. The identity element of this group is
 (a) -3 (b) 2 (c) 3 (d) 1
49. Let S be a string of 1's and 0's that is recursively defined as follows.
 i. $1 \in S, 100 \in S$
 ii. If $s \in S$, then $11s \in S$
 iii. If $s \in S$, then $00s \in S$
 iv. Nothing but strings generated as per rules 1m2 and 3 are elements in S .
- The following is not an element of S
 (a) 001 (b) 1100111
 (c) 001100001 (d) 101100001
50. A digital system does not have a discrete element



ASPIRE STUDY KANPUR

MCA Entrance Classes By Shivam Gupta

- (a) Electric impulses
 (b) Decimal digits
 (c) Arithmetic operations
 (d) Digital counters
51. If three cows graze the grass of a ground in eight days, how many cows can eat that grass in two days?
 (a) 6 (b) 9 (c) 12 (d) 15
52. Given that $x = -2$ is a root of the polynomial $f(x) = x^3 - 19x - 30$, which of these is another root of $f(x)$?
 (a) 3 (b) 7 (c) 12 (d) 5
53. The attributes in an $E - R$ diagram are represented by
 (a) circle (b) ellipse
 (c) triangle (d) rectangle
54. The next term in the series 0, 1, 1, 2, 4, 17, 13,...
 (a) 24 (b) 18 (c) 20 (d) 22
55. Fragmentation in a file system
 (a) occurs in file system is not used properly
 (b) can always be prevented
 (c) can temporarily be removed by compaction
 (d) can be removed by deleting temporary file
56. A taxi car needs to go from city A to city B, which are 300 km apart. It covers one third of this distance at the speed 100km/h, one fifth of the remaining in 2 hours and the rest of the distance at the speed of 80 Km/h. The average speed of the taxi car is
 (a) 90km/h (b) 80km/h
 (c) 70km/h (d) 60km/h
57. The distance of the point $P(5,2)$ to the line passing through $(1,4)$ and $(4,0)$ is
 (a) 2 (b) 5 (c) 8 (d) 10
58. The average of three numbers a, b and z is $(a + b) - ab$. Then z will be
 (a) $(a + b)/ab - 3ab$
 (b) $2(a + b) - 3ab$
 (c) $3(a + b) - ab$
 (d) $3(a + b) - 3ab$
59. #include<stdio.h>
 int main()
 {
 FILE *fp, *fq, *fr;
- ```
fp = fopen("file1.c", "r");
fq = fopen("file2.c", "r");
fr = fopen("file3.c", "r");
fclose(fp, fq, fr);
return 0;
}
```
- The files can be closed using `fclose()` in this program is  
 (a) file1.c, file2.c, file3.c  
 (b) file1.c, file2.c  
 (c) file1.c  
 (d) none of them
60. Mohan walks 5cm toward right, takes a left turn and walks 10cm again. He then takes another left turn and walks 15cm. He then takes a final left turn and walks 10cm before stopping. He is from the starting point at the distance of  
 (a) 20cm      (b) 15cm  
 (c) 10cm      (d) 5cm
61. The operation that makes a transaction permanent in database is  
 (a) View      (b) Commit  
 (c) Rollback      (d) Flashback
62. The magnitude of the vector  $(4, -3, 2)$  is  
 (a) 5      (b) 6      (c) 8      (d)  $\sqrt{29}$
63. Which word is ODD among the following?  
 (a) Seat      (b) Steering wheel  
 (c) Wiper      (d) car
64. The cardinality of the set  
 $S = \left\{ \frac{p}{q} \mid p, q \in N^*, p, q \leq 10 \right\}$  is  
 (a) 55      (b) 57      (c) 60      (d) 60
65. In a relational model, a relation is considered as a  
 (a) Table      (b) Tuple  
 (c) Attribute      (d) Row
66. A fair coin is tossed successively four times. What is the probability exactly three heads?  
 (a)  $\frac{1}{4}$       (b)  $\frac{3}{4}$       (c)  $\frac{7}{8}$       (d) 1
67. A critical section must have the number of processes to avoid the race condition  
 (a) 0      (b) 1      (c) 2      (d) 3
68. What is the maximum value of the integral  
 $\int_a^b (9 - x^2) dx$  over all possible real numbers  $a, b$



# ASPIRE STUDY KANPUR

## MCA Entrance Classes By Shivam Gupta

- satisfying the condition  $a \leq b$ ?
- (a) 3      (b) 6      (c) 36      (d) 54
69. The indefinite integral  $\int x 2^x dx$  equals
- (a)  $(x - 1)2^x / \ln(2)$   
 (b)  $(x \ln(2) - 1)2^x / \ln(2)^2$   
 (c)  $\ln(2)$   
 (d)  $(x \ln(2) - 1)2^x / \ln(2)$
70. The equation of plane passing through the points  $(2,3,-4)$  and  $(1,-1,3)$  and parallel to  $x$ -axis is
- (a)  $7y + 4z = 5$       (b)  $2y + z = 11$   
 (c)  $y - 2z = -7$       (d)  $4y + 2z = 2$
71. The value of  $\lim_{n \rightarrow \infty} \frac{\tan x}{x}$  is
- (a) 1      (b) 0  
 (c) -1      (d) does not exists
72. The vector  $A$  and  $B$  are perpendicular if
- (a)  $A \cdot B = 1$       (b)  $A \cdot B = 0$   
 (c)  $A \times B = 1$       (d)  $A \times B = 0$
73. The non-linear data structure is
- (a) stack      (b) array  
 (c) strings      (d) trees
74. The eigen values of  $\begin{pmatrix} 5 & 1 \\ -1 & 3 \end{pmatrix}$  are
- (a) 4,4      (b) 5,3  
 (c) 1, -1      (d) 4, -4
75. The value for '?' is
- |    |    |    |
|----|----|----|
| 25 | 10 | 15 |
| 36 | 12 | 24 |
| 49 | ?  | 42 |
- (a) 14      (b) 22      (c) 7      (d) 18
76. Let  $y\sqrt{x^2 + a^2} = \log(\sqrt{x^2 + a^2} - x)$  for some constant  $a$ . Then the derivative  $\frac{dy}{dx}$  is
- (a)  $\frac{xy+1}{x^2+a^2}$       (b)  $-\frac{xy+1}{x^2+a^2}$   
 (c)  $\frac{xy+1}{\sqrt{x^2+a^2}}$       (d)  $-\frac{xy+1}{\sqrt{x^2+a^2}}$
77. Inter process communication on (IPC) is needed
- (a) to execute a process  
 (b) to execute all processes  
 (c) to communicate to different processes  
 (d) to allow processes to synchronize an activity
78. The dot product of vectors  $(2, -5, 1)$  and  $(-4, 1, 7)$  is
- (a) 7      (b) 5      (c) -6      (d) -8
79. The centroid of the triangle  $A(0,3), B(4,0), C(5,3)$  is
- (a)  $(\frac{9}{2}, 3)$       (b)  $(3,2)$   
 (c)  $(4,5)$       (d)  $(3,4)$
80. The point that divides the line segment of the points  $(5, -2, 1)$  and  $(3, 5, -5)$  in the ratio  $1:3$  externally is
- (a)  $(3, -5, -\frac{1}{2})$       (b)  $(\frac{9}{2}, -\frac{1}{2}, -\frac{1}{2})$   
 (c)  $(6, -5, 4)$       (d)  $(6, -\frac{1}{2}, 4)$
81. There are 100 students in a class out of which 70 study Mathematics, 80 English. How many students do not study both Mathematics and English?
- (a) 20      (b) 30      (c) 40      (d) 50
82. If  $f(x) = \frac{1}{1-x}$ , then  $f(f(f(x)))$  is
- (a)  $1/(1-x)^2$       (b)  $(x-1)^2$   
 (c)  $x$       (d)  $x^3$
83. The 9's complement of 325800 is
- (a) 674199      (b) 773299  
 (c) 684389      (d) 696789
84. Let  $f(x) = ax^2 + bx + c$  be a polynomial that takes both positive and negative values as  $x$  varies over all real numbers. What is the relation satisfied by the coefficients?
- (a)  $c < (\frac{b}{2})^2$       (b)  $ac < (\frac{b}{2})^2$   
 (c)  $c > (\frac{b}{a})^2$       (d)  $bc > (2a)^2$
85. The value of the integral  $\int_0^\infty x^{n-1} e^{-x} dx$ ,  $n$  is a positive integer, is
- (a)  $n!$       (b)  $\frac{e}{n!}$       (c)  $e^{-1}$       (d)  $e^{-2}$
86. Consider the statement,  
 "Either  $-2 \leq x \leq -1$  or  $1 \leq x \leq 2$ "
- (a)  $x < -2$  or  $2 < x$  or  $-1 < x < 1$   
 (b)  $x < -2$  or  $2 < x$   
 (c)  $-2 < x < 2$   
 (d)  $x \leq -2$  or  $2 \leq x$  or  $-1 < x < 1$
87. Thrashing is sometimes necessary, but it does not execute a given process. It can be avoided
- (a) by keeping pages of the working set of the programs in main memory  
 (b) increasing the CPU speed  
 (c) increasing I/O processor speed  
 (d) all of them