

Eegle: An open-source Julia integrative package for EEG data analysis and machine learning

Marco Congedo^{1*} and Fahim Doumi^{1,2*}

¹ University Grenoble Alpes, CNRS, Grenoble-INP, Grenoble, France ² University Federico II, Naples, Italy. * Corresponding author * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Existing since the 1920s, Electroencephalography (EEG) is the first non-invasive neuroimaging modality developed by mankind. Despite many more sophisticated modalities having been developed since, to date EEG is still by far the most widely used. This is due to a number of distinct advantages over other modalities, such as the low price and encombrement of equipment, its silent operation, which is possible virtually everywhere, and its truly non-invasive operation, which has no medical contraindications.

The recent explosion of research on EEG-based Brain-Computer Interfaces (BCIs) has fostered the need for efficient tools for EEG analysis and machine learning. While such tools exist for older languages such as Python and Matlab, they are not available for the more recent Julia language, which has been specifically created with these needs in mind. *Eegle.jl* leverages the rich scientific Julia ecosystem and integrates it to offer a simple and unified framework for both EEG data analysis and machine learning. We also release *pyLittleEegle*, a Python clone of the BCI-related capabilities of *Eegle.jl*. Both packages work seamlessly with the *FII BCI Corpus*, the first large curated and annotated databases for the motor imagery and P300 BCI modalities.

Statement of need

In 1893, Hans Berger fell off his horse during his training with the German military and was nearly trampled. On that same day, his sister had a bad feeling about Hans and wrote him a telegram asking if everything was all right. To the 19 y.o. man, the coincidence appeared stunning. He thought that he had somehow transmitted his feelings to his sister with some form of 'telepathy' (Buzsáki, 2006). He then decided to become a psychiatrist and to study the phenomenon seriously. Based upon previous research of Richard Caton on the electrical activity of the exposed cortex of monkeys (Caton, 1875), he obtained the first human electroencephalographic recording in the middle of the 1920s (Berger, 1929).

Berger would have never imagined that a century later his creature would be the cornerstone of a scientifically well-grounded form of 'telepathy', known as Brain-Computer Interface (BCI). By means of an EEG-based BCI, a human can send a command to a machine relying entirely on the EEG readings. A BCI is defined as a system that enables the information transfer without using the muscles or the peripheral nerves at all (the latter, for instance, control the movements of the eyes, which can be used to send commands) (Wolpaw & Wolpaw, 2012). For the inception of this research, started with the seminal work of Jacques Vidal (Vidal, 1973), EEG has been instrumental. Still today, EEG is by far the preferred neuroimaging modality for non-invasive BCIs thanks to its unique characteristics:

- High temporal resolution (~1ms)

- Instantaneous measure of brain electrical potentials (no delay in the measure)
- High consistency (e.g., same EEG power spectra on the same individuals on two successive days at the same hour)
- Sensitivity (for example, it is very useful for the detection of epilepsy and minimal consciousness states)
- Solid research tradition (one century-long)
- Total silentness and truly non-invasiveness (e.g., allowing daily use on anybody, including newborn children and patients with any condition)
- Need for small, light, and inexpensive equipment (the size of EEG electronics can be reduced to the size of a common chip)
- Use of wireless recording in natural (out-of-the-lab) environments.

While BCI research is relatively new, EEG has a long-standing tradition in clinical and cognitive brain research. All-in-all, a search on PubMed for the terms (“EEG” or “electroencephalography”) yielded 217,075 results on Jan 17 2026, with a positive trend starting at the dawn of the third millennium, a phenomenon that we name the ‘re-birth of EEG’.

Older languages such as Python and Matlab have their ecosystem for EEG data analysis and machine learning. Here below are the most frequently adopted software:

Python

Package	Description
MNE(Gramfort et al., 2013)	Open-source Python package for exploring, visualizing, and analyzing human neurophysiological data: MEG, EEG, sEEG, ECoG, NIRS, and more
scikit-learn(Pedregosa et al., 2011)	Machine learning in Python (generic, not specific to EEG)
Braindecode(Aristimunha et al., 2025)	Braindecode: toolbox for decoding raw electrophysiological brain data with deep learning models

Matlab

Package	Description
EEGLAB(Delorme & Makeig, 2004)	An interactive Matlab toolbox for processing continuous and event-related EEG, MEG
FieldTrip(Oostenveld et al., 2011)	Open-source software for advanced analysis of MEG, EEG, and invasive electrophysiological data
Brainstorm(Tadel et al., 2011)	A user-friendly application for MEG/EEG analysis

In the Julia language, instead, the ecosystem for EEG data is poor and scattered. However, the use of Julia may greatly benefit the field.

Julia

Julia is a young open-source and cross-platform language specifically conceived for scientific computing, which is rapidly gaining momentum in the data science community thanks to its efficiency and compatibility with the best available computing protocols ([Bezanson et al.,](#)

2017).
It is a high-level language, like Python and Matlab; however, it is (just-in-time) compiled, thus it can be very efficient.
Typically, Julia code runs at a speed within a factor of two relative to fully optimized C code, thus it can be an order of magnitude faster compared to Python or R and about four times faster compared to Matlab. Moreover, Julia syntax is elegant and permissive, allowing the programmer to adopt his/her preferred writing style. That is to say, the same routine in Julia can be written using a syntax closely resembling C, Python, or Matlab, to name a few. This makes the learning of the Julia language particularly pleasant.

Software design

In this context, we have created the EEG General Library (**Eegle**) for the Julia language. Eegle.jl is a general-purpose package for EEG data analysis and machine learning. It is the foundational building block that enables the integration of diverse state-of-the-art packages specifically conceived for EEG data, leveraging the powerful Julia scientific ecosystem.




Figure 1: Julia package ecosystem integrated by Eegle.

Eegle.jl is organized as a collection of independent modules. They are all re-exported, along with fundamental external packages.

Internal modules

Code Unit	Description
BCI.jl	Brain-Computer Interface machine learning based on Riemannian geometry
Database.jl	Utilities for handling and selecting databases
ERPs.jl	Operations on Event-Related Potentials and BCI trials
FileSystem.jl	Manipulation of files and directories
InOut.jl	Reading and writing of data
Miscellaneous.jl	Miscellaneous functions
Preprocessing.jl	EEG preprocessing
Processing.jl	EEG processing

83 Re-exported external packages

Package	Scope
CovarianceEstimation.jl	Covariance matrix estimations
Diagonalizations.jl	Spatial filters, (approximate joint) diagonalization algorithms
Distributions.jl	Julia standard package for statistical distributions
DSP.jl	Julia standard package for digital signal processing
FourierAnalysis.jl	FFT-based frequency domain and time-frequency domain analysis
LinearAlgebra.jl	Julia standard package for matrix types and linear algebra (BLAS, LAPACK)
NPZ.jl	Support for the <i>NPZ</i> (NumPy) binary data format
PermutationTests.jl	Low-level statistics, very fast (multiple comparison) permutation tests
PosDefManifold.jl	More linear algebra, operations on the manifold of positive-definite matrices
PosDefManifoldML.jl	Machine learning on the manifold of positive-definite matrices
StatsBase.jl	Julia standard package for basic statistics
Statistics.jl	Julia standard package for statistics

84 This organization follows the spirit of Julia: it allows centralization of all the above resources
 85 under a single package, yet it allows each package to be fully independent (including the
 86 documentation) to enable independent development and maintenance of each package.
 87 As a consequence of this organization, Eegle.jl is a relatively small and agile package.

88 FII BCI Corpus

89 Eegle.jl features a GUI for downloading the **FII BCI Corpus**([Doumi et al., 2025a, 2025b](#)).
 90 The corpus comprises a selection of BCI databases annotated and curated for both the motor
 91 imagery and P300 BCI paradigms. Along with EEG data and class labels, the corpus provides
 92 comprehensive metadata that allow selecting the data for the study at hand and extracting
 93 relevant information. This makes it particularly easy and principled to carry out machine
 94 learning research on BCI data — see, for example, the [Tutorial ML 2](#) of Eegle.jl.

95 pyLittleEegle

96 The capabilities of Eegle.jl related to database selection using the **FII BCI Corpus**, as well as
 97 all its machine learning capabilities, have been cloned and translated into the Python language,
 98 yielding the **pyLittleEegle** package ([Doumi, 2025](#)). This package is fully compatible with
 99 scikit-learn([Pedregosa et al., 2011](#)), thus making the corpus easily accessible in Python as well.

100 License

101 Eegle.jl is released under the MIT license.

AI usage disclosure

Generative AI tools were used in the development of this software only for hastening the writing of non-computing routines, such as the download GUI and some routines for the automatic generation of code blocks in the tutorials. For writing the manuscript, generative AI tools have been used only for spelling and grammar error checking.

Acknowledgements

We acknowledge the contributions to Eegle.jl of Dr. Alexandre Bleuzé and of Abdeljalil Anajjar.

References

- Aristimunha, B., Guetshel, P., Wimpff, M., Gemein, L., Rommel, C., Banville, H., Sliwowski, M., Wilson, D., Brandt, S., Gnassounou, T., Paillard, J., Junqueira Lopes, B., Sedlar, S., Moreau, T., Chevallier, S., Gramfort, A., & Schirrmeyer, R. T. (2025). Braindecode: Toolbox for decoding raw electrophysiological brain data with deep learning models. In *Zenodo repository*. Zenodo. <https://zenodo.org/records/17699192>
- Berger, H. (1929). Über das elektroenkephalogram des menschen. *Archives of Psychiatry*, 87.
- Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). A fresh approach to numerical computing. *SIAM Review*, 59(1), 65–98.
- Buzsáki, G. (2006). *Rhythms of the brain*. Oxford University Press. <https://academic.oup.com/book/11166>
- Caton, R. (1875). The electrical currents of the brain. *British Medical Journal*, 278.
- Delorme, A., & Makeig, S. (2004). EEGLAB: An open source toolbox for analysis of single-trial EEG dynamics including independent component analysis. *Journal of Neuroscience Methods*, 134(1), 9–21. <https://doi.org/10.1016/j.jneumeth.2003.10.009>
- Doumi, F. (2025). *pyLittleEegle: Python tools for working with the FII BCI corpus*. GitHub repository. <https://github.com/FhmDmi/pyLittleEegle>
- Doumi, F., Esposito, A., Arpaia, P., & Congedo, M. (2025a). *FII BCI corpus MI*. Zenodo. <https://doi.org/10.5281/zenodo.17801878>
- Doumi, F., Esposito, A., Arpaia, P., & Congedo, M. (2025b). *FII BCI corpus P300*. Zenodo. <https://doi.org/10.5281/zenodo.17793672>
- Gramfort, A., Luessi, M., Larson, E., Engemann, D. A., Strohmeier, D., Brodbeck, C., Goj, R., Jas, M., Brooks, T., Parkkonen, L., & Hämäläinen, M. S. (2013). MEG and EEG data analysis with MNE-python. *Frontiers in Neuroscience*, 7(267), 1–13. <https://doi.org/10.3389/fnins.2013.00267>
- Oostenveld, R., Fries, P., Maris, E., & Schoffelen, J.-M. (2011). FieldTrip: Open source software for advanced analysis of MEG, EEG, and invasive electrophysiological data. *Computational Intelligence and Neuroscience*, 2011, 156869.
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., & Thirion, B. (2011). Scikit-learn: Machine learning in python. *Journal of Machine Learning Research*, 12, 2825–2830.
- Tadel, F., Baillet, S., Mosher, J. C., Pantazis, D., & Leahy, R. M. (2011). Brainstorm: A user-friendly application for MEG/EEG analysis. *Computational Intelligence and Neuroscience*, 2011, 879716.

- ¹⁴⁴ Vidal, J. J. (1973). Toward direct brain–computer communication. *Annual Review of Biophysics*
¹⁴⁵ *and Bioengineering*, 2, 157–180.
- ¹⁴⁶ Wolpaw, J., & Wolpaw, E. W. (2012). *Brain-computer interfaces: Principles and practice*.
¹⁴⁷ Oxford University Press.

DRAFT