
RoboMate

DETAILED PLATFORM OVERVIEW

RoboMate Cloud Automation

Multi-cloud and Active Directory assessment, security, compliance, optimization and automation, from one web console.



For business, presales and technical teams · robomatecloud.com

AGENDA

What this deck covers

01 **Why RoboMate**
The problem, the platform and its reach

02 **How it works**
Architecture and the web console

03 **Cloud assessment**
Inventory, security, cost, continuity, compliance

04 **Identity and Active Directory**
Entra ID, Office 365, Intune, on-premises AD

05 **Automation and scheduling**
Deployments, scheduled tasks, compare

06 **Presales, AI and tools**
RoboMate Hub, scopes of work, RoboMate AI

07 **Operations and next steps**
Admin, requirements, getting started

THE CHALLENGE

Hybrid estates outgrow manual reviews

Scattered visibility

Every cloud, tenant and domain has its own console, data model and reports. Nobody sees the whole estate in one place.

Slow security evidence

Mapping configurations to CIS, NIST, ISO or PCI DSS by hand takes weeks and is out of date the day it is finished.

Repetitive delivery

Scopes, estimates and deployments are rebuilt for every customer, so expert time goes to copy-and-paste work.

ROBOMATE AT A GLANCE

One console, the whole estate

8
platforms in one console

18
compliance standards per cloud

3,306
requirements evaluated, rules updated daily

78
RoboMate Hub presales offerings

13
built-in network tools

1
sign-in per platform, reused by schedules

SUPPORTED PLATFORMS

Five clouds, Microsoft 365 and on-premises

Public clouds

Microsoft Azure, AWS, Oracle Cloud Infrastructure, Google Cloud and Huawei Cloud.

Microsoft identity


Entra ID and Office 365, including Exchange, SharePoint, Teams, Defender, Purview and Intune.

On-premises

Active Directory and the Windows Server estate, domain-joined server or not.


Scheduled Tasks

Any of the above, run on a schedule.



HOW IT WORKS

Runs on your server, reaches every platform



Kept current online: updates are checked at start and every hour, and the compliance rule pack refreshes daily.

THE CONSOLE

Start from the outcome you need

Guided start


“What do you want to achieve today?” leads to assessment, dashboards, archive or deployments.

Live progress

Every job shows progress, logs and finished-of-total jobs in the status bar.

Same layout everywhere

Tiles, grids, charts and reports work alike for every provider, in light or dark mode.



ASSESSMENT PROFILE

Nine lenses on every environment

Category	What it delivers
Resource inventory	Assets, configurations and dependencies; Google Cloud adds organization discovery
Cost optimization	Utilization analysis and cost-saving opportunities
Business continuity	Availability, backup and disaster recovery configuration
Cloud-native security	Misconfigurations against the provider’s security frameworks
RoboMate Security	Additional findings and recommendations by RoboMate
Compliance reports	One report for all standards and one per standard, per cloud
Entra ID and Microsoft 365	Identity, Exchange, SharePoint, Teams, Defender, Purview, Power Platform, Intune
CISA assessments	CISA SCuBA baselines, evaluated by RoboMate itself
Active Directory	On-premises identity and the Windows Server estate

INVENTORY AND TOPOLOGY

See every region, network and resource

Tiles and grids


Every resource type as a tile; grids filter, analyze and export to Excel.

Region view

All VPCs and VNets of a region with subnets, routes, gateways and edge services.

Dependencies

Topology and dependency charts, saved as diagrams for reports.



SECURITY

Findings ranked, explained and fixable

By severity

High, medium and low findings per target area, with the affected resource.

Analytics

Charts of findings by area and severity show where to start.

Two engines

Cloud-native security plus RoboMate Security checks, side by side.



COST AND FINOPS

Know the spend, then cut the waste

Consumption


Spend by resource, service, location and month, with invoices and budgets.

Optimization findings

Idle, oversized and unattached resources, each with the action to take.

Multi-cloud view

The same cost analytics for Azure, AWS and Oracle Cloud.



BUSINESS CONTINUITY

Prove you can recover before you must

Backup coverage


Which workloads are protected, and which are not.

Availability and DR

Zones, replication and disaster recovery settings reviewed.

Ready-made reports

Business continuity reports built in, exportable to PDF.



COMPLIANCE

18 standards, 3,306 requirements, every cloud

CIS Foundations Benchmarks · NIST SP 800-53 · NIST CSF 2.0 · ISO/IEC 27001 · SOC 2 · PCI DSS · HIPAA · GDPR · CSA CCM · CIS Controls · Essential Eight · NIS2 · NIST SP 800-171 · CMMC · FedRAMP 20x · DORA · UK Cyber Essentials · AWS Foundational Security Best Practices

Four clear states

Passed, Failed, Manual review or Not applicable, with evidence

Fix included

Affected resources and the remediation for each requirement


Always current

Rules update online every day from the RoboMate rule pack

Requirement-to-control mapping guides remediation and is not a certification.

COMPLIANCE REPORTS

Audit-ready reports in one click



Microsoft Azure Compliance Standards Report

CopyRights © RoboMate v3.6 - Developed by Marco Fekry

CLOUD	ACCOUNT	REPORT DATE	STANDARDS	COMPLIANCE RULES
Microsoft Azure	Contoso Production	30 Oct 2026 19:13	17	2026.10.30.2 built into the console


46.5%	20	23	2,783	1,097
Control score	Controls passed	Controls failed	Requirements in 17 standards	Checked automatically

RoboMate checked 43 controls of the current Microsoft Azure assessment and evaluated every requirement of 17 regulatory and industry standards with them. A requirement no RoboMate control checks is listed in its standard's report as a manual review item with its details. The score counts passed and failed only. The mapping is RoboMate's own reading of each standard, to guide remediation and audit preparation; it is not a certification.

Standards

Standard	Edition	Requirements	Score	Passed	Failed	Manual review	Automated
CIS Microsoft Azure Foundations Benchmark	v6.0	127	38.4%	33	53	41	67.7%
NIST SP 800-53	Rev. 5 (release 5.2.0)	1014	30.9%	77	172	765	24.6%
NIST Cybersecurity Framework	2.0	106	22.2%	6	21	79	25.5%
ISO/IEC 27001	2022 (with Amendment 1:2024)	123	4.3%	2	45	76	38.2%
SOC 2 Trust Services Criteria	2017 Trust Services Criteria (revised points of	61	0%	0	30	31	49.2%

All standards: one score per standard, passed and failed controls, requirements checked automatically.



Search requirements | Failed | All levels | Open all details | Close all

Requirement	Rule and details	Result	Evidence
2 Analytics Services › 2.1 Azure Databricks			
2.1.9 Level 1	**Ensure 'No Public IP' is Set to 'Enabled'** ▾ Details Why: Enabling secure cluster connectivity limits exposure to the public internet, improving security and reducing the risk of external attacks. How: Remediate from Azure Portal 1. Go to Azure Databricks. 2. Click the name of a workspace. 3. Under Settings, click Networking. 4. Under Network access, next to Deploy Azure Databricks workspace with Secure Cluster Connectivity (No Public IP), click the radio button next to Enabled. 5. Click Save. 6. Repeat steps 1-5 for each workspace requiring remediation. Remediate from Azure CLI For each workspace requiring remediation, run the following command to set enableNoPublicIp to true: az databricks workspace update --resource-group <resource-group> --name <workspace> --enable-no-public-ip true...	Failed	NET-09 Failed NET-09: 1 RoboMate finding(s) about this. ▾ 1 item(s) • stprod01 **Remediation:** Delete or lock down default networks and security groups, remove public IPs from servers and use private endpoints / Private Link / Private Service Connect.
2.1.10 Level 1	**Ensure 'Allow Public Network Access' is set to 'Disabled'** ▾ Details Why: Disabling public network access improves security by ensuring that Azure Databricks workspaces are not exposed on the public internet. How: Remediate from Azure Portal 1. Go to Azure Databricks. 2. Click the name of a workspace. 3. Under Settings click Networking. 4. Under Network access, next to Allow Public Network Access, click the radio button next to Disabled. 5. Click Save. 6. Repeat steps 1-5 for each workspace requiring remediation. Remediate from Azure CLI For each workspace requiring remediation, run the following command to set publicNetworkAccess to Disabled: az databricks workspace update --resource-group <resource-group> --name <workspace> --public-network-access Disabled Remediate from PowerShell For each...	Failed	NET-09 Failed NET-09: 1 RoboMate finding(s) about this. ▾ 1 item(s) • stprod01 **Remediation:** Delete or lock down default networks and security groups, remove public IPs from servers and use private endpoints / Private Link / Private Service Connect.
3 Compute Services › 3.1 Virtual Machines			
3.1.1 Level 2	**Ensure only MFA Enabled Identities can Access Privileged Virtual Machine** ▾ Details Why: Integrating multi-factor authentication (MFA) as part of the organizational policy can greatly reduce the risk of an identity gaining control of valid credentials that may be used for additional tactics such as initial access, lateral movement, and collecting information. MFA can also be used to restrict access to cloud resources and APIs. An Adversary may log into accessible cloud services within a compromised environment using Valid Accounts that are synchronized to move laterally and... How: Remediate from Azure Portal 1. Log in to the Azure portal. 2. This can be remediated by enabling MFA for user, Removing user access or Reducing access of managed identities attached to virtual machines. - Case I : Enable MFA for users having access on virtual machines. 1. Go to Microsoft Entra ID. 1. For Per-user MFA: 1. Under Manage, click Users. 1. Click Per-user MFA. 1. For each user requiring remediation, check the box next to their name. 1. Click Enable MFA. 1. Click Enable. 1. For Conditional Access: 1. Under Manage, click Security. 1. Under Protect, click Conditional Access. 1. Update...	Failed	IAM-01 Failed IAM-01: 1 RoboMate finding(s) about this. ▾ 1 item(s) • sub-prod **Remediation:** Turn on MFA for every user (Conditional Access / IAM MFA policy / login protection) and remove users that cannot use it.
5 Identity Services › 5.1 Security Defaults (Per-User MFA)			
5.1.3 Level 1	**Ensure that 'multifactor authentication' is 'enabled' For All Users** ▾ Details	Failed	IAM-01 Failed IAM-02 Failed IAM-01: 1 RoboMate finding(s) about this. IAM-02:

Per standard: each requirement with its rule, evidence, affected resources and remediation.

ENTRA ID AND OFFICE 365

Identity and Microsoft 365 security

One app, one sign-in


RoboMate creates its own app registration, then signs in with the App ID.

CISA and Defender checks

SCuBA baselines and Defender for Office 365 checks, run by RoboMate.

Intune included


Devices, compliance, configuration and app protection policies.



ACTIVE DIRECTORY


On-premises, assessed like a cloud

Users and Computers	Group Policy
Tiering and privilege	AD DS, LDS, FS, CS, RMS
DNS, DHCP, NPS, RRAS	File, DFS and storage
Exchange, SharePoint	System Center
Hyper-V, clusters	IIS and SQL Server
Updates, licensing	Defender, auditing




ACTIVE DIRECTORY SECURITY

From attack paths to Group Policy fixes




Advanced Security: findings by severity, object and category, Defender threats and admin changes.



Group Policy: duplicates, delegation, hygiene and baseline gaps, ranked by severity.


ACTIVE DIRECTORY INFRASTRUCTURE

Sites, traffic and server health




Sites topology

Sites, links, costs and replication health on one map.



Network map

Server-to-server and service traffic with port mapping.



Performance

CPU, memory, network and disk with right-sizing advice.

LEAST PRIVILEGE BY DESIGN

One account per assessment area

Separate tiers


Tier 0 domain, Tier 1 servers and Tier 2 workstations each use their own account.

Per workload

Exchange, SharePoint, SQL Server and each System Center product.

Checked first

Accounts are tested before the run; built-in docs list every port and right.



AUTOMATION PROFILE

Deploy proven designs, not one-offs

Landing zones


Hub-and-spoke and other reference architectures, with a diagram of each.

Workloads

Multi-step deployments, updates and deletes with dependency checks.

Monitoring and hardening

Monitoring, auditing and security hardening, plus in-cloud migration.



AUTOMATION IN ACTION

Watch every step, answer in place

RoboMate Shell


Live output of the running script, docked beside the design.

Prompts in the browser

When a script asks a question, you answer Yes or No right there.

Logged

Start time, completion and duration of every job are kept in Logs.



SCHEDULED TASKS

Assessments that run themselves

Any provider, any rhythm


One-time, daily, weekly, monthly or interval runs, several times a day if needed.

Saved access

Uses the access saved on each sign-in page, shown on every task.

Run, stop, review

Live progress, logs, duration, and a jump to the finished assessment.



COMPARE

Show exactly what changed

Two runs, side by side


Pick two assessments of the same customer, on any provider or AD.

Rows added and removed

Every tile shows new, changed and removed rows, down to the value.

Proof of progress

Show the customer what remediation fixed since the last review.




ROBOMATE HUB FOR PRESALES

78 offerings, ready to scope


Across Azure, AWS, Oracle Cloud, Google Cloud and Huawei Cloud, with Active Directory offerings in the same style.

- Landing zones
- Migration
- Disaster recovery
- Backup
- Security
- Compliance
- Audit
- Modernization
- FinOps
- Kubernetes
- DevOps and IaC
- Sentinel
- Virtual Desktop




SCOPE OF WORK AND EFFORT

From customer data to a costed scope



Scope of work: description, requirements, deliverables, recommendations and outcome per activity.



Man-days: effort per phase, sized from the assessment and adjustable before export.

Scopes and estimates are validated by the technical and commercial owners before submission.

ROBOMATE AI

Ask the assessment in plain language

AI Search


Search every assessment of a provider, including Active Directory.

AI assistant

A cloud expert that answers with formatted, step-by-step plans.

Points to the right tool

Answers name the RoboMate Hub offering or automation that fits.



ROBOMATE TOOLS

The engineer’s toolbox, built in

13 network tools


Speed, DNS, trace route, ping, ports, SSL, WHOIS, MTU, subnets and more.

Certificate tools

PFX, PEM, CRT, CER and KEY conversions and self-signed certificates.


Projects and archive

Track customer projects and man-days; restore any past assessment.




OPERATIONS

Simple to install, run and govern



Installer: installs the prerequisites for the providers in your license, with live progress.



Admin: licenses, usage analytics across all licenses, logs and update publishing.

REQUIREMENTS

What you need to get started

Component	Minimum
Windows	10 or 11
Windows Server	2019, 2022 or 2025
Processor	4 CPU cores
Memory	8 GB RAM
Storage	2 GB free
Browser	Microsoft Edge or Google Chrome
Web console	HTTPS, local port 5080

Prerequisites

- ✓ Local administrator rights and a RoboMate license
- ✓ Read permissions on the target clouds, tenants and AD areas
- ✓ Network access to cloud endpoints, domain controllers and servers
- ✓ .NET 8, PowerShell 7, cloud and RSAT modules, installed for you

Large estates may need more resources for assessments and reporting.

NEXT STEPS

From first sign-in to first report

1

Install

Run the installer and activate the license.

2

Sign in

Connect each cloud, tenant or domain once.

3

Assess

Run the assessment and review findings.

4

Act

Report, scope with Hub, automate, schedule.

RoboMate

Request a trial or a demo

robomatecloud.com · linkedin.com/company/robomate-cloud-automation