Gherking reporter

marcof

Contents

1. Features 4
   1.1. feature-syntaxt-error.feature 5
      1.1.1. Errors 5
   1.2. Een feature in het Nederlands 6
      1.2.1. Scenarios 6
         1.2.1.1. Scenario: Scenario 1 6
         1.2.1.2. Scenario: Scenario 2 6
   1.3. simple 7
      1.3.1. Errors 7
      1.3.2. Scenarios 7
         1.3.2.1. Scenario: Scenario 1 7
         1.3.2.2. Scenario: Scenario 2 7
         1.3.2.3. Scenario: Scenario 3 with markdown 7
   1.4. tablestep 8
      1.4.1. Scenarios 8
         1.4.1.1. Scenario: table steps 8
         1.4.1.2. Scenario: table steps 8
   1.5. background without rules 9
      1.5.1. Errors 9
      1.5.2. Background 9
      1.5.3. Scenarios 9
         1.5.3.1. Scenario: Scenario 2 9
         1.5.3.2. Scenario: Scenario 1 9
   1.6. a long name with 'None' url nameand special chars #!@#$%^&*() 10
      1.6.1. Scenarios 10
         1.6.1.1. Scenario: A scenario with None url name 10
   1.7. outline 11
      1.7.1. Errors 11
      1.7.2. Scenarios 11
         1.7.2.1. Scenario: Scenario Outline name <test> 11
         1.7.2.2. Scenario: Scenario with skipped 11
         1.7.2.3. Scenario: Scenario with skipped extra new line 11
   1.8. outline 12
      1.8.1. Errors 12
      1.8.2. Scenarios 12
         1.8.2.1. Scenario: Scenario Outline name <test> 12
         1.8.2.2. Scenario: Scenario with skipped 12
         1.8.2.3. Scenario: Scenario with skipped extra new line 12
   1.9. rules 13
      1.9.1. Errors 13
   1.10. Rule: rule 1 13
         1.10.0.1. Scenario: Scenario 1 13
         1.10.0.2. Scenario: Scenario 2 13
   1.11. Rule: rule 2 13
         1.11.0.1. Scenario: Scenario 1 13
   1.12. Feature with tags 14
      1.12.1. Errors 14
      1.12.2. Scenarios 14

1.12.2.1. Scenario: Scenario Outline name with tags <test> 14
1.13. outline with background 15
1.13.1. Errors 15
1.13.2. Background 15
1.13.3. Scenarios 15
1.13.3.1. Scenario: Scenario Outline name <test> 15
1.13.3.2. Scenario: Scenario with skipped 15
1.14. simple 16
1.14.1. Errors 16
1.14.2. Scenarios 16
1.14.2.1. Scenario: Scenario 1 test in subfolder 16
1.14.2.2. Scenario: Scenario added in subfolder 16
1.14.2.3. Scenario: Scenario outline 3 16
2. Tag index 17

1. Features

Feature	Outcome
feature-syntaxt-error.feature	failed
Een feature in het Nederlands	skipped
simple	failed
tablestep	passed
background without rules	failed
a long name with 'None' url nameand special chars #!@#$%^&*()	passed
outline	failed
outline	failed
rules	failed
Feature with tags	failed
outline with background	failed
simple	failed

1.1. feature-syntaxt-error.feature failed

1.1.1. Errors

Scenario	Message
Feature parse error	Could not parse feature file: /home/marcof/sources/cucumber-reporter/features/feature-syntaxt-error.feature

1.2. Een feature in het Nederlands skipped

Een scenario kan meerdere stappen hebben, en een scenario kan meerdere scenario's hebben.

1.2.1. Scenarios

1.2.1.1. Scenario: Scenario 1

Stel een feit **passed**
Als iets wordt uitgevoerd **passed**
Dan het resultaat is oke **passed**

1.2.1.2. Scenario: Scenario 2

Stel een feit **passed**
En een ander feit **passed**
Als iets wordt uitgevoerd **passed**
Then the result is oke also some markdown
Als het resultaat is mislukt **skipped**

1.3. simple failed

1.3.1. Errors

Scenario	Message
Scenario 2	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error

With a description

1.3.2. Scenarios

1.3.2.1. Scenario: Scenario 1

Given: a fact **passed**
When: something is executed **passed**
Then: the result is oke **passed**

1.3.2.2. Scenario: Scenario 2

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then the result is oke also some markdown
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.3.2.3. Scenario: Scenario 3 with markdown

Tag1

test header 1

test header 2
markdown test

- test 1
- test 2
  Bold text
  ~~emphasis text~~

will be rendered as header 1

will be rendered as header 2

```
fn main() {
println!("Hello, world!");
}
```

Given: a fact **passed**
Then: a Skipped line **skipped**

1.4. tablestep passed

1.4.1. Scenarios

1.4.1.1. Scenario: table steps

Given: a fact **passed**
Given: some facts **passed**

fact row 1 col 1	fact row 1 col 2
fact row 2 col 1	fact row 2 col 2

1.4.1.2. Scenario: table steps

Given: a fact **passed**
Given: some facts **passed**

fact row 1 col 1	fact row 1 col 2
fact row 2 col 1	fact row 2 col 2

And: a fact **passed**

1.5. background without rules failed

1.5.1. Errors

Scenario	Message
Scenario 2	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error
Scenario 1	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error

1.5.2. Background

Given: a fact
When: something is executed
Then: the result is oke

1.5.3. Scenarios

1.5.3.1. Scenario: Scenario 2

Description test scenario

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.5.3.2. Scenario: Scenario 1

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.6. a long name with 'None' url nameand special chars #!@#$ %^&*() passed

Tag1 Tag2

1.6.1. Scenarios

1.6.1.1. Scenario: A scenario with None url name

Given: a fact with 'Some value' **passed**

1.7. outline failed

1.7.1. Errors

Scenario	Message
Scenario Outline name 2	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed

1.7.2. Scenarios

1.7.2.1. Scenario: Scenario Outline name *test*

Given: a fact with '*Header1*'
Given: a fact with '*Header2*'
Examples

Header1	Header2	test	Outcome	Error
Value 1	Value 1	aaaaaaaaa1	passed	
Value 2	Value 2	2	failed	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed
Value 3	Value 3	3	passed	
Value 4	Value 4	4	passed	

1.7.2.2. Scenario: Scenario with skipped

Given: a skipped fact with '*Header1*'
Examples

Header1	Header2	test	Outcome	Error
Value 3	Value 3	3	skipped	
Value 4	Value 4	4	skipped	

1.7.2.3. Scenario: Scenario with skipped extra new line

Given: a skipped fact with '*Header1*'
Examples

Header1	Header2	test	Outcome	Error
Value 3	Value 3	3	skipped	
Value 5	Value 4	4	skipped	

1.8. outline failed

1.8.1. Errors

Scenario	Message
Scenario Outline name 2	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed

1.8.2. Scenarios

1.8.2.1. Scenario: Scenario Outline name *test*

Given: a fact with '*Header1*'
Given: a fact with '*Header2*'
Examples

Header1	Header2	test	Outcome	Error
Value 1	Value 1	1	passed	
Value 2	Value 2	2	failed	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed
Value 3	Value 3	3	passed	
Value 4	Value 4	4	passed	

1.8.2.2. Scenario: Scenario with skipped

Given: a skipped fact with '*Header1*'
Examples

Header1	Header2	test	Outcome	Error
Value 3	Value 3	3	skipped	
Value 4	Value 4	4	skipped	

1.8.2.3. Scenario: Scenario with skipped extra new line

Given: a skipped fact with '*Header1*'
Examples

Header1	Header2	test	Outcome	Error
Value 3	Value 3	3	skipped	
Value 5	Value 4	4	skipped	

1.9. rules failed

1.9.1. Errors

Scenario	Message
rule 1 Scenario 2	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error
rule 2 Scenario 1	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error

1.10. Rule: rule 1

Description of a rule

1.10.0.1. Scenario: Scenario 1

Given: a fact **passed**
When: something is executed **passed**
Then: the result is oke **passed**

1.10.0.2. Scenario: Scenario 2

Description test scenario

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.11. Rule: rule 2

Tag2

1. A
2. B

Markdown description of a rule

- one
  - sub item
- two

A	B
1	longer column

1.11.0.1. Scenario: Scenario 1

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.12. Feature with tags failed

Tag1 Tag2

1.12.1. Errors

Scenario	Message
Scenario Outline name with tags aaa aaaaa2	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed

Feature Description

1.12.2. Scenarios

1.12.2.1. Scenario: Scenario Outline name with tags *test*

Given: a fact with '*Header1*'
Given: a fact with '*Header2*'
Examples

Header1	Header2	test	Outcome	Error
Value 1	Value 1	aaaaaaaa1 asdf	passed	
Value 2	Value 2	aaa aaaaa2	failed	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed
Value 3	Value 3	aaaaaaaa3	passed	
Value 4	Value 4		passed	

1.13. outline with background failed

1.13.1. Errors

Scenario	Message
Scenario Outline name 2	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed

1.13.2. Background

Given: a fact with 'test-background-1'
Given: a fact with 'test-background-2'

1.13.3. Scenarios

1.13.3.1. Scenario: Scenario Outline name *test*

Given: a fact with '*Header1*'
Given: a fact with '*Header2*'
Examples

Header1	Header2	test	Outcome	Error
Value 1	Value 1	aaaaaaaaaaaaaaaaaaaaaaaaaaa1	passed	
Value 2	Value 2	2	failed	Matched: tests/steps/test_steps.rs:27:1 Step panicked. Captured output: expected failed
Value 3	Value 3	3	passed	
Value 4	Value 4	4	passed	

1.13.3.2. Scenario: Scenario with skipped

Given: a skipped fact with '*Header1*'
Examples

Header1	Header2	test	Outcome	Error
Value 3	Value 3	3	skipped	
Value 4	Value 4	4	skipped	

1.14. simple failed

1.14.1. Errors

Scenario	Message
Scenario added in subfolder	Matched: tests/steps/test_steps.rs:41:1 Step panicked. Captured output: expected error

With a description same Feature as in parent folder

1.14.2. Scenarios

1.14.2.1. Scenario: Scenario 1 test in subfolder

Given: a fact **passed**
When: something is executed **passed**
Then: the result is oke **passed**

1.14.2.2. Scenario: Scenario added in subfolder

Given: a fact **passed**
And: a other fact **passed**
When: something is executed **passed**
Then: the result is failed **failed**

Error: Matched: tests/steps/test_steps.rs:41:1
Step panicked. Captured output: expected error

1.14.2.3. Scenario: Scenario outline 3

Given: a fact **passed**
Then: a Skipped line **skipped**

2. Tag index

Tag1 7, 10, 14
Tag2 10, 13, 14