

GSERM - Ljubljana 2023

R (and \LaTeX)

More Materials:

<https://github.com/PrisonRodeo/GSERM-Ljubljana-APD-git>

December 28, 2022

- R


- “R is a free software environment for statistical computing and graphics.”
- The R Project: <https://www.r-project.org/>
- Comprehensive R Archive Network (CRAN):
<https://cran.r-project.org/>

- RStudio

- A free, open-source GUI for R
- Website: <https://www.rstudio.com/>

R:

- Is an **object-oriented** language
- Is made up of:
 - Objects
 - Functions
 - Classes (of objects and functions)
- Is **Turing complete**
- Is **modular**
 - User-created **packages**
 - Organized into **task views**
(<https://cran.r-project.org/web/views/>)
- Runs on UNIX/Linux/OS-X/Windows



R version 4.2.2 (2022-10-31) -- "Innocent and Trusting"
Copyright (C) 2022 The R Foundation for Statistical Computing
Platform: aarch64-apple-darwin20 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale


R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[R.app GUI 1.79 (8160) aarch64-apple-darwin20]

[History restored from /Users/cuz10/.Rapp.history]

>



RStudio (annotated)

This is the "Source" window.

- It's the place where you'll type the code that will then be sent to R.
- It's basically a text editor. You can open text files of any kind here if you want.
- Files that appear here end in (and should be saved with) the extension ".R" (as in "MyCode.R").

You'll spend most of your time working here.

Click here to save your source code. Save often!

Highlight text in the Source window, then click this button to "run" the code.

This is the "Environment" window. It is where you can find all the various "objects" that you create, grouped by object type (data frames, lists, graphs, etc.). Environment is empty

There's also a "History" tab above; switching to that will show what has transpired in the Console window recently.

This is the "working directory." Anything you save will be saved here, unless you tell the program to save it somewhere else.

This is the "Console." When you run the code in the Source window, the results that aren't graphics appear here.

Type 'demo()' for some demos, 'help()' for on-line help, or 'help.start()' for an HTML browser interface to help. Type 'q()' to quit R.

Plots (graphs) that you have created

Packages that are loaded

Help results (obtained by typing "?XXX" in the Console window, e.g. "?table").

This:

```
> table(df$X)
```

... means “Type the phrase ‘table(df\$X)’ on the command line,” or – equivalently – “Type the phrase ‘table(df\$X)’ into your Source code, and then run it.”

More often, you'll see:

```
with(df, plot(Y~X,pch=19,col="red")) # draw a scatterplot
abline(h=0,lty=2) # add a horizontal line at zero
abline(v=0,lty=2) # add a vertical line at zero
text(df$X,df$Y,labels=df$names,pos=1) # add labels
```

... which means “Put this block of text into your Source code, and then run it.”

Note:

- R / RStudio ignores line breaks
- Anything to the right of a “#” is a comment

Very basic R examples...

(see the file named GSERM-2023-R-Intro.R in the Code folder in the [github repo](#))

Help For Learning R(Studio)

In rough order of preference:

- Quick-R (<http://www.statmethods.net/>)
- The “Level-Zero” R Tutorial (doesn't integrate RStudio, but is otherwise very good)
- [Statistics with R](#)
- [“Learn R” on W3Schools](#)
- Also be sure to consult the GSERM / APD “Useful R Resources” guide (on [GitHub](#))

R + L^AT_EX: Sweave, knitr, and RMarkdown

- Sweave “...enables the embedding of R code within LaTeX documents to generate a PDF file that includes narrative and analysis, graphics, code, and the results of computations.”
- knitr is an R package that expands the capabilities of Sweave
- RMarkdown integrates R into Markdown (using knitr and Pandoc)
- Key point: **Integrates data analysis and document creation**
 - Analysis and text are in the same document
 - Documents are *dynamic*: When the data changes, the document changes

- The [Sweave User Manual](#)
- The homepage of the [knitr](#) package
- [RMarkdown: The Definitive Guide](#)
- The [RMarkdown Gallery](#) (many examples, with code!)