

```

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TD3 (main)
$ cd ..

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github
$ cd TPGIT3/

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (main)
$ git branch branchMarc

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (main)
$ git switch branchMarc
Switched to branch 'branchMarc'

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git branch
* branchMarc
  main

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ touch fichier.c

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ nano fichier.c

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git status
On branch branchMarc
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    fichier.c

nothing added to commit but untracked files present (use "git add" to track)

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Turn this message off by running
hint: "git config advice.addEmptyPaths false"


Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git add .
warning: in the working copy of 'fichier.c', LF will be replaced by CRLF the next time Git touches it


Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git commit -m "branch+fonc"
[branchMarc dc9b6ab] branch+fonc
1 file changed, 8 insertions(+)
create mode 100644 fichier.c


Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git push origin branchMarc
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 373 bytes | 373.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'branchMarc' on GitHub by visiting:
remote:   https://github.com/FameDoze2point0/TPGIT3/pull/new/branchMarc
remote:
To https://github.com/FameDoze2point0/TPGIT3
 * [new branch]      branchMarc -> branchMarc


```

Add more commits by pushing to the `BranchAntonin` branch on [marconos2 / IDS](#).



**Require approval from specific reviewers before merging**
[Rulesets](#) ensure specific people approve pull requests before they're merged.


**Continuous integration has not been set up**
[GitHub Actions](#) and [several other apps](#) can be used to automatically catch bugs and enforce style.

**This branch has no conflicts with the base branch**
Merging can be performed automatically.

Merge pull request

You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

Add a comment





FameDoze2point0 commented 4 minutes ago



Collaborator

...



No description provided.





**FameDoze2point0** and others added 2 commits [20 minutes ago](#)

 branch + fonctionnalité


80b4202

 Merge branch 'main' into BrancheAntonin

Verified2c4c86d

 Marconos2 merged commit `7aae4f4` into `main` now

Revert



Pull request successfully merged and closed

You're all set—the `BrancheAntonin` branch can be safely deleted.

Delete branch

Conflit

```
Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github
$ cd TPGIT3/

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ nano README.md

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git add .

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git commit -m "conflit"
[branchMarc 5146279] conflit
1 file changed, 1 insertion(+)

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TPGIT3 (branchMarc)
$ git push
fatal: The current branch branchMarc has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin branchMarc

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
```

```
Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TD3 (main)
$ nano README.md

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TD3 (main)
$ git add .

Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TD3 (main)
$ git commit -m "modif du read"
[main fa9dbed] modif du read
1 file changed, 1 insertion(+)
```

```
Marc@DESKTOP-MOM4L58 MINGW64 ~/Desktop/github/TD3 (main|MERGING)
$ git push
To https://github.com/Marconos2/TD3.git
! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/Marconos2/TD3.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```