BW Producción – Configurar EWA

Configurar siempre con SOLMAN_ADMIN

IP

instancia 00

SID



Componentes

Product	Release	SP Stack	Vendor	Short Description of Product Version
SAP NETWEAVER	7.5	17 (02/2020)	sap.com	SAP NETWEAVER 7.5


Component	Release	SP-Level	Support Package	Short Description of Component
SAP_BASIS	750	0017	SAPK-75017INSAPBASIS	SAP Basis Component
SAP_ABA	750	0017	SAPK-75017INSAPABA	Cross-Application Component
SAP_GWFND	750	0017	SAPK-75017INSAPGWFND	SAP Gateway Foundation
SAP_UI	750	0017	SAPK-75017INSAPUI	User Interface Technology
ST-PI	740	0012	SAPK-74012INSTPI	SAP Solution Tools Plug-In
BI_CONT	757	0024	SAPK-75724INBICONT	Business Intelligence Content
BI_CONT_XT	757	0024	SAPK-75724INBICONTXT	Business Intelligence Content for Bobj I
SAP_BW	750	0017	SAPK-75017INSAPBW	SAP Business Warehouse

Host data	
Operating system	Linux
Machine type	x86_64
Server name	sza-bi-prd_BWP…
Platform ID	390

Database data	
Database System	HDB
Release	2.00.040.00.155…
Name	BWP/20
Host	sza-bi-prd
Owner	SAPABAP1

RZ70

Envío exitoso




SLD DS Start Program

SLD DS Start Program

```
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_NWSYS
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_INSTPRD
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_INSTCORR
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_HTTPSERV
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_DBCON
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_LIVECACHE
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_COMPSYS
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_IPSERV
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_INSTSC
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_INSTSP
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_MSGSRV
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_BCSYS
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_CLIENT
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_DBSYS
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_APPL_SERV
    0: sza-bi-prd_BWP_00                    : Execute program: _SLD_GWSRV
    0: sza-bi-prd_BWP_00                    : Collection of SLD data finished
    0: sza-bi-prd_BWP_00                    : Data collected.
    0: sza-bi-prd_BWP_00                    : SLD data was formatted.
    0: sza-bi-prd_BWP_00                    : ------------------------------------------------------------
    0: sza-bi-prd_BWP_00                    : Used RFC destination: SLD_UC
    0: sza-bi-prd_BWP_00                    : RFC call successful
    0: sza-bi-prd_BWP_00                    : ------------------------------------------------------------
    0: sza-bi-prd_BWP_00                    : No HTTP(S) destination is configured to transfer data.
    0: sza-bi-prd_BWP_00                    : ------------------------------------------------------------
    0: sza-bi-prd_BWP_00                    : Existing periodic jobs removed.
    0: sza-bi-prd_BWP_00                    : Program scheduled: 20200618 022400.
    1: sza-bi-prd_BWP_00                    : Event-driven job already exists; scheduling not necessary.
```

Requisitos en sistema Backend (RTCCTOOL)

No está seteada



Nota SAP 91488 - SAP Support Services - Central preparatory note

https://launchpad.support.sap.com/#/notes/091488

Solution


Services
An overview of support offerings and related service types can be accessed via https://support.sap.com/en/offerings-programs.html#section_792055716

SAP Solution Manager
SAP Note 1170668 gives an overview over the role of SAP Solution Manager in Remote Service Delivery.
SAP Note 1172939 describes which technical prerequisites must be met to ensure the service delivery readiness of your SAP Solution Manager system.


Managed systems
To ensure that SAP can deliver a service for each SAP System that you wish to analyze, the prerequisites listed below must be met.


Trx LMDB

- > Search -> BWP



Search
BWP
Search
BWP on sapbwdb1
Application Server ABAP
More Links
BWP on sapnwhbp
Application Server ABAP
More Links
BWP on bw-devprod
Application Server ABAP
More Links
BWP on sapbw-prd
Application Server ABAP
More Links
BWP on sza-bi-prd
Application Server ABAP
More Links
BWP on sapbwdb1
Database System
More Links
generated by software provisioning manager
Transport Domain (ControllerName: BWP)
More Links
BWP on sza-bi-prd
SAP HANA Database
More Links
BWP on bw-devprod
Database System
More Links
BWP on sapbw-prd
Database System
More Links


Wizard ABAP



BWP on sza-bi-prd
More Links
Application Server A
Open Technical System Editor in New Window
Open in Managed Systems Configuration
Open in Landscape Browser
Details
BWP on sapbwdb1
Database System
generated by software provisioning manager
More Links





Set Automatically







Read-Only
Previous
Next
Save
Reset
Help
To execute all automatic activities, make sure that the execution status of the activities is set to Execute and choose Execute All.
The system may require several minutes to perform the activities depending on the number of activities.
To execute specific automatic activities, make sure that the status of these activity is Execute, select the activities, and choose Execute Selected.
For each activity that you perform, the system displays log messages in the Log screen area:
To display a detailed description of a message, choose the link in the Details column.
If an error occurs, a link in the Notes column appears. Choose this link to search for SAP Notes and Knowledge Base Articles (KBA) based on error message and number.
To get additional information about a log entry in another application, choose the link in the URL column.
To check errors in the log of failed batch job executions, open Job Management (SM37) and enter the job name.
Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Documentation
Software Prerequisites
Mandatory
Execute
Display
Log with 0 messages for Step Check Prerequisites
Export
Refresh
Add Comment
Type
Message
Date
Time
Technical System
User
Lo...
D...
URL
No...
Table is empty



Read-Only
Previous
Next
Save
Reset
Help
To execute all automatic activities, make sure that the execution status of the activities is set to Execute and choose Execute All.
The system may require several minutes to perform the activities depending on the number of activities.
To execute specific automatic activities, make sure that the status of these activity is Execute, select the activities, and choose Execute Selected.
For each activity that you perform, the system displays log messages in the Log screen area:
To display a detailed description of a message, choose the link in the Details column.
If an error occurs, a link in the Notes column appears. Choose this link to search for SAP Notes and Knowledge Base Articles (KBA) based on error message and number.
To get additional information about a log entry in another application, choose the link in the URL column.
To check errors in the log of failed batch job executions, open Job Management (SM37) and enter the job name.
Execution Status: Check Prerequisites started
Refresh:
Time in Secon
0%
Status of the asynchronous execution
Job No.
Job name
Status
Job Duration
Last Message from Job Log
15114200
SMSETUP: AGS_MS_CHECK_PREQ
Active
00:00:01
Check Prerequisites started
Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Documentat
Software Prerequisites
Mandatory
Execute
Display


Help
To execute all automatic activities, make sure that the execution status of the activities is set to Execute and choose Execute All.
The system may require several minutes to perform the activities depending on the number of activities.
To execute specific automatic activities, make sure that the status of these activity is Execute, select the activities, and choose Execute Selected.
For each activity that you perform, the system displays log messages in the Log screen area:
To display a detailed description of a message, choose the link in the Details column.
If an error occurs, a link in the Notes column appears. Choose this link to search for SAP Notes and Knowledge Base Articles (KBA) based on error message and number.
To get additional information about a log entry in another application, choose the link in the URL column.
To check errors in the log of failed batch job executions, open Job Management (SM37) and enter the job name.
Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Documentation
Software Prerequisites
Mandatory
Execute
Display
Log with 2 messages for Step Check Prerequisites
Export
Refresh
Add Comment
Type
Message
Date
Time
Technical System
User
Lo...
D...
URL
No...
Managed system BWP00004~ABAP does not fulfill the Diagnostics prerequisites
17.06.2...
15:11:46
BWP00004~ABAP
ADMIN
Show
Se...
As some prerequisites are not fulfilled, next steps may fail
BWP00004~ABAP
ADMIN
Show
Se...




The definition of Technical System 'BWP00004~ABAP' is not correct: 'BWP00004~ABAP': Database 'BWP00003' must have atleast one Host.


The definition of Technical System 'BWP00004~ABAP' is not correct: 'BWP00004~ABAP': Technical System must have a Central Service Instance.




Check SLD




Database Hana, no tiene host en el campo host




Se vuelve a LMDB y se elige Mannaged system para la DB Hana




No es posible setearla automaticamente



Se va a la LMDB “Technical system”




Edit




Número de instancia DB HANA


Verificar número en DBACOCKPIT -> Overview



Instancia 20


Agregar hostname e instancia a la DB HANA (Add)





Se vuelve al Wizard, se ejecuta de nuevo la revisión de prerrequisitos

(Ya no hay error de DB sin nombre de host)



Se debe revisar la nota:

Missing Central Service Instance: refer to SAP Note 1419603 or 909797


https://launchpad.support.sap.com/#/notes/1419603

SAP recommends the automatic registration of the ASCS instance in the SLD. Only if you cannot upgrade to SAP Kernel Version 7.20 or higher, you can also enter the missing information for the ASCS instance and its ports in the Solution Manager UI (Solution Manager Version 7.1 SP5 or higher). (Transaction LMDB -> select technical system ABAP -> "Technical Instances" node -> "Central Service" tab.)


Alternatively, you can also take the manual steps below to create the missing instances on the SLD UI.


Verificar número servicios centrales SAP


RZ10 -> profile de ASCS



Instancia 01











Se vuelve a Managed system de BWP

Se ejecuta ALL y da ok



Managed System Configuration
Personalize
Technical System BWP00004~ABAP Configuration Mode Undefined User Name ADMIN
Create Support Message | Help
Read-Only | Previous | Next | Save | Reset
Help
In this step, you check the prerequisites for the configuration of SAP Solution Manager automatically.
In edit mode, you can complete the activities automatically as follows:
Select the activity to be automatically executed by positioning the cursor on the row of the activity. Make sure that the status of this activity is set to Execute.
Choose Execute Selected.
Note that you cannot select multiple activities.
To execute all automatic activities, make sure that the execution status of the activities is set to Execute and choose Execute All.
Automatic Activities
Show All Logs | Execute All | Execute Selected | Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Documentatio
Software Prerequisites
Mandatory
Execute
Display


Confirm role upload to production system
Do you want to upload the following roles to system BWP00004 client 300?
SAP_SOLMAN_READ &
SAP_SOLMAN_TMW
Yes
No


SAP Solution Manager Configuration - Managed System Configuration
To upload the latest roles needed on your managed system, enter and confirm the credentials of an administrator user on the managed system.
This user should be allowed to change authorizations/roles.
User:
EX_ADP
Password:
OK
Cancel


Log with 1 messages for Activity Enter System Parameters
Export
Refresh
Add Comment
Type
Message
Date
Time
Technica...
User
Long...
Details
URL
Note...
RFC creation error
18.06.2...
14:47:43
BWP000...
ADMIN
Show
Search


Display Message Context
Value:
Search
Reset
Name
Value
Details
Error when opening an RFC connection (CPIC-CALL:
Close


Help
Clients and Existing RFCs
Delete RFCs
Test
Status
Client
Name
Role
Logical System
RFC Read Access
RFC for Change Manager
Trusted System RFC
RFC for SAP Solution Manager
RFC Destination
Display
000
SAP AG Konzern
SAP reference System
001
SAP AG Konzern
Customizing System
300
Producción
Production System
BWPCLNT300
Export
Refresh
Add Comment
Type
Message
Date
Time
User
Long...
Details
URL
Note...
Table is empty


Se crea manualmente la RFC Read

SM_BWP00004CLNT300_READ

String de conexión:


Usuario a crear para la conectividad: SM_ESM

Por el momento se crea con




SM_BWP00004CLNT300_READ

Se crea la de login: SM_BWP00004CLNT300_LOGIN



Se crea la RFC SM_BWP00004CLNT300_TMW

(En la RFC copia también estaba inicial la pass (SBP))





Check de logs


Se chequean los logs por TRX /IWFND/ERROR_LOG


Seteo de RFC desde Technical Scenarios

TRX: SOLMAN_WORKCENTER












Se crean las RFC con el wizard


String que debe ser utilizado en la READ


Options for User Creation
Namespace for Roles
Z
Apply to Roles
Target Role Name for SAP_SOLMAN_READ:
ZSAP_SOLMAN_READ_702
Documentation
Target Role Name for SAP_SOLMAN_TMW:
ZSAP_SOLMAN_TMW_702
Documentation
Target Role Name for SAP_SOLMAN_BACK:
ZSAP_SOLMAN_BACK
Documentation
Communication RFCs between ESM Client 900 and BWP00004 Client 300
RFC Destination and User for Read Access(READ RFC)
Create/Update SM_BWP00004CLNT300_READ
Status:
SM_BWP00004CLNT300_READ does not exist or cannot be created
Action:
Create New User
Accept Manually Created User Without Checking Role Assignments
RFC User:
SM_ESM
Password:
Repeat Password:
RFC Destination and User to SAP Solution Manager(BACK RFC)
Create/Update SM_ESMCLNT900_BACK
Status:
SM_ESMCLNT900_BACK does not exist or cannot be created
Action:
Create New User
Accept Manually Created User Without Checking Role Assignments
RFC User:
SMB_BWP00004
Password:
Repeat Password:
RFC Destination and User for Change Manager(TMW RFC)
Create/Update SM_BWP00004CLNT300_TMW
Status:
SM_BWP00004CLNT300_TMW does not exist or cannot be created
Action:
Create New User
Accept Manually Created User Without Checking Role Assignments


RFC Destination and User for Change Manager(TMW RFC)
Create/Update SM_BWP00004CLNT300_TMW
Status:
SM_BWP00004CLNT300_TMW does not exist or cannot be created
Action:
Create New User
Accept Manually Created User Without Checking Role Assignments
RFC User:
SMT...
Password:
Repeat Password:
Dialog RFCs between ESM Client 900 and BWP00004 Client 300
RFC Destination and User for Login Access to managed system (LOGIN&TRUSTED RFC)
Create/Update SM_BWP00004CLNT300_LOGIN
Create/Update SM_BWP00004CLNT300_TRUSTED
Trusted RFC Destination to SAP Solution Manager
Create/Update SM_ESMCLNT900_TRUSTED
Administration Users
SAP Solution Manager Administrator
* User:
SOLMAN_ADMIN
User SOLMAN_ADMIN Exists with Recommended Roles
* Password:
Test Login
Managed System Setup User
Create or Update Administrator
* User:
EX_ADP
READ RFC doesn't exist or needs to be modified so it's impossibl
* Password:
Test Login










TRX_ SOLMAN_SETUP - > Mannaged System




- The connection between SLD and landscape management database (LMDB) is working. (See SAP Solution Manag
  Prepare Landscape Description.)
- If a system is missing because no automatic data supplier can be used, you have created it manually in transact










1. Search for the product instances to assign to the technical system, by:
   - *Product Version*: Start to enter a keyword in the search field. Select from the input help, and choose


* Select By: Product Version | SAP HANA PLATFORM EDITION 2.0 | Search

Product Instance - Search Result List


Product Instance	Installed	Diagno...	D...
SAP HANA PLATFORM EDITION 2.0: APL for HANA	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA AFL	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Application Log Content	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Client	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Client for Excel	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Config Check	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Database [manually entered]	☑	☑	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA EML AFL	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA EPM-MDS	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Enterprise Architect	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA Graph Viewer Content	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA HADOOP Controller Content	☐	☐	ℹ
SAP HANA PLATFORM EDITION 2.0: HANA HW Cloud Optim Tools	☐	☐	ℹ





1. Choose the *Edit* button at the top of the screen. Choose *Refresh* under *Assign Product Information to Technical System* and in the log area. Repeat this each time you have edited system information.
2. **Set diagnostics relevance.** *If you are not using Diagnostics*: To avoid follow-up activities, such as setting up diagnostics agents, do not set diagnostics-relevance. The st of the activity can remain *Diagnostics-relevance not set* (red).




1. Choose the *Edit* button at the top of the screen. Choose *Refresh* under *Assign Product Information to Technical System* and in the log area. Repeat this each time you have edited system information.
2. **Set diagnostics relevance.** *If you are not using Diagnostics*: To avoid follow-up activities, such as setting up diagnostics agents, do not set diagnostics-relevance. The st of the activity can remain *Diagnostics-relevance not set* (red).






Technical System BWP00003~HANADB Configuration Mode Full
BWP00004~ABAP
1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
Use
This step specifies the software installed on a technical system.
The software that is installed on a technical system is described by several entities in the landscape management database (LMDB): Software component versions are the lowe
level. Product instances are group software component versions that must be installed on a single technical system.
Activities
1. Choose the Edit button at the top of the screen. Choose Refresh under Assign Product Information to Technical System and in the log area. Repeat this each time you have
edited system information.
2. Set diagnostics relevance. If you are not using Diagnostics: To avoid follow-up activities, such as setting up diagnostics agents, do not set diagnostics-relevance. The stat
of the activity can remain Diagnostics-relevance not set (red).
Assign Product Information to Technical System
Refresh
Ext. System ID
System Type
Display Name
Products of the Technical System
BWP00003
SAP HANA Database
BWP on sza-bi-prd
SAP HANA PLATFORM EDITION 2.0
Diagnostics-relevance set with products: SAP HANA PLATFORM EDITION 2.0
Remove Diagnostics-Relevance
Edit Assignment...



Technical System BWP00003~HANADB Configuration Mode Full
BWP00004~ABAP
1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
In this step, you check the prerequisites for the configuration of SAP Solution Manager automatically.
In edit mode, you can complete the activities automatically as follows:
Select the activity to be automatically executed by positioning the cursor on the row of the activity. Make sure that the status of this activity is set to Execute.
Choose Execute Selected.
Note that you cannot select multiple activities.
To execute all automatic activities, make sure that the execution status of the activities is set to Execute and choose Execute All.
The system may require several minutes to perform the activities depending on the number of activities.
To execute specific automatic activities, make sure that the status of these activity is Execute, select the activities, and choose Execute Selected.
For each activity that you perform, the system displays log messages in the Log screen area:
Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Software Prerequisites
Mandatory
Execute
Manual Activities





Se da Next en la parte de Diagnostic Agent (no se configura), ya que no está corrido el string del DAA en el backend para conectarlo al solman.






1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
Check Entries
If a check Check URL... or Test Logon link is available, use it.
If checkbox Mark if system has a ABAP User Store is available, the Test Logon link in this checkbox only works when the Maintain RFC step is configured for the selected ABAP User Store system and client.
SAP Solution Manager System as Managed System
If the SAP Solution Manager system is also the managed system, in the DB Parameters section, the connection parameters are displayed in read-only mode, because the local database connection is already configured and operational.
Do not re-use the solman_admin user as administrator user.
Common Parameters
Introscope
* Introscope EM: adp-esm.adpconsultores.com:6001 (Standalone)
Managed System
* Load Balancer Host: sza-bi-prd
* Load Balancer Port: 8000
HTTPS
Check URL...
RCA Extractor level: Level 3 (default): Collect all RCA-related metrics
Activate EWA Alerts in Alert Inbox:
DB Parameters
Setup DBACockpit / DB extractors:
DBA Cockpit Connection Status:
Details...
Instance Name: BWP
Instance Number:
* User Name:
* Password:
Used DB-Connect String:
DB-Connect String in LMDB:



Common Parameters
Introscope
* Introscope EM: adp-esm.adpconsultores.com:6001 (Standalone)
Managed System
* Load Balancer Host: sza-bi-prd
* Load Balancer Port: 8000
HTTPS
Check URL...
RCA Extractor level: Level 3 (default): Collect all RCA-related metrics
Activate EWA Alerts in Alert Inbox:
Enable System Recommendations:
DB Parameters
Setup DBACockpit / DB extractors:
DBA Cockpit Connection Status:
Details...
Instance Name: BWP
Instance Number:
* User Name:
* Password:
Used DB-Connect String:
DB-Connect String in LMDB:
DBACockpit connection is not operational.
Please check above parameters and press button
Setup DBA Cockpit connection
CTS+ Reporting
CTS+ active:
Communication System:
Virtual Queue Name:
ABAP Parameters
* Client: 300
ABAP Setup User: EX_ADP
Password:



1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
In the Landscape Objects hierarchy, check the status of each parameter:
The status is set to No Parameters: No input required.
The status is set to Default used: Verify the parameter.
The status is set to Default saved: Default parameter have been saved.
The status is set to Input missing: Enter the parameter.
The status is set to Agent offline: This is for your information only. The agent on the system is only needed to verify the values entered on the system, for example the ins
path. You can continue even if the agent is offline. To verify the information entered, restart the Diagnostics Agent. For more information, see section Restart Diagnostics
Modify Parameter Status
To change or enter values, proceed as follows:
Selection of Landscape Objects
Show all nodes (expert mode)
Refresh
Landscape Objects
Status
BWP00003~SAP HANA Database (HANA Technical System)
No parameters
sza-bi-prd (Host)
Agent offline
Installed on path <not defined> (HANA Installed Technical System)
No parameters
Check existence of paths when saving



Technical System BWP00004~ABAP~300
Create Incident
1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
Technical users
These users (of type System) are created in ABAP. The password is auto-generated, and is not known to the end users
Dialog users
These users have an initial password that must be changed at their first logon. Dialog users need to change their password regularly. SAP Solution Manager Configuration creates default dialog users, such as for root cause analysis (SAPSUPPORT)
Use Case 1: Creating or Updating Users – in SAP Solution Manager Configuration
Note: Do not select Accept Manually Created Users Without Checking Role Assignments. Select this option when following Use Case 2.
About Assigning Role Namespace
When you create or update users, roles must also be assigned. Some roles, such as those to access applications such as SAP_SMWORK_TECH_MON, are assigned automatically.
Users
Advanced Mode
Refresh Filter
Status
Update need...
User Name
Use Case ID
User Type
System
Documentation
Login
SAPSUPPORT
SAPSUPPORT
Dialog
BWP00004~ABAP
Display
SMDAGENT_BWP
SMDAGENT_ESM
System
BWP00004~ABAP
Display
SAPSUPPORT Dialog User (in Managed System BWP00004 Client 300)



Advanced Mode
Refresh Filter
Status
Update need...
User Name
Use Case ID
User Type
System
Documentation
Login
SAPSUPPORT
SAPSUPPORT
Dialog
BWP00004~ABAP
Display
SMDAGENT_BWP
SMDAGENT_ESM
System
BWP00004~ABAP
Display
SAPSUPPORT Dialog User (in Managed System BWP00004 Client 300)
User SAPSUPPORT does not exist
Accept Manually Created User Without Checking Role Assignments
Action:
Create New User
User:
SAPSUPPORT
Initial Password:
Repeat Password:
Required Roles
Action
U...
SAP Role
Copy of SAP Role
Role Sc...
Type
Start Transa...
Role Desc...
Create new copy of SAP role and assign to
SAP_RCA_SAT_DISP
ZSAP_RCA_SAT_DISP
ABAP
Mandatory
Display
Display
Execute



Advanced Mode
Refresh Fi
Status
Update need...
User Name
Use Case ID
User Type
System
Documentation
Login
SAPSUPPORT
SAPSUPPORT
Dialog
BWP00004~ABAP
Display
SMDAGENT_BWP
SMDAGENT_ESM
System
BWP00004~ABAP
Display
SAPSUPPORT Dialog User (in Managed System BWP00004 Client 300)
User SAPSUPPORT exists with the recommended roles
Accept Manually Created User Without Checking Role Assignments
Action:
User:
SAPSUPPORT
Initial Password:
Required Roles
Action
U...
SAP Role
Copy of SAP Role
Role Sc...
Type
Start Transa...
Role Desc...
Do nothing
SAP_RCA_SAT_DISP
ZSAP_RCA_SAT_DISP
ABAP
Mandatory
Display
Display
Execute



Log with 4 messages for Activity Maintain the SAPSUPPORT User
View:
[Standard View]
Export
Refresh
Show:
All
Add Com
Type
Activity
Message
Date
Time
Object in...
User
Long...
Details
URL
Maintain the SAPSUPPOR...
Role ZSAP_RCA_SAT_DISP was assigned to user SAPSUPPORT
22.06.2...
15:43:50
BWP000...
SOLMA...
Maintain the SAPSUPPOR...
Target Role ZSAP_RCA_SAT_DISP was created and profile generated, as copy of SAP Role SAP_RCA_SAT_DISP
15:43:44
BWP000...
SOLMA...
Maintain the SAPSUPPOR...
Started processing for user SAPSUPPORT
15:43:42
BWP000...
SOLMA...
Show
Maintain the SAPSUPPOR...
User SAPSUPPORT created
15:43:41
BWP000...
SOLMA...


Users
Advanced Mode
Refresh
Status
Update need...
User Name
Use Case ID
User Type
System
Documentation
SAPSUPPORT
SAPSUPPORT
Dialog
BWP00004~ABAP
Display
SMDAGENT_BWP
SMDAGENT_ESM
System
BWP00004~ABAP
Display
SMDAGENT_XXX Technical User (in Managed System BWP00004 Client 300)
User SMDAGENT_BWP does not exist
Accept Manually Created User Without Checking Role Assignments
Action:
Create New User with Strong Password
User:
SMDAGENT_BWP
Password:
Repeat Password:
Required Roles
Action
U...
SAP Role
Copy of SAP Role
Role Sc...
Type
Start Transa...
Role Desc
Create new copy of SAP role and assign to
SAP_IS_MONITOR
ZSAP_IS_MONITOR
ABAP
Mandatory
Display
Display
Execute


Users
Advanced Mode
Refresh Filte
Status
Update need...
User Name
Use Case ID
User Type
System
Documentation
Login
SAPSUPPORT
SAPSUPPORT
Dialog
BWP00004~ABAP
Display
SMDAGENT_BWP
SMDAGENT_ESM
System
BWP00004~ABAP
Display
Test
SMDAGENT_XXX Technical User (in Managed System BWP00004 Client 300)
User SMDAGENT_BWP exists with the recommended roles
Accept Manually Created User Without Checking Role Assignments
Action:
User:
SMDAGENT_BWP
Password:
Repeat Password:
Required Roles
Action
U...
SAP Role
Copy of SAP Role
Role Sc...
Type
Start Transa...
Role Desc...
Do nothing
SAP_IS_MONITOR
ZSAP_IS_MONITOR
ABAP
Mandatory
Display
Display
Execute


Managed System Configuration
SOLMAN_ADMIN
Personalize
Technical System
BWP00004~ABAP~300
Create
1 Assign Product
2 Check Prerequisites
3 Maintain RFCs
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
Read-Only
< Previous
Next >
Save
Reset
Help Text
Technical users
These users (of type System) are created in ABAP. The password is auto-generated, and is not known to the end users
Dialog users
These users have an initial password that must be changed at their first logon. Dialog users need to change their password regularly. SAP Solution Manager Configuratio
creates default dialog users, such as for root cause analysis (SAPSUPPORT)
Use Case 1: Creating or Updating Users – in SAP Solution Manager Configuration
Note: Do not select Accept Manually Created Users Without Checking Role Assignments. Select this option when following Use Case 2.
About Assigning Role Namespace
When you create or update users, roles must also be assigned. Some roles, such as those to access applications such as SAP_SMWORK_TECH_MON, are assigned automatically.
Users


Managed System Configuration
SOLMAN_A
Pers
Database
BWP00003
Technical System
BWP00003~HANADB
BWP00004~ABAP
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
8 Finalize Configuration
9 Check Configuration
10 Complete
Read-Only
< Previous
Next >
Save
Reset
Help Text
In this step, you configure the technical system, and for ABAP systems the client, based on the input which you have provided in the previous steps.



Automatic Activities


Show All Logs | Execute All | Execute Selected | Refresh

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
●		Activate Services	Mandatory			Execute	Display
◇		Set Up Single Sign-On	Optional		Transaction STRUSTSSO2	Postponed	Display
●		Extractors Setup	Mandatory		Extractor Framework Admin UI	Execute	Display
◇		Activate E2E Trace Upload Service	Optional			Postponed	Display
●		Introscope Host Adapter	Mandatory			Execute	Display
■		BW Admin Cockpit Integration	Mandatory			Execute	Display
■		Apply Settings for EWA Monitoring	Mandatory			Execute	Display
■		Apply Settings for System Recommendations	Mandatory		System Recommendations	Execute	Display
◇		Check Connection to BW client	Optional		Transaction SM59	Postponed	Display

Manual Activities

Show All Logs


Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
■		Maintain SAP Router Data	Mandatory		Maintain SAP Router Configuration	Performed	Display
■		Adjust HTTP Log Parameter	Mandatory		Transaction RZ10	Performed	Display
■		Enable Remote R/3 Connection	Mandatory		Enable remote HTTP and R/3 Connection	Performed	Display
■		Set Up Remote Connection to SAP HANA DB	Mandatory		SAP Note 1592925	Performed	Display



Log with 23 messages for Step Finalize Configuration


View: * [Standard View] | Export | Refresh | Show: Last Run | Add Comment | Archived Logs

Type	Activity	Message	Date	Time	Object...	User	Lo...	Det...	URL	Att...	Not...
■	Apply Settings for EWA Mo...	Alerting of Early Watch Alerts for system BWP00003 was configured successfully	03.07.2020	10:12:37	BWP00...	SOL...		Show			
■	BW Admin Cockpit Integration	BW Admin. Cockpit setup		10:12:28	BWP00...	SOL...					
ℹ	Apply Settings for EWA Mo...	Scope Object BWP00003 is not relevant for this activity.			BWP00...	SOL...					
▲	Introscope Host Adapter	Activity 'Introscope Host Adapter' disabled for BWP00004/ABAP		10:12:27	BWP00...	SOL...		Show			Search
▲	Introscope Host Adapter	Activity 'Introscope Host Adapter' disabled for BWP00003/DATABASE		10:12:26	BWP00...	SOL...		Show			Search



Activate Services — Error connecting to system BWP00004, client 300, user EX_ADP: User account not in validity date


El cliente habilitó nuevamente el usuario administrador EX_ADP y se corrió nuevamente el Wizard, activando los servicios, ok.




Automatic Activities


Show All Logs | Execute All | Execute Selected | Refresh

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentatic
■		Activate Services	Mandatory			Execute	Display
◇		Set Up Single Sign-On	Optional		Transaction STRUSTSSO2	Postponed	Display
●		Extractors Setup	Mandatory		Extractor Framework Admin UI	Execute	Display
◇		Activate E2E Trace Upload Service	Optional			Postponed	Display
●		Introscope Host Adapter	Mandatory			Execute	Display
■		BW Admin Cockpit Integration	Mandatory			Execute	Display
■		Apply Settings for EWA Monitoring	Mandatory			Execute	Display
■		Apply Settings for System Recommendations	Mandatory		System Recommendations	Execute	Display
◇		Check Connection to BW client	Optional		Transaction SM59	Postponed	Display


Log with 31 messages for Step Finalize Configuration
View: [Standard View]
Export
Refresh
Show: Last Run
Type
Activity
Message
Date
Time
Object in...
User
Apply Settings for EWA M...
Alerting of Early Watch Alerts for system BWP00004 was configured successfully
03.07.2...
14:44:39
BWP000...
SOLMA...
Apply Settings for System...
System recommendations for system BWP00003 were deactivated
Apply Settings for System...
System recommendations for system BWP00004 were deactivated
Apply Settings for EWA M...
Alerting of Early Watch Alerts for system BWP00003 was configured successfully
14:44:33
Introscope Host Adapter
Activity 'Introscope Host Adapter' disabled for BWP00004/ABAP
14:44:26

Next


Managed System Configuration
SOLMAN_ADMIN
Log Off
Personalize
Technical System BWP00003~HANADB BWP00004~ABAP
Configuration Mode Full
Create Incider
4 Assign Diagnostics Agent
5 Enter System Parameters
6 Enter Landscape Parameters
7 Maintain Users
8 Finalize Configuration
9 Check Configuration
10 Complete
Read-Only
< Previous
Next >
Save
Reset
Help Text
In this step, you automatically check whether the system is configured correctly, and you update the statuses in the overview of the Managed Systems Configuration.
In edit mode, you can do the following to automatically perform the configuration activities:
You can change the status of an activity to determine whether it is to be performed.
In the Execution Status column, select a status.
You can perform all automatic activities.
Make sure that the status of all relevant activities is set to Execute, and choose Execute All.
Depending on the number of activities, the execution may take several minutes.
You can perform a single automatic activity.
Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Documentatio
Configuration Check
Mandatory
Execute
Display


Automatic Activities
Show All Logs
Execute All
Execute Selected
Refresh
Status
Updates Needed
Activity
Type
Comment
Navigation
Execution Status
Configuration Check
Mandatory
Execute
Refresh System Status
Mandatory
Multiple Links
Execute
Log with 4 messages for Step Check Configuration
View: [Standard View]
Export
Refresh
Show: Last Run
Add Commen
Type
Activity
Message
Date
Time
Object in...
User
Long...
Details
URL
Refresh System Status
System status refreshed for system BWP00004~ABAP
03.07.2...
14:47:46
BWP000...
SOLMA...
Refresh System Status
System status refreshed for system BWP00003~HANADB
14:47:27
Configuration Check
Managed System BWP00004~ABAP is not configured
14:47:25
Show

Steps

Configuration Step	Status	Update Needed	Last Changed On	Last Changed By	Description
Assign Product	●		22.06.2020 15:28:53	SOLMAN_ADMIN	Assign Product Information to Technical System
Check Prerequisites	△		18.06.2020 13:06:50	ADMIN	Check Prerequisites
Maintain RFCs	●		03.07.2020 14:47:34	SOLMAN_ADMIN	Maintain RFC destinations between SAP Solution Manager and Managed system(s)
Assign Diagnostics Agent	●		22.06.2020 15:32:28	SOLMAN_ADMIN	Assign Diagnostics Agent
Enter System Parameters	△		22.06.2020 15:40:46	SOLMAN_ADMIN	Enter System Parameters
Enter Landscape Parameters	●		22.06.2020 15:41:48	SOLMAN_ADMIN	Enter Landscape Parameters
Maintain Users	●		22.06.2020 15:47:17	SOLMAN_ADMIN	Maintain Managed System Users
Finalize Configuration	●		03.07.2020 14:44:40	SOLMAN_ADMIN	Perform additional Automatic and Manual configuration activities
Check Configuration	●		03.07.2020 14:47:47	SOLMAN_ADMIN	Check Configuration

Tablero general

Extended Syst...	Extended System Type	Display Name		Configuration...	RFC...	Auto. Conf. St...	Plug-In Status	System Status	Update Needed
AIC	Application Server ABAP	AIC on adp-aic	T	Full	●	●	●	●	☐
APL	Application Server ABAP	APL on adp-apl	T	Full	●	●	●	●	☐
APL	Application Server Java	APL on adp-apl	T	Full		△		●	☐
BDC	Application Server ABAP	BDC on frezer	D	Full	●	△	●	●	☑
BID	Application Server ABAP	BID on pelicano	.	Full	●	●	●	●	☐
BIP	Application Server ABAP	BIP on condor	P	Full	●	●	●	●	☐
BPC	Application Server ABAP	BPC on satan	P	Full	◇	◇	●	●	☐
BWD	Application Server ABAP	BWD on sapnwhdq	.	Full	●	△	●	●	☐
BWD00001	Application Server ABAP	BWD on sapbw-qadev	D		◇	◇	●	●	☐
BWD00002	Application Server ABAP	BWD on bwdevqas	D	Full	●	△	●	●	☐
BWD00003	Application Server ABAP	BWD on sza-bi-dev	U		◇	◇	●	●	☐
BWD00003	SAP HANA Database	BWD on sza-bi-dev	U			◇		●	☐
BWP	Application Server ABAP	BWP on sapbwdb1	P	Full	●	●	●	●	☑
BWP00001	Application Server ABAP	BWP on bw-devprod	P	Full	●	△	●	●	☐
BWP00002	Application Server ABAP	BWP on sapbw-prd	P	Full	●	△	●	●	☐
BWP00003	Application Server ABAP	BWP on sapnwhbp	P	Full	◇	◇	●	●	☐
BWP00003	SAP HANA Database	BWP on sza-bi-prd	U	Full		●		●	☐
BWP00004	Application Server ABAP	BWP on sza-bi-prd	U	Full	●	△	●	●	☐


SDCCN en sistema cliente

Service Data Control Center


To do | Done | Deleted | Task log


St...	Task ID	Session No.	Download No.	Task name	Task date	Task time	Task sy...	Installation...	Inf...	Se...	At...	Log
✔	0000000001			Maintenance Package	03.07.2020	14:43:08	ESM	0021131107				
	0000000002		Dialog task	Service Preparation Check	03.07.2020	14:43:08	BWP	0020684479				
	0000000003			Maintenance Package	04.07.2020	14:43:08	BWP	0020684479				

Configuración correcta de solman ESM como master y con la RFC back configurada automáticamente




Se agrega la tarea periódica de session Refresh





Se ejecuta el Refresh session y trae la tarea para generar los datos de EWA para enviar al Solman.


Se ejecutará todos los lunes a las 04 AM.




EWA configuración

El segundo paso, una vez completado el Wizard anterior, es configurar el envío del EWA (Fecha y Mails destinatarios)

Completar Puntos 1,2 y 5




Punto 5, mail formato PDF




Se agrega usuario Admin con correo Team Basis (Ya lo tiene asignado)


Despues agregar un correo del cliente (comparar que correo está en otro sistema)


Esta parte del wizard del EWA se completó antes de terminar el anterior Wizard. Despues al finalizar el primer wizard, abre automáticamente el punto 6.1 del EWA para seguir







Se modifica el mandante de 000 a 300 y la RFC back queda configurada








Buscamos otro sistema del mismo cliente que tenga configurado el EWA para copiar el correo destinatario del cliente



Application Operations
Exception Management
System Monitoring
User Experience Monitoring
Integration Monitoring
SAP HANA & BI Monitoring
Job Monitoring
Self Monitoring
IT Infrastructure Monitoring
EarlyWatch Alert Management
IT Task Management
Business Process Operations
IT Service Management
Engagement and Service Delivery
Data Volume Management
Value Management Dashboard
Related Links
Solution Manager Help
Solution Manager Configuration
Maintenance
Post-Upgrade Activities
Administration
SAP Links
Saved Searches:
Search Criteria
Properties of the Technical System
System Type
is
Extended System ID
starts with
SPE
Properties Defined in SAP Solution Manager
Business Partner Assignments
Search
Clear Entries
Reset to Default
Save Search As:
View: [Standard View]
Export
Display Details
Configure Parallelization
Extended System ID
System Type
Display Name
SPE
ABAP
SPE on speclon
SPE
DBSYSTEM
SPE on speclon
SPE00001
ABAP
SPE on sza-hpd-prd
SPE00001
DBSYSTEM
SPE on mdf-s30cc


Technical System SPE00001~ABAP
Create Incident
1 Define Scope
2 Activate EWA
3 Check Software Component Level
4 Display Diagnosis
5 Maintain Recipients
6 Configure EWA Content
Edit
< Previous
Next >
Save
Reset
Help Text
Use
SAP EarlyWatch Alert is active for production systems by default. If a new system is added to a solution, EarlyWatch Alert is automatically activated for this system.
Activities
In this step, you can do the following:
• Review and change the activation status
• Change the day of the week on which the report is generated
• Change the language of the EWA report. To schedule the EWA in an additional language, select the line and choose Copy. In the new line, change the language.
EarlyWatch Alert Configuration
View: [Standard View]
Export
Copy
Delete
Extended System ID
Extended System Type
Display Name
Language
Activate
IT Admin Role
Send to SAP
Day of the Week
Automation period
Retention Time (Days)
SPE00001
Application Server ABAP
SPE on sza-hpd-prd
English
Production
Monday
7
0



Technical System SPE00001~ABAP
Create Incident
1 Define Scope
2 Activate EWA
3 Check Software Component Level
4 Display Diagnosis
5 Maintain Recipients
6 Configure EWA Content
Edit
< Previous
Next >
Save
Reset
Help Text
Use
In this step, you check the software component level. This step is only relevant for ABAP systems.
The screen shows the status of the Service Plug-in (ST-PI and ST-A/PI) software components in the managed systems. These software components are required to obtain the latest SAP services content.
The statuses indicate the following:
Green The software components have the latest available patch level.
Red The software components are not up-to-date or missing.
Activities
Software Component Status
Export
Extended System ID
Plug-In Status
SPE00001


Technical System SPE00001~ABAP
Create Incident
1 Define Scope
2 Activate EWA
3 Check Software Component Level
4 Display Diagnosis
5 Maintain Recipients
6 Configure EWA Content
Edit
< Previous
Next >
Save
Reset
Help Text
In this step, you can check the following:
Status of Self-Diagnosis Function SAP EarlyWatch Alert
SDCCN status of ABAP technical systems (as reported in Self-Diagnosis)
Status of Self-Diagnosis Function SAP EarlyWatch Alert
Here the status of the SAP EarlyWatch Alert function for the SAP Solution Manager systems is shown, as reported in Self-Diagnosis. As a prerequisite, the SAP EarlyWatch Alert function must be active. By clicking Status of Self-Diagnosis Function SAP Early Watch Alert, you navigate directly to the Self-Diagnosis application. There you can activate the SAP EarlyWatch Alert function if required, and also check the results in detail. To activate the function, click Self-Diagnosis Settings and then Expert Mode.
SDCCN Status of ABAP Technical Systems
Status of Self-Diagnosis Function SAP EarlyWatch Alert
SDCCN Status of ABAP Technical Systems
Extended System ID
SDCCN Status
SPE00001



Technical System ESM~ABAP~900
SPE00001~ABAP
Create Incident
1 Define Scope
2 Activate EWA
3 Check Software Component Level
4 Display Diagnosis
5 Maintain Recipients
6 Configure EWA Content
Edit
< Previous
Next >
Save
Reset
Help Text
This step provides an overview of the substeps in which you can make settings to configure the EarlyWatch Alert content.
Steps
Status
Update Needed
Description
Type
Last Changed On
Last Changed by
Maintain Peak Business Hours
Optional
Business Process Analysis
Optional
Data Volume Management
Optional
Details of Step: All


Technical System ESM~ABAP~900
Create Incident
5 Maintain Recipients
6 Configure EWA Content
6.1 Maintain Peak Business Hours
6.2 Business Process Analy...
6.3 Data Volume Management
7 Complete
Edit
< Previous
Next >
Save
Reset
Help Text
Use
In this step, you specify peak business hours for your technical systems. EWA performs hardware capacity checks during peak business hours to calculate the average CPU and paging activity for each system. In addition, you can specify weekdays for which EWA will ignore system usage. By default, no weekdays are ignored, and peak business hours are 9-11 (9:00 to 11:59) and 13 (13:00 to 13:59). For more information, see SAP Note 1251291.
Note: If you do not want to change the default values, skip this step.
Activities
To change the settings, add an entry, choose a technical system, and select the peak business hours or weekdays to be ignored.
Systems with non-default Settings
Add
Delete
Copy Settings to Other Systems
Extended System ID
Peak Business Hours
00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23
Weekdays to Be Ignored
Mo Tu Wed Thu Fr Sa Su
The table does not contain any data
Log with 0 messages for Step Maintain Peak Business Hours


Technical System SPE00001~ABAP
Create Incident
5 Maintain Recipients
6 Configure EWA Content
6.1 Maintain Peak Business Hours
6.2 Business Process Analy...
6.3 Data Volume Management
7 Complete
Edit
< Previous
Next >
Save
Reset
Help Text
Use
In this step, you define the data collection for document-based business key figures in SAP ERP and SAP S/4HANA systems. You can change the data collection settings here in the SAP Solution Manager system. These settings are then transferred to the managed system(s) and are stored there remotely, as well as locally in the SAP Solution Manager system.
After pre-evaluation, the collected business key figures are presented in the SAP EarlyWatch Alert report, in the Business Key Figures chapter. This information helps you to identify potential areas for the improvement of business processes. For example, you might want to measure the following KPIs:
Number of deliveries with overdue invoices
Number of overdue purchase order items.
You can find an example of an SAP EarlyWatch Alert report with business key figures at https://support.sap.com/support-programs-
Scheduled Business Process Analysis
View: [Standard View]
Export
Extended System ID
Leading Product
Activate Data Collection
Frequency in Months
Last Changed At
Last Changed By
SPE00001
SAP ERP ENHANCE PACKAGE
3
*00.00.0000 00:00:0
Log with 0 messages for Step Business Process Analysis
View: [Standard View]
Export
Refresh
Show: All
Add Comment
Archived Logs



Se agrega el usuario al nuevo sistema BWP en la configuración de EWA



Usuario: SCIENZA-SEC




Comprobación nueva,


Se verifica que ahora la RFC READ no funciona

En la SDCCN no se configuró automáticamente el Schedule del EWA (Sistema cliente)

Ejecutar de nuevo punto 8 de Managed System.



(actividades manuales son seteadas en Performed a mano)



Automatic Activities

Show All Logs | Execute All | Execute Selected | Refresh

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
		Activate Services	Mandatory			Execute	Display
		Set Up Single Sign-On	Optional		Transaction STRUSTSSO2	Postponed	Display
		Extractors Setup	Mandatory		Extractor Framework Admin UI	Execute	Display
		Activate E2E Trace Upload Service	Optional			Postponed	Display
		Introscope Host Adapter	Mandatory			Execute	Display
		BW Admin Cockpit Integration	Mandatory			Execute	Display
		Apply Settings for EWA Monitoring	Mandatory			Execute	Display
		Apply Settings for System Recommendations	Mandatory		System Recommendations	Execute	Display
		Check Connection to BW client	Optional		Transaction SM59	Postponed	Display

Manual Activities

Show All Logs

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
		Maintain SAP Router Data	Mandatory		Maintain SAP Router Configuration	Performed	Display
		Adjust HTTP Log Parameter	Mandatory		Transaction RZ10	Performed	Display
		Enable Remote R/3 Connection	Mandatory		Enable remote HTTP and R/3 Connection	Performed	Display
		Set Up Remote Connection to SAP HANA DB	Mandatory		SAP Note 1592925	Performed	Display