


Se verifica la versión de origen desde HANA Studio

Para evitar el error con el archivo SIGNATURE.SMF

```
File 'SIGNATURE.SMF' cannot be found in the SAP HANA Database installation kit. To include the signature when extracting the installation kit from a .SAR archive, use t
he SAPCAR option: -manifest SIGNATURE.SMF You can ignore this error and continue with the execution by passing the ignore option 'check_signature_file' to hdblcm, start
ed as root. See SAP note 2078425, section 'How to prepare SAP HANA packages for installation or update' for instructions how to prepare packages for update or implicati
ons of ignoring this error.
```

La descompresión se debe hacer usando SAPCAR -xvf nombredelarchivo.SAR -manifest SIGNATURE.SMF

```
vhdbcofhde:/hana/data/Media/SAP_HANA_DATABASE # ls
adapters.d                      filelist.resident  hdblcmweb    operations.d
descriptors.d                   filelist.update    hdbsetup     resources
filelist.hdbinst_remote_check   hdbinst            hdbuninst    server
filelist.hdblcm_remote_check    hdblcm             hdbupd
filelist.install                hdblcmgui          instruntime
vhdbcofhde:/hana/data/Media/SAP_HANA_DATABASE # ./hdblcm


SAP HANA Lifecycle Management - SAP HANA Database 2.00.045.00.1575639312
************************************************************************


Scanning software locations...
Detected components:
    SAP HANA Database (2.00.045.00.1575639312) in /hana/data/Media/SAP_HANA_DATA
BASE/server



Choose an action

  Index | Action             | Description
  ------------------------------------------------------------------------------
------
  1     | HDE (update)       | Update SAP HANA Database version 2.00.037.00.1552
531011
        |                    | vhdbcofhde (Database Worker (worker))
        |                    | plugins: afl
  2     | install            | Install new system
  3     | extract_components | Extract components
  4     | Exit (do nothing)  |

Enter selected action index [4]:
```

En la carpeta creada de la descompresión del .SAR se ejecuta ./hdblcm con root

HDBLCM (HANA Database Lifecycle Manager)

Interfaz de Línea de Comandos (CLI): Este comando se ejecuta completamente dentro de la terminal de texto (consola). No necesita entorno gráfico, por lo que es el más usado en servidores de producción a los que se accede por SSH.

Menú Interactivo General: Al no pasarle ninguna acción específica, el comando se abre en un menú interactivo general. Te va a mostrar una lista de opciones numeradas para que elijas qué querés hacer (Instalar, Actualizar, Renombrar el sistema, Desinstalar, etc.).

```
Choose components to be installed or updated:

  Index | Components | Description
  ------------------------------------------------------------------------------------------------------------------------
  1     | all        | All components
  2     | server     | Update SAP HANA Database from version 2.00.037.00.1552531011 to version 2.00.045.00.1575639312

Enter comma-separated list of the selected indices [1]:
```

Se elige la opción de update y luego all

```
An already installed component SAP HANA AFL (incl.PAL,BFL,OFL) is not compatible with SAP HANA Database version '2.00.045.00.1575639312'. The SAP HANA AFL (incl.PAL,BFL
,OFL) requires SAP HANA Database version 2.00.037.00.1552531011 The update of SAP HANA Database to version '2.00.045.00.1575639312' requires also the matching SAP HANA
AFL (incl.PAL,BFL,OFL) to be updated. Updates for plugins are available on the SAP Support Portal. For withdrawn plugins, follow SAP Note 2293092.
```

Este error es porque el AFL no se puede actualizar, se desinstala y luego se instala la versión nueva

```
/hana/shared/HDE/hdblcm
vhdbcofhde:/hana/shared/HDE/hdblcm # ./hdblcm


SAP HANA Lifecycle Management - SAP HANA Database 2.00.037.00.1552531011
************************************************************************



Choose an action

  Index | Action                    | Description
  ------------------------------------------------------------------------------------------
  1     | add_host_roles            | Add Host Roles
  2     | add_hosts                 | Add Hosts to the SAP HANA Database System
  3     | check_installation        | Check SAP HANA Database Installation
  4     | configure_internal_network | Configure Inter-Service Communication
  5     | configure_sld             | Configure System Landscape Directory Registration
  6     | extract_components        | Extract Components
  7     | print_component_list      | Print Component List
  8     | remove_host_roles         | Remove Host Roles
  9     | rename_system             | Rename the SAP HANA Database System
  10    | uninstall                 | Uninstall SAP HANA Database Components
  11    | unregister_system         | Unregister the SAP HANA Database System
  12    | update_component_list     | Update Component List
  13    | update_components         | Install or Update Additional Components
  14    | update_host               | Update the SAP HANA Database Instance Host integration
  15    | update                    | Update the SAP HANA Database System
  16    | exit                      | Exit (do nothing)

Enter selected action index [16]:
```

Para desinstalar el AFL hay que ejecutar el hdblcm residente ubicado en /hana/shared/SID/hdblcm y elegir la opción 10 uninstall

```
Choose components to be uninstalled for system 'HDE':
  Index | Components | Description
  ------------------------------------------------------------------------------------------------
  1     | all        | SAP HANA Database version 2.00.037.00.1552531011 and all other components
  2     | client     | Uninstall SAP HANA Database Client version 2.3.144.1551205008
  3     | studio     | Uninstall SAP HANA Studio version 2.3.41.000000
  4     | afl        | Uninstall SAP HANA AFL (incl.PAL,BFL,OFL) version 2.00.037.0001.1552995356

Enter comma-separated list of the selected indices [1]: 4
```

Luego elegir qué desinstalar y confirmar

```
Summary before execution:
=========================

SAP HANA Database System Uninstallation
   Software Components
      SAP HANA Studio
         Version 2.3.41.000000, do not uninstall
      SAP HANA Database Client
         Version 2.3.144.1551205008, do not uninstall
      SAP HANA AFL (incl.PAL,BFL,OFL)
         Uninstall version 2.00.037.0001.1552995356
      SAP HANA Database
         Version 2.00.037.00.1552531011, do not uninstall

Do you want to continue? (y/n): y
```

```
Uninstalling SAP HANA Database Components
  Uninstalling SAP HANA AFL (incl.PAL,BFL,OFL)...
    Uninstalling SAP Application Function Libraries...
    Uninstalling package AFL...
    Restarting System ...
      Stopping 6 processes on host 'vhdbcofhde' (worker):
        Stopping on 'vhdbcofhde' (worker): hdbcompileserver, hdbdaemon, hdbindexserver, hdbnameserver, hdbpreprocessor, hdbwebdispatcher
```

```
Uninstalling SAP HANA Database Components
  Uninstalling SAP HANA AFL (incl.PAL,BFL,OFL)...
    Uninstalling SAP Application Function Libraries...
    Uninstalling package AFL...
    Restarting System ...
      Stopping 6 processes on host 'vhdbcofhde' (worker):
        Stopping on 'vhdbcofhde' (worker): hdbcompileserver, hdbdaemon, hdbindexserver, hdbnameserver, hdbpreprocessor, hdbwebdispatcher
      All server processes stopped on host 'vhdbcofhde' (worker).
    Starting 6 processes on host 'vhdbcofhde' (worker):
        Starting on 'vhdbcofhde' (worker): hdbcompileserver, hdbdaemon, hdbindexserver, hdbnameserver, hdbpreprocessor, hdbwebdispatcher
        Starting on 'vhdbcofhde' (worker): hdbcompileserver, hdbdaemon, hdbindexserver, hdbpreprocessor, hdbwebdispatcher
        Starting on 'vhdbcofhde' (worker): hdbdaemon, hdbindexserver, hdbwebdispatcher
        Starting on 'vhdbcofhde' (worker): hdbdaemon, hdbwebdispatcher
      All server processes started on host 'vhdbcofhde' (worker).
  Updating Component List...
Uninstallation of the SAP HANA Database Components finished
You can send feedback to SAP with this form: https://vhdbcofhde:1129/lmsl/HDBLCM/HDE/feedback/feedback.html
Log file written to '/var/tmp/hdb_HDE_hdblcm_uninstall_2020-02-08_00.23.31/hdblcm.log' on host 'vhdbcofhde'.
```

Una vez que termina la desinstalacion volver a correr el hdblcm de la media de update y realizar el update.
Durante el proceso de update se vuelve a instalar el AFL

```
Choose components to be installed or updated:


  Index | Components | Description
  ------------------------------------------------------------------------------------------------------------------------
  1     | all        | All components
  2     | server     | Update SAP HANA Database from version 2.00.037.00.1552531011 to version 2.00.045.00.1575639312

Enter comma-separated list of the selected indices [1]:
Enter System Database User Name [SYSTEM]:
Enter System Database User (SYSTEM) Password:

Summary before execution:
=========================

SAP HANA Database
   Update Parameters
      SAP HANA System ID: HDE
      Remote Execution: ssh
      Update Execution Mode: standard
      System Database User Name: SYSTEM
   Software Components
      SAP HANA Database
         Update from version 2.00.037.00.1552531011 to 2.00.045.00.1575639312
         Location: /hana/data/Media/SAP_HANA_DATABASE/server
   Log File Locations
      Log directory: /var/tmp/hdb_HDE_hdblcm_update_2020-02-08_00.27.30
      Trace location: /var/tmp/hdblcm_2020-02-08_00.27.30_17802.trc

Do you want to continue? (y/n):
```



Se verifica la nueva versión de la base de datos