
System Rename PRD

Validar que los archivos hosts tengan registrados a si mismo ip/hosthame/host





Test de copia


Se debe configurar el hosts con el propio hostname e IP para que ejecute correctamente la SWPM


Crear carpeta, mover SWPM y sapcar. Descomprimir con root y ejecutar con sapadm


VALIDAR QUE ESTE EL PUERTO HABILITADO!



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Welcome
Go to the option you want to execute.
SAP S/4HANA Server 1809
SAP ABAP Foundation 1809 on HANA
SAP ABAP Platform 1809 on HANA (SAP internal use only!)
SAP BW/4HANA 2.0
SAP BW/4HANA 1.0 Support Release 1
SAP S/4HANA Core - Cloud
System Rename
Preparations
Operating System Users and Groups
Run Prerequisites Check for System Rename
Standard System
Distributed System
Description
Runs the pre-install phase and prerequisite checks
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net



Run Prerequisites Check for System Rename
Prequisite checks for LVM controled System Copy
Select which checks should be executed
Pre-Requisites Check
Checks to Perform
All
License File
OS Users
Run Pre-install Actions
Run Pre-requisite Checker
SAP System ID
Enter the SAP system ID for the target system
SAP System Parameter
*SAP System ID (SAPSID)
S4Q
Back
Next
Cancel



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Run Prerequisites Check for System Rename
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP System ID
Enter the SAP system ID for the target system
SAP System Parameter
*SAP System ID (SAPSID)
S4P
Remote monitoring
Follow terminal folder
Back
Next
Cancel
UNREGISTERED VERSION
8:49 PM
9/22/2021



Install License Key
Enter the path to the license key file
Import Licence
Install License Key
License Key File
Additional Information
Master Password
Enter the master password for all users.
Master Password
The master password is used for all users that are created. Check the tool help
*Password for All Users
*Confirm
Additional Information
If you want to set an individual password for each user, you can do this in the
set individual passwords, a new master password does not overwrite these inc
Back
Next
Cancel
14°C Lluvia ligera
17:50
22/9/2021



Run Prerequisites Check for System Rename
Define Parameters
Review Parameters
Execute Service
Service Completed
Saving prerequisite check results...
Prerequisites Checker Results
Read the results of the prerequisite analysis carefully.
Attention
Your host has been checked for compliance with the prerequisites.
If a condition is not met by your system, we strongly recommend that you fix this before starting the installation.
In rare cases, you might decide to run the installation although not all prerequisites are met. The installation does not prevent you from doing this, but make sure that you know what you are doing.
Detailed Results
Condition
Result Code
Severity
Message
More Information
Language check
Condition not met
MEDIUM
Check language. You must select English as the operating system language.. (Updated 2008-02-05)
Not available
Timezone check
Condition not met
MEDIUM
Check timezone. The timezone on your machine should be set to UTC. (Updated 2008-02-05)
Not available
Gcc check
Condition not met
MEDIUM
Check existence of gcc compiler. C compiler gcc should be installed.. (Updated 2008-03-06)
Not available
Back
Next
Cancel
Párrafo
Estilos
Edición
Dictar
Confidencialidad
Editor
Reutilizar archivos
Voz
Saving prerequisite check results...
Attention
Your host has been checked for compliance with the prerequisites.
If a condition is not met by your system, we strongly recommend that yo
In rare cases, you might decide to run the installation although not all pr
but make sure that you know what you are doing.
Detailed Results
Condition
Result Code
Severity
Language check
Condition not met
MEDIUM
Check language. You must select
2008-02-05)
Timezone check
Condition not met
MEDIUM
Check timezone. The timezone o
05)
Gcc check
Condition not met
MEDIUM
Check existence of gcc compiler.
06)
Back
Next
Cancel



Run Prerequisites Check for System Rename
Define Parameters
Review Parameters
Execute Service
Service Completed
Saving prerequisite check results...
Question
Your system does not meet some prerequisites or some prerequisites could not be evaluated.
Make sure that your system meets all conditions prompted by the prerequisite checker before you choose Yes. Otherwise the Prerequisites Checker Results screen and this message will be displayed again.
If you choose No, the prerequisites check is skipped.
Keep in mind that the prerequisite checker does not automatically change any settings.
Do you want to repeat the checks before continuing?
No
Yes
Cancel
Párrafo
Estilos
Edición
Dictar
Confidencialidad
Editor
Reutilizar archivos
Voz
Your system does not meet some prerequisites or some prerequisites could nc
Make sure that your system meets all conditions prompted by the prerequisite
screen and this message will be displayed again.
If you choose No, the prerequisites check is skipped.
Keep in mind that the prerequisite checker does not automatically change any
Do you want to repeat the checks before continuing?
No
Yes
Cancel
Run Prerequisites Check for System Rename
Define Parameters
Review Parameters
Execute Service
SAP System Type
Select the system type


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
s4-app-prd.of1.net
10.200.27.5
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Run Prerequisites Check for System Rename
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP System Type
Select the system type
SAP System Type
Application Server ABAP
Application Server Java
Unicode
Back
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION
8:51 PM
9/22/2021


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
s4-app-prd.of1.net
10.200.27.5
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Run Prerequisites Check for System Rename
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Database Parameter
Enter the database parameter
SAP System Parameter
*Database ID
HDX
Database Type
SAP HANA Database
*Database Host
S4-Hana-Prd
Back
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION
8:52 PM
9/22/2021


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
s4-app-prd.of1.net
10.200.27.5
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Run Prerequisites Check for System Rename
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Master Password
Enter the master password for all users.
Master Password
The master password is used for all users that are created. Check the tool help for restrictions and dependencies.
*Password for All Users
*Confirm
Additional Information
If you want to set an individual password for each user, you can do this in the corresponding parameter section on the Parameter Summary screen. If you set individual passwords, a new master password does not overwrite these individual settings.
Back
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION
8:52 PM
9/22/2021


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
s4-app-prd.of1.net
10.200.27.5
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Run Prerequisites Check for System Rename
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP System Administrator
Enter the password of the SAP system administrator.
SAP System Administrator
Account: s4padm
*Password of SAP System Administrator
*Confirm
User ID
Group ID of sapsys
1001
Additional Information
The fields User ID and Group ID should normally be left empty.
If you enter specific user or group IDs, make sure they do not conflict with other IDs you enter later in the installation.
Back
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION
8:53 PM
9/22/2021



Iniciamos con el rename de la base a HDQ





Tarda en ejecutar, no apretar enter ni nada.


Opción 9 y darle enter cuando salga el hostname

Clave

HPP










Post - Validar licencia


System RENAME DEL APP ASCS


Descomprimir una nueva SWP (nueva carpeta, mover los 3 archivos, descomprimir y ejecutar con sapadm elsapinst)



-rwxr-xr-x 1 root root 1037237 Dec 1 2020 messages.xml
-rwxr-xr-x 1 root root 433884 Dec 1 2020 product.catalog
-rwxr-xr-x 1 root root 645344 Dec 1 2020 resourcepool.xml
-rwxr-xr-x 1 root root 1124 Dec 1 2020 resources.dtd
-rwxr-xr-x 1 root root 4403040 Sep 23 12:21 sapcar.exe
-rwxr-xr-x 1 root root 145903597 Dec 1 2020 sapinst
sapadm@S4-APP-Prd:/sapmnt/midias/SWPM> ./sapinst
[==========] - extracting... done!
INFO: Native locale set to C.UTF-8
INFO 2021-09-23 12:22:43.048 (mainThread) [sixxcreate.cpp:347]
Initial log directory: /home/sapadm/.sapinst/S4-APP-Prd/22225
SAPinst build information:
Version: 749.0.86
Build: 2034408
Compile time: Nov 18 2020 - 04:37:58
Make type: optU
Codeline: 749_REL
Platform: linuxx86_64
Kernel build: 749, patch 933, changelist 2033866
SAP JRE build: SAP Java Server VM (build 8.1.065 10.0.2+000, Jul 27 2020 17:26:10 - 81_REL - optU - linux amd64 - 6 - bas2:320007 (mixed mode))
SAP JCo build: 3.0.20
SL-UI version: 2.6.65
SAP UI5 version: 1.60.30
Exe directory: /tmp/sapinst_exe.22186.1632410560
SAPinst process information:
Pid: 22225
INFO 2021-09-23 12:22:44.101 (sapadm/sapsys) (SLPCommunicator) [SLPMonitoringStatemachine.cpp:1402]
Open your browser and paste the following URL address to access the GUI
https://S4-APP-Prd.of1.net:4237/sapinst/docs/index.html
Logon users: [sapadm]
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Software Provisioning Manager
Welcome
Go to the option you want to execute.
SAP BW/4HANA 2.0
SAP BW/4HANA 1.0 Support Release 1
SAP S/4HANA Core - Cloud
System Rename
Preparations
Standard System
Distributed System
System Rename for ASCS Instance
System Rename for ERS Instance
System Rename for Database Instance
System Rename for the Primary Application Server
System Rename for SAP Web Dispatcher Instance
Generic Options
Options used by SAP Landscape Management
Description
Executes system rename for the ASCS instance
If your system does not have an ASCS instance, skip this option.
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Software Provisioning Manager
Welcome
Go to the option you want to execute.
SAP BW/4HANA 2.0
SAP BW/4HANA 1.0 Support Release 1
SAP S/4HANA Core - Cloud
System Rename
Preparations
Standard System
Distributed System
System Rename for ASCS Instance
System Rename for ERS Instance
System Rename for Database Instance
System Rename for the Primary Application Server
System Rename for SAP Web Dispatcher Instance
Generic Options
Options used by SAP Landscape Management
Description
Executes system rename for the ASCS instance
If your system does not have an ASCS instance, skip this option.
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION



Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Moving /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log...
Error
Unable to start a service execution. The execution will be terminated now.
DETAILS: At line 110 file /bas/749_REL/bc_749_REL/src/ins/SAPINST/impl/src/syslib/filesystem/syuxcnodit.cpp Call stack: CThrThread.cpp: 82: CThrThread::threadFunction() CServiceSelectionBase.cpp: 754: CServiceSelectionBase::askForOverwritingAndCopyFile syxxcnode.cpp: 345: CSyNodeImpl::move(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_31_23/log, ISyNode::CopyMoveMode_t 0x3) syxxcdir.cpp: 252: CSyDirectoryImpl::copy(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_31_23/log, ISyNode::CopyMoveMode_t 0x803ISyProgressObserver*) syxxcdir.cpp: 67: CSyDirectoryImpl::getChildNodes(iastring,bool) syuxcnodit.cpp: 47: CSyNodeIteratorImpl::CSyNodeIteratorImpl(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log, const iastring & *, bool 1) syuxcnodit.cpp: 79: CSyNodeIteratorImpl::first() System call failed. DETAILS: Error 13 (0x0000000d) (Permission denied) in execution of system call 'opendir' with parameter (/tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log), line (100) in file (/bas/749_REL/bc_749_REL/src/ins/SAPINST/impl/src/syslib/filesystem/syuxcnodit.cpp), stack trace: CThrThread.cpp: 82: CThrThread::threadFunction() CServiceSelectionBase.cpp: 754: CServiceSelectionBase::askForOverwritingAndCopyFile syxxcnode.cpp: 345: CSyNodeImpl::move(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_31_23/log, ISyNode::CopyMoveMode_t 0x3) syxxcdir.cpp: 252: CSyDirectoryImpl::copy(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_31_23/log, ISyNode::CopyMoveMode_t 0x803ISyProgressObserver*) syxxcdir.cpp: 67: CSyDirectoryImpl::getChildNodes(iastring,bool) syuxcnodit.cpp: 47: CSyNodeIteratorImpl::CSyNodeIteratorImpl(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log, const iastring & *, bool 1) syuxcnodit.cpp: 79: CSyNodeIteratorImpl::first() . Unable to access file /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log: Permission denied. Unable to move or rename node /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log with type file/directory to /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_31_23/log: Error during copy. Reverting move operation. See error messages above.
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Moving /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER...
Error
Unable to start a service execution. The execution will be terminated now.
DETAILS: At line 110 file /bas/749_REL/bc_749_REL/src/ins/SAPINST/impl/src/syslib/filesystem/syuxcnodit.cpp Call stack: CThrThread.cpp: 82: CThrThread::threadFunction() CServiceSelectionBase.cpp: 754: CServiceSelectionBase::askForOverwritingAndCopyFile syxxcnode.cpp: 345: CSyNodeImpl::move(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_36_47/SUPPORT_CONTAINER, ISyNode::CopyMoveMode_t 0x3) syxxcdir.cpp: 252: CSyDirectoryImpl::copy(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_36_47/SUPPORT_CONTAINER, ISyNode::CopyMoveMode_t 0x803ISyProgressObserver*) syxxcdir.cpp: 67: CSyDirectoryImpl::getChildNodes(iastring,bool) syuxcnodit.cpp: 47: CSyNodeIteratorImpl::CSyNodeIteratorImpl(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER, const iastring & *, bool 1) syuxcnodit.cpp: 79: CSyNodeIteratorImpl::first() System call failed. DETAILS: Error 13 (0x0000000d) (Permission denied) in execution of system call 'opendir' with parameter (/tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER), line (100) in file (/bas/749_REL/bc_749_REL/src/ins/SAPINST/impl/src/syslib/filesystem/syuxcnodit.cpp), stack trace: CThrThread.cpp: 82: CThrThread::threadFunction() CServiceSelectionBase.cpp: 754: CServiceSelectionBase::askForOverwritingAndCopyFile syxxcnode.cpp: 345: CSyNodeImpl::move(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_36_47/SUPPORT_CONTAINER, ISyNode::CopyMoveMode_t 0x3) syxxcdir.cpp: 252: CSyDirectoryImpl::copy(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_36_47/SUPPORT_CONTAINER, ISyNode::CopyMoveMode_t 0x803ISyProgressObserver*) syxxcdir.cpp: 67: CSyDirectoryImpl::getChildNodes(iastring,bool) syuxcnodit.cpp: 47: CSyNodeIteratorImpl::CSyNodeIteratorImpl(const CSyPath & /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER, const iastring & *, bool 1) syuxcnodit.cpp: 79: CSyNodeIteratorImpl::first() . Unable to access file /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER: Permission denied. Unable to move or rename node /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/SUPPORT_CONTAINER with type file/directory to /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS/log_2021_09_23_12_36_47/SUPPORT_CONTAINER: Error during copy. Reverting move operation. See error messages above.
Cancel
UNREGISTERED VERSION


Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Warning
The previous run of the selected installation service was found. It is not possible to continue with the previous run. Select "Ok" to start new run.
The integrity check of DES instkey.pkey file in /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS failed.
For more information, see SAP Note 2393060. It is not possible to continue with the previous option. New option will be run.
Ok
Cancel
UNREGISTERED VERSION



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Incognito
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Warning
The XML files in /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS may have been tampered with.
If you continue, there is a risk that malicious code will be executed on your machine.
Pressing Cancel will abort SAPinst. Pressing Ignore will ignore this warning and continue.
Ignore
Cancel
4:00 PM
9/23/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Incognito
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Error
Login as root user and restart the process.
Ok
Cancel
4:01 PM
9/23/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | s4-app-prd.of1.net:4237/sapinst/docs/index.html
Incognito
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Warning
The XML files in /tmp/sapinst_instdir/NW73/SBC/DISTRIBUTED/ASCS may have been tampered with.
If you continue, there is a risk that malicious code will be executed on your machine.
Pressing Cancel will abort SAPinst. Pressing Ignore will ignore this warning and continue.
Ignore
Cancel
4:00 PM
9/23/2021


SYSTEM RENAME APP


Ejecutado e iniciado con ROOT









10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP System Parameters
Enter the SAP system parameters for the source and target system.
Source System
*SAP System ID
S4Q
SAP Mount Directory
/sapmnt
Target System
*Target SAP System ID
S4P
Back
Next
Cancel
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net
6:49 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Saving prerequisite check results...
Prerequisites Checker Results
Read the results of the prerequisite analysis carefully.
Attention
Your host has been checked for compliance with the prerequisites.
If a condition is not met by your system, we strongly recommend that you fix this before starting the installation.
In rare cases, you might decide to run the installation although not all prerequisites are met. The installation does not prevent you from doing this, but make sure that you know what you are doing.
Detailed Results
Condition | Result Code | Severity | Message | More Information
Language check | Condition not met | MEDIUM | Check language. You must select English as the operating system language.. (Updated 2008-02-05) | Not available
Timezone check | Condition not met | MEDIUM | Check timezone. The timezone on your machine should be set to UTC. (Updated 2008-02-05) | Not available
Gcc check | Condition not met | MEDIUM | Check existence of gcc compiler. C compiler gcc should be installed.. (Updated 2008-03-06) | Not available
Back
Next
Cancel
UNREGISTERED VERSION
6:50 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Saving prerequisite check results...
Question
Your system does not meet some prerequisites or some prerequisites could not be evaluated.
Make sure that your system meets all conditions prompted by the prerequisite checker before you choose Yes. Otherwise the Prerequisites Checker Results screen and this message will be displayed again.
If you choose No, the prerequisites check is skipped.
Keep in mind that the prerequisite checker does not automatically change any settings.
Do you want to repeat the checks before continuing?
No
Yes
Cancel
UNREGISTERED VERSION
6:50 PM
9/24/2021


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP Instance
Enter the parameters for the SAP instance.
SAP Instance
Enter the required parameters for the ASCS instance
*Instance Profile
/sapmnt/S4Q/profile/S4Q_ASCS01_S4-APP-Qas
Source Instance Number
01
Source Instance Host
S4-APP-Qas
*Target Instance Number
01
*Target Instance Host
S4-APP-Prd
Additional Information
Default values for Source Instance Number and Source Instance Host are calculated from the Instance Profile. These default values are used if you leave an input field empty.
Back
Next
Cancel
UNREGISTERED VERSION
6:51 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Operating System Users
Enter the account parameters.
SAP System Administrator
Account: s4padm
*Password of SAP System Administrator
*Confirm
User ID
Group ID of sapsys
1001
Login Shell
/bin/csh
Home Directory
Additional Information
The fields User ID, Group ID, and Home Directory should normally be left empty.
Back
Next
Cancel
UNREGISTERED VERSION
6:52 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for ASCS Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
DNS Domain Name
Enter the DNS domain name for the SAP system to calculate the fully qualified domain name (FQDN).
SAP System Domain Name
Set FQDN for SAP system
*DNS Domain Name for SAP System
of1.net
Additional Information
The DNS Domain Name is used to calculate the Fully Qualified Domain Name (FQDN), which is configured in profile parameter SAPLOCALHOSTFULL. This parameter is needed to define the URLs for the application servers. For more information, see SAP Note 654982.
Back
Next
Cancel
UNREGISTERED VERSION
6:53 PM
9/24/2021







SYSTEM RENAME BASEDATOS











Se cambian las PASS de los usuarios de base


SYSTEM


SAPHANADB


DBACOCKPIT









10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Database Schema
Enter the password for database schema.
Database Schema
Database ID
HPP
Database Host
s4-hana-prd
*Instance Number
00
Schema
SAPHANADB
*Schema Password
Additional Information
Follow the instructions for your system provisioning option:
Homogeneous System Copy (SAP HANA-Specific Backup / Recovery)
For an SAP HANA-specific system copy, the schema name must be available in the database backup to be restored. Enter the same password as in the backup. The password is not changed by Software Provisioning Manager.
System Rename
Verify that the schema name is the correct one for the system to be renamed and enter the password.
Back
Next
Cancel
7:07 PM
9/24/2021


10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Rename Tenant Database Name
Enter the new name for the Tenant Database.
Source SAP HANA Database
Database Host
s4-hana-prd
Instance Number
00
Tenant Database Name
HPP
Rename HANA Tenant Database
Rename Tenant Database
New Tenant Database Name
System Database Name
SystemDB
Password of the SYSTEM User
Additional Information
To change the Tenant Database Name, SYSTEM user credentials for the system database are required.
Back
Next
Cancel
7:07 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Secure Storage for Database Connection
Secure storage settings for the database connection data.
Database Connectivity
Secure Storage
HANA Secure User Store (hdbuserstore)
ABAP Secure Storage in the File System (ABAP SSFS)
Connection Environment for Secure Storage
Database Host Name(s)
Additional Information
Select the type of Secure Storage for the client connection.
Leave the Database Host Name(s) field empty to use the default value. The name of the connection host is obtained from the configuration of the SAP HANA database.
Alternatively, you can enter one or several host names to be used for the client connection environment.
Back
Next
Cancel
7:08 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Secure Storage Key Generation
Decide whether you want to generate an individual key for the secure storage of the SAP system.
Secure Storage Indvidual Key Information
Individual Key (Recommended for Productive Systems)
Default Key
Additional Information
You can choose between using an Individual Key for the encryption of confidential data or keeping the Default key, which provides obfuscation only.
New installation from scratch, target system installation for system copy, or system rename:
If you choose Individual Key (Recommended for Productive Systems), you must back up the displayed key in the upcoming message before it is used to encrypt the secure storage in the file system.
New installation from scratch:
The key is also used to encrypt the secure storage in the database.
For more information, see the installation, system copy, system rename guides for SAP systems based on SAP NetWeaver 7.1 and higher ABAP for your operating system platform at: https://support.sap.com/sltoolset -> System Provisioning
Back
Next
Cancel
7:16 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Cleanup of Operating System Users
Specify whether operating system users are to be removed from group'sapinst'on UNIX (the group'SAPINST'is to be removed from the operating system users on IBM i) after the execution of Software Provisioning Manager has completed.
Limit Installation Directory Access
The sapinst_instdir directory belongs to a group named sapinst. If this group is not available, it is created automatically as a local group. For security reasons, SAP recommends that you remove operating system users from group sapinst on UNIX (respectively remove group SAPINST from the operating system users on IBM i) after the execution of Software Provisioning Manager has completed.
Yes, clean up operating system users
Operating System Users to be Cleaned Up:
OS User
1
s4padm
Additional Information
Operating system users that are created during the execution of Software Provisioning Manager are added to the group sapinst on UNIX (respectively the group SAPINST is added to the operating system users on IBM i) as they need access to the sapinst_instdir directory. For operating system users that are not local, you either need the required administrator permissions or must adjust the sapinst group manually.
Back
Next
Cancel
7:17 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for Database Instance
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
100%
Execution of Service has been completed successfully.
Information
Execution of
System Rename > Distributed System > System Rename for Database Instance
has completed.
Ok
Cancel
7:19 PM
9/24/2021


System RENAME de la APP principal por ultimo










10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for the Primary Application Server
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
Saving prerequisite check results...
Prerequisites Checker Results
Read the results of the prerequisite analysis carefully.
Attention
Your host has been checked for compliance with the prerequisites.
If a condition is not met by your system, we strongly recommend that you fix this before starting the installation.
In rare cases, you might decide to run the installation although not all prerequisites are met. The installation does not prevent you from doing this, but make sure that you know what you are doing.
Detailed Results
Condition | Result Code | Severity | Message | More Information
Language check | Condition not met | MEDIUM | Check language. You must select English as the operating system language.. (Updated 2008-02-05) | Not available
Timezone check | Condition not met | MEDIUM | Check timezone. The timezone on your machine should be set to UTC. (Updated 2008-02-05) | Not available
Gcc check | Condition not met | MEDIUM | Check existence of gcc compiler. C compiler gcc should be installed.. (Updated 2008-03-06) | Not available
Back
Next
Cancel
7:28 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for the Primary Application Server
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP Instance
Enter the parameters for the SAP instance.
SAP Instance
Enter the required parameters for the primary application server instance
*Instance Profile: /sapmnt/S4P/profile/S4Q_D00_S4-APP-Qas
Source Instance Number: 00
Source Instance Host: S4-APP-Qas
*Target Instance Number: 00
*Target Instance Host: S4-APP-Prd
Additional Information
Default values for Source Instance Number and Source Instance Host are calculated from the Instance Profile. These default values are used if you leave an input field empty.
Back
Next
Cancel
7:28 PM
9/24/2021



10.200.24.16 - Conexión a Escritorio remoto
Software Provisioning Manager
Not secure | https://s4-app-prd.of1.net:4237/sapinst/docs/index.html
System Rename for the Primary Application Server
Tasklist
Log Files
Help
Define Parameters
Review Parameters
Execute Service
Service Completed
SAP HANA Database Connectivity
Enter the connectivity data of the database.
SAP HANA Database or Database Tenant
*Database Host: s4-hana-prd
*Instance Number of the SAP HANA Database: 00
*Database ID: HPP
Database User: SYSTEM
*Password: ••••••••••••
Additional Information
You are using SAP HANA multitenant database container. The Database ID and Password refer to the database tenant name and user password. The Instance Number and the Database Host must be those of the HANA system database.
Back
Next
Cancel
7:29 PM
9/24/2021


PASS SYSTEM


(en el paso anterior debió cambiar a)
















POST - VALIDAR ESTE WARNING






```
S4-APP-Prd:/sapmnt/midias/SWPM # su -
at              lp              nscd            polkitd         s4padm          sshd            systemd-timesync
chrony          man             nxautomation    root            s4qadm          statd           uuidd
dockremap       messagebus      omi             rpc             sapadm          systemd-coredump vnc
hacluster       nobody          omsagent        s4dadm          soportegdm      systemd-network zabbix
S4-APP-Prd:/sapmnt/midias/SWPM # su -
```