

```

digraph model_graph {
    // Dotfile by Django-Extensions graph_models
    // Created: 2025-11-26 16:20
    // Cli Options: -a -g -o diagrama26-11.dot

    fontname = "Roboto"
    fontsize = 8
    splines = true
    rankdir = "TB"

    node [
        fontname = "Roboto"
        fontsize = 8
        shape = "plaintext"
    ]

    edge [
        fontname = "Roboto"
        fontsize = 8
    ]

    // Labels
    subgraph cluster_django_contrib_admin {
        label=<
            <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
                <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
                    <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
                        <B>django.contrib.admin</B>
                    </FONT>
                </TD></TR>
            </TABLE>
        >
        color=olivedrab4
        style="rounded"

        django_contrib_admin_models_LogEntry [label=<
            <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
                <TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
                    <FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
                        LogEntry
                    </B></FONT></TD></TR>

                <TR><TD ALIGN="LEFT" BORDER="0">
                    <FONT FACE="Roboto"><B>id</B></FONT>
                </TD><TD ALIGN="LEFT">
                    <FONT FACE="Roboto"><B>AutoField</B></FONT>
                </TD></TR>

                <TR><TD ALIGN="LEFT" BORDER="0">
                    <FONT COLOR="#7B7B7B" FACE="Roboto"><B>content_type</B></FONT>
                </TD><TD ALIGN="LEFT">
                    <FONT COLOR="#7B7B7B" FACE="Roboto"><B>ForeignKey (id)</B></FONT>
                </TD></TR>

                <TR><TD ALIGN="LEFT" BORDER="0">
                    <FONT FACE="Roboto"><B>user</B></FONT>
                </TD><TD ALIGN="LEFT">
                    <FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
                </TD></TR>
            </TABLE>
        >
    }

```

```
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">action_flag</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">PositiveSmallIntegerField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">action_time</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">change_message</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">object_id</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">object_repr</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
}
subgraph cluster_django_contrib_auth {
  label=<
    <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
      <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
        <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
          <B>django.contrib.auth</B>
        </FONT>
      </TD></TR>
    </TABLE>
  >
  color=olivedrab4
  style="rounded"

  django_contrib_auth_models_Permission [label=<
    <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
      <TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
        <FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
```

Permission
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
AutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
content_type
</TD><TD ALIGN="LEFT">
ForeignKey (id)
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
codename
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
name
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

</TABLE>
>]

django_contrib_auth_models_Group [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">

Group
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
AutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
name
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

</TABLE>
>]

```

}
subgraph cluster_django_contrib_contenttypes {
    label=<
        <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
            <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
                <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
                    <B>django.contrib.contenttypes</B>
                </FONT>
            </TD></TR>
        </TABLE>
    >
    color=olivedrab4
    style="rounded"

    django_contrib_contenttypes_models_ContentType [label=<
        <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
            <TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
                <FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
                    ContentType
                </B></FONT></TD></TR>

            <TR><TD ALIGN="LEFT" BORDER="0">
                <FONT FACE="Roboto"><B>id</B></FONT>
            </TD><TD ALIGN="LEFT">
                <FONT FACE="Roboto"><B>AutoField</B></FONT>
            </TD></TR>

            <TR><TD ALIGN="LEFT" BORDER="0">
                <FONT FACE="Roboto">app_label</FONT>
            </TD><TD ALIGN="LEFT">
                <FONT FACE="Roboto">CharField</FONT>
            </TD></TR>

            <TR><TD ALIGN="LEFT" BORDER="0">
                <FONT FACE="Roboto">model</FONT>
            </TD><TD ALIGN="LEFT">
                <FONT FACE="Roboto">CharField</FONT>
            </TD></TR>

        </TABLE>
    >]
}

subgraph cluster_django_contrib_sessions {
    label=<
        <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
            <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
                <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
                    <B>django.contrib.sessions</B>
                </FONT>
            </TD></TR>
        </TABLE>
    >
    color=olivedrab4
    style="rounded"

    django_contrib_sessions_base_session_AbstractBaseSession [label=<
        <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">

```

```
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
AbstractBaseSession
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">expire_date</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">session_data</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
django_contrib_sessions_models_Session [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Session<BR/>&lt;<FONT FACE="Roboto"><I>AbstractBaseSession</I></FONT>&gt;
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I><B>session_key</B></I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I><B>CharField</B></I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>expire_date</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>DateTimeField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>session_data</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>TextField</I></FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
}
subgraph cluster_apps_accounts {
label=<
<TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
<FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
```

```
<B>apps.accounts</B>
</FONT>
</TD></TR>
</TABLE>
>
```

```
color=olivedrab4
style="rounded"
```

```
django_contrib_auth_models_AbstractUser [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
AbstractUser<BR/>&lt;</FONT>
FACE="Roboto"><I>AbstractBaseUser,PermissionsMixin</I></FONT>&gt;
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">date_joined</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">email</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">EmailField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">first_name</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">is_active</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">is_staff</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>is_superuser</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>BooleanField</I></FONT>
</TD></TR>
```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>last_login</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>DateTimeField</I></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">last_name</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>password</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>CharField</I></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">username</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_accounts_models_Usuario [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Usuario<BR/>&lt;<FONT FACE="Roboto"><I>AbstractUser</I></FONT>&gt;
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">celular</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">cpf</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>

```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>date_joined</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>DateTimeField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>email</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>EmailField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>first_name</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>CharField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>is_active</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>BooleanField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>is_staff</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>BooleanField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>is_superuser</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>BooleanField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>last_login</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>DateTimeField</I></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>last_name</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><I>CharField</I></FONT>
</TD></TR>
```



```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">local_trabalho</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>password</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>CharField</I></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">setor_trabalho</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">telefone</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><I>username</I></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><I>CharField</I></FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

}
subgraph cluster_apps_interessados {
  label=<
    <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
    <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
    <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
    <B>apps.interessados</B>
    </FONT>
    </TD></TR>
    </TABLE>
  >
  color=olivedrab4
  style="rounded"

  apps_interessados_models_Sexo [label=<
    <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
    <TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
    <FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
    Sexo

```

</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
BigAutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
nome
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

</TABLE>
>]

apps_interessados_models_Fototipo [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">

Fototipo
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
BigAutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
descricao
</TD><TD ALIGN="LEFT">
TextField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
nome
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

</TABLE>
>]

apps_interessados_models_Interessado [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">

Interessado
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">

```
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>fototipo</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>sexo</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">atualizado_em</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">auditiva</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">bairro</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">celular</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">celular_responsavel</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```
<FONT COLOR="#7B7B7B" FACE="Roboto">cidade_nascimento</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">cidade_residencia</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">complemento</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">cpf</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">criado_em</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">data_nascimento</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">email</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">EmailField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">email_responsavel</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">EmailField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```
<FONT COLOR="#7B7B7B" FACE="Roboto">endereco_residencial</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">fisica</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">intelectual</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">last_login</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">multiplas</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">nacionalidade</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">necessidades_especiais</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">nome</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```
<FONT COLOR="#7B7B7B" FACE="Roboto">nome_responsavel</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">num_endereco</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">num_nis</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">observacao</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">programa_social</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">psicossocial</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">senha</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">telefone</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```

<FONT COLOR="#7B7B7B" FACE="Roboto">telefone_responsavel</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">uf_nascimento</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">uf_residencia</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">visual</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

}
subgraph cluster_apps_cursoseoutros {
  label=<
    <TABLE BORDER="0" CELLBORDER="0" CELLSPACING="0">
    <TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER">
    <FONT FACE="Roboto" COLOR="Black" POINT-SIZE="10">
    <B>apps.cursoseoutros</B>
    </FONT>
    </TD></TR>
    </TABLE>
    >
  color=olivedrab4
  style="rounded"

  apps_cursoseoutros_models_Status [label=<
    <TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
    <TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
    <FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
    Status
    </B></FONT></TD></TR>

    <TR><TD ALIGN="LEFT" BORDER="0">
    <FONT FACE="Roboto"><B>id</B></FONT>
    </TD><TD ALIGN="LEFT">
    <FONT FACE="Roboto"><B>BigAutoField</B></FONT>
    </TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">

```

```
<FONT FACE="Roboto">ordem</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">permite_inscricao</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">status</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
apps_cursouseoutros_models_StatusInscricao [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
StatusInscricao
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">nome</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">ordem</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
apps_cursouseoutros_models_StatusMatricula [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
StatusMatricula
```


</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
BigAutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
nome
</TD><TD ALIGN="LEFT">
CharField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
ordem
</TD><TD ALIGN="LEFT">
IntegerField
</TD></TR>

</TABLE>
>]

apps_cursoseoutros_models_Criterio [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">

Criterio
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
id
</TD><TD ALIGN="LEFT">
BigAutoField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
ativo
</TD><TD ALIGN="LEFT">
BooleanField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
criado_em
</TD><TD ALIGN="LEFT">
DateTimeField
</TD></TR>

<TR><TD ALIGN="LEFT" BORDER="0">
descricao_criterio
</TD><TD ALIGN="LEFT">

```
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">tipo_criterio</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
apps_cursouseoutros_models_Evento [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Evento
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>status</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">atualizado_em</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">carga_horaria</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">criado_em</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```
<FONT FACE="Roboto">descricao</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">docente</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">endereco_local</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">fim_aulas</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">fim_inscricoes</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">fim_matricula</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">horario_aulas</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">inicio_aulas</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```
<FONT COLOR="#7B7B7B" FACE="Roboto">inicio_inscricoes</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">inicio_matricula</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">local</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">modalidade</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">objetivo</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">observacao</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">pre_requisito</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">programa</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```

```

<FONT FACE="Roboto">vagas</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">vagas_minimas</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_cursoseoutros_models_EventoCriterio [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
EventoCriterio
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>criterio</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>evento</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">idade_maxima</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">idade_minima</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">observacao</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">TextField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">ordem</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">ordem_idade</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">peso</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">tipo_reserva</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">vagas_reservadas</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">IntegerField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_cursouseoutros_models_Inscricao [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Inscricao
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>evento</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>interessado</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>status</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">data_inscricao</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_cursorseoutros_models_Classificacao [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Classificacao
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>inscricao</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>OneToOneField (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">data_classificacao</FONT>
</TD><TD ALIGN="LEFT">

```

```
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">posicao</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">IntegerField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">score_total</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DecimalField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
apps_cursouseoutros_modelos_InscricaoCritérioAtendido [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
InscricaoCritérioAtendido
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>critério</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>inscricao</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>validado_por</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
```



```
<FONT COLOR="#7B7B7B" FACE="Roboto">data_validacao</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateTimeField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">pontos_obtidos</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DecimalField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">validado</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>
```

```
</TABLE>
>]
```

```
apps_cursouseoutros_models_Turma [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Turma
</B></FONT></TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>evento</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">data_fim</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```
<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">data_inicio</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">DateField</FONT>
</TD></TR>
```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">descricao_turma</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">horario_aulas</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">local_aulas</FONT>
</TD><TD ALIGN="LEFT">
<FONT COLOR="#7B7B7B" FACE="Roboto">CharField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_cursoseoutros_models_Matricula [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Matricula
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>interessado</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>status</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>turma</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>ForeignKey (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">data_matricula</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DateTimeField</FONT>
</TD></TR>

```

```

</TABLE>
>]

```

```

apps_cursouseoutros_models_Avaliacao [label=<
<TABLE BGCOLOR="white" BORDER="1" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="5" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" COLOR="white" POINT-SIZE="10"><B>
Avaliacao
</B></FONT></TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>id</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>BigAutoField</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto"><B>matricula</B></FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto"><B>OneToOneField (id)</B></FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">aprovado</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">emite_certificado</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">BooleanField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT FACE="Roboto">frequencia</FONT>
</TD><TD ALIGN="LEFT">
<FONT FACE="Roboto">DecimalField</FONT>
</TD></TR>

```

```

<TR><TD ALIGN="LEFT" BORDER="0">
<FONT COLOR="#7B7B7B" FACE="Roboto">nota</FONT>
</TD><TD ALIGN="LEFT">

```

```

        <FONT COLOR="#7B7B7B" FACE="Roboto">DecimalField</FONT>
    </TD></TR>

</TABLE>
>]

}

// Relations

django_contrib_admin_models_LogEntry -> apps_accounts_models_Usuario
[label=" user (logentry)"] [arrowhead=none, arrowtail=dot, dir=both];

django_contrib_admin_models_LogEntry ->
django_contrib_contenttypes_models_ContentType
[label=" content_type (logentry)"] [arrowhead=none, arrowtail=dot, dir=both];

django_contrib_auth_models_Permission ->
django_contrib_contenttypes_models_ContentType
[label=" content_type (permission)"] [arrowhead=none, arrowtail=dot,
dir=both];

django_contrib_auth_models_Group -> django_contrib_auth_models_Permission
[label=" permissions (group)"] [arrowhead=dot arrowtail=dot, dir=both];

django_contrib_sessions_models_Session ->
django_contrib_sessions_base_session_AbstractBaseSession
[label=" abstract\ninheritance"] [arrowhead=empty, arrowtail=none, dir=both];

django_contrib_auth_base_user_AbstractBaseUser [label=<
<TABLE BGCOLOR="white" BORDER="0" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" POINT-SIZE="12" COLOR="white">AbstractBaseUser</FONT>
</TD></TR>
</TABLE>
>]
django_contrib_auth_models_AbstractUser ->
django_contrib_auth_base_user_AbstractBaseUser
[label=" abstract\ninheritance"] [arrowhead=empty, arrowtail=none, dir=both];
django_contrib_auth_models_PermissionsMixin [label=<
<TABLE BGCOLOR="white" BORDER="0" CELLBORDER="0" CELLSPACING="0">
<TR><TD COLSPAN="2" CELLPADDING="4" ALIGN="CENTER" BGCOLOR="#1b563f">
<FONT FACE="Roboto" POINT-SIZE="12" COLOR="white">PermissionsMixin</FONT>
</TD></TR>
</TABLE>
>]
django_contrib_auth_models_AbstractUser ->
django_contrib_auth_models_PermissionsMixin
[label=" abstract\ninheritance"] [arrowhead=empty, arrowtail=none, dir=both];

apps_accounts_models_Usuario -> django_contrib_auth_models_Group
[label=" groups (user)"] [arrowhead=dot arrowtail=dot, dir=both];

apps_accounts_models_Usuario -> django_contrib_auth_models_Permission
[label=" user_permissions (user)"] [arrowhead=dot arrowtail=dot, dir=both];

apps_accounts_models_Usuario -> django_contrib_auth_models_AbstractUser
[label=" abstract\ninheritance"] [arrowhead=empty, arrowtail=none, dir=both];

```

```

apps_interessados_models_Interessado -> apps_interessados_models_Sexo
[label=" sexo (interessado)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_interessados_models_Interessado -> apps_interessados_models_Fototipo
[label=" fototipo (interessado)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Evento -> apps_cursoseoutros_models_Status
[label=" status (eventos)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_EventoCriterio -> apps_cursoseoutros_models_Evento
[label=" evento (evento_criterios)"] [arrowhead=none, arrowtail=dot,
dir=both];

apps_cursoseoutros_models_EventoCriterio -> apps_cursoseoutros_models_Criterio
[label=" criterio (evento_criterios)"] [arrowhead=none, arrowtail=dot,
dir=both];

apps_cursoseoutros_models_Inscricao -> apps_cursoseoutros_models_Evento
[label=" evento (inscricoes)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Inscricao -> apps_interessados_models_Interessado
[label=" interessado (inscricoes)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Inscricao ->
apps_cursoseoutros_models_StatusInscricao
[label=" status (inscricao)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Classificacao -> apps_cursoseoutros_models_Inscricao
[label=" inscricao (classificacao)"] [arrowhead=none, arrowtail=none,
dir=both];

apps_cursoseoutros_models_InscricaoCriterioAtendido ->
apps_cursoseoutros_models_Inscricao
[label=" inscricao (criterios_atendidos)"] [arrowhead=none, arrowtail=dot,
dir=both];

apps_cursoseoutros_models_InscricaoCriterioAtendido ->
apps_cursoseoutros_models_Criterio
[label=" criterio (inscricoes_atendidas)"] [arrowhead=none, arrowtail=dot,
dir=both];

apps_cursoseoutros_models_InscricaoCriterioAtendido ->
apps_accounts_models_Usuario
[label=" validado_por (criterios_validados)"] [arrowhead=none, arrowtail=dot,
dir=both];

apps_cursoseoutros_models_Turma -> apps_cursoseoutros_models_Evento
[label=" evento (turmas)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Matricula -> apps_cursoseoutros_models_Turma
[label=" turma (matriculas)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Matricula -> apps_interessados_models_Interessado
[label=" interessado (matriculas)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Matricula ->
apps_cursoseoutros_models_StatusMatricula
[label=" status (matricula)"] [arrowhead=none, arrowtail=dot, dir=both];

apps_cursoseoutros_models_Avaliacao -> apps_cursoseoutros_models_Matricula
[label=" matricula (avaliacao)"] [arrowhead=none, arrowtail=none, dir=both];

```

}