

Refrigerant Transition Changes: Air Handlers, Coils, Air Conditioners, and Heat Pumps

SEPTEMBER 2024



In alignment with the Low GWP Refrigerant Transition, American Standard Heating and Air Conditioning and Ameristar by American Standard are pleased to continue the R-454B refrigerant products launch. For your reference, the models on this document support the various launches of products which will include the 15 SEER2 Heat Pumps. This document will be updated as more R-454B products are released.

COILS

The Coils product family will undergo several changes to support the transition to R-454B refrigerant. In our commitment to safety of our products, a Refrigerant Detection System (RDS) will be added which contains a leak detection sensor and mitigation control board mounted to the coil. There will be a new factory supplied wire harness running between the RDS (in the coil) and furnace, requiring field connection. Coil nomenclatures will reflect a 1st, 9th, and 14th digit change in the model number, with some models seeing 6th, 7th, and 8th digit changes as well.

R-410A Product Family Name	R-410A Model Number	R-454B Product Family Name	R-454B Model Number
4TXC	4TXCA002DS3HCA	5TXC	5TXCA001AS3HCA
	4TXCB003DS3HCA		5TXCB003AS3HCA
	4TXCB004DS3HCA		5TXCB004AS3HCA
	4TXCB006DS3HCA		5TXCB006AS3HCA
	4TXCC005DS3HCA		5TXCC005AS3HCA
	4TXCC007DS3HCA		5TXCC007AS3HCA
	4TXCC009DS3HCA		5TXCC009AS3HCA
	4TXCD008DS3HCA		5TXCD008AS3HCA
	4TXCD010DS3HCA		5TXCD010AS3HCA
4AXA	4AXAA001BS3HAA	5AXA	5AXAA001AS3HAA
	4AXAA003BS3HAA		5AXAA003AS3HAA
	4AXAA005BS3HAA		5AXAA005AS3HAA
	4AXAB004BS3HAA		5AXAB002AS3HAA
	4AXAB006BS3HAA		5AXAB004AS3HAA
	4AXAB007BS3HAA		5AXAB006AS3HAA
	4AXAB010BS3HAA		5AXAB007AS3HAA
	4AXAC009BS3HAA		5AXAB008AS3HAA
	N/A		5AXAB010AS3HAA
	N/A		5AXAC009AS3HAA
	N/A		5AXAC011AS3HAA
	N/A		5AXAD012AS3HAA
4PXC-U	4PXCAU24BS3HAB	5PXC-U	5PXCA001AS3HAA
	4PXCAU32BS3HAB		5PXCA002AS3HAA
	4PXCBU24BS3HAB		PHASED OUT
	4PXCBU30BS3HAB		5PXCBO03AS3HAA
	4PXCCU30BS3HAB		PHASED OUT
	4PXCBU36BS3HAC		5PXCBO04AS3HAA
	4PXCCU36BS3HAB		5PXCC005AS3HAA
	4PXCBU42BS3HAB		PHASED OUT
	4PXCBU48BS3HAB		5PXCBO06AS3HAA
	4PXCCU42BS3HAB		PHASED OUT
	4PXCCU48BS3HAB		5PXCC007AS3HAA
	4PXCDU48BS3HAB		5PXCD008AS3HAA
	4PXCCU60BS3HAB		5PXCC009AS3HAA
	4PXCDU60BS3HAB		5PXCD010AS3HAA
4PXC-D	4PXCBD30BS3HDB	5PXC-D	5PXCBD03AS3HDA
	4PXCBD36BS3HDB		5PXCBD04AS3HDA
	4PXCCD36BS3HDB		5PXCCD05AS3HDA
	4PXCBD42BS3HDB		5PXCBD06AS3HDA
	4PXCCD42BS3HDB		5PXCCD07AS3HDA
	4PXCCD60BS3HDB		5PXCCD09AS3HDA
	4PXCCD60BS3HDB		5PXCCD10AS3HDA



Please visit the Refrigerant Transition Playbook for the latest information and resources to support the transition.

COILS continued on next page.

Refrigerant Transition Changes: Air Handlers, Coils, Air Conditioners, and Heat Pumps

SEPTEMBER 2024



Refrigerant Transition Ready

COILS *(continued)*

R-410A Product Family Name	R-410A Model Number	R-454B Product Family Name	R-454B Model Number
4PXFH	4PXFH001BC3HHA	5PXFH	5PXFH001AC3HHA
	4PXFH003BZ3HHA		5PXFH003AZ3HHA
	4PXFH004BC3HHA		5PXFH004AC3HHA
	4PXFH005BZ3HHA		5PXFH005AZ3HHA
	4PXFH007BC3HHA		5PXFH007AC3HHA
	4PXFH009BZ3HHA		5PXFH009AZ3HHA
4MXC	4MXCA003AC6HCB	5MXC	5MXCA003AC6HCA
	4MXCB004AC6HCB		5MXCB004AC6HCA
	4MXCC005AC6HCB		5MXCC005AC6HCA
	4MXCB006AC6HCB		5MXCB006AC6HCA
	4MXCC007AC6HCB		5MXCC007AC6HCA
	4MXCC009AC6HCB		5MXCC009AC6HCA
	4MXCD008AC6HCB		5MXCD008AC6HCA
	4MXCD010AC6HCB		5MXCD010AC6HCA

HEAT PUMPS

The single-stage heat pumps will have new compressors to align with R-454B refrigerant, new service valve connection sizes, and new TXV and refrigeration designs that are optimized for maximum performance using the new refrigerant. The chart below represents the new family and models with the new, low GWP refrigerant. For our outdoor products, models will receive a "5" in the first digit of the nomenclature to identify the new refrigerant.

R-410A Product Family Name	R-410A Model Number	R-454B Product Family Name	R-454B Model Number
Silver 15	4A6H5018N1000AA	Silver 15	5A6H5018A1000AA
	4A6H5024N1000AA		5A6H5024A1000AA
	4A6H5030N1000AA		5A6H5030A1000AA
	4A6H5036N1000AA		5A6H5036A1000AA
	4A6H5042N1000AA		5A6H5042A1000AA
	4A6H5048N1000AA		5A6H5048A1000AA
	4A6H5060N1000AA		5A6H5060A1000AA
A4HP5	A4HP5018D1000A	A5HP5	A5HP5018A1000A
	A4HP5024D1000A		A5HP5024A1000A
	A4HP5030D1000A		A5HP5030A1000A
	A4HP5036D1000A		A5HP5036A1000A
	A4HP5042D1000A		A5HP5042A1000A
	A4HP5048D1000A		A5HP5048A1000A
	A4HP5060D1000A		A5HP5060A1000A
Silver 14 Heat Pump	4A6H4018N1000A	Silver 14 Heat Pump	5A6H4018A1000A
	4A6H4024N1000A		5A6H4024A1000A
	4A6H4030N1000A		5A6H4030A1000A
	4A6H4036N1000A		5A6H4036A1000A
	4A6H4042N1000A		5A6H4042A1000A
	4A6H4048N1000A		5A6H4048A1000A
	4A6H4060N1000A		5A6H4060A1000A

Refrigerant Transition Changes: Air Handlers, Coils, Air Conditioners, and Heat Pumps

SEPTEMBER 2024



Refrigerant Transition Ready

AIR CONDITIONERS

These Air Conditioners will have new compressors to align with R-454B refrigerant, new service valve connection sizes, and new TXV and refrigeration designs that are optimized for maximum performance using the new refrigerant. The chart below represents the new family and models with the new, low GWP refrigerant. For our outdoor products, models will receive a "5" in the first digit of the nomenclature to identify the new refrigerant.

R-410A Product Family Name	R-410A Model Number	R-454B Product Family Name	R-454B Model Number
Silver 13 Air Conditioner	4A7A3018N1000A	Silver 13 Air Conditioner	5A7A3018A1000A
	4A7A3024N1000A		5A7A3024A1000A
	4A7A3030N1000A		5A7A3030A1000A
	4A7A3036N1000A		5A7A3036A1000A
	4A7A3042N1000A		5A7A3042A1000B
	4A7A3048N1000A		5A7A3048A1000B
	4A7A3060N1000A		5A7A3060A1000A
Silver 14 Air Conditioner	4A7A4018N1000A	Silver 14 Air Conditioner	5A7A4018A1000A
	4A7A4024N1000A		5A7A4024A1000A
	4A7A4030N1000A		5A7A4030A1000A
	4A7A4036N1000B		5A7A4036A1000A
	4A7A4042N1000A		5A7A4042A1000A
	4A7A4048N1000A		5A7A4048A1000B
	4A7A4060N1000B		5A7A4060A1000B
Silver 15 Air Conditioner	4A7A5018N1000A	Silver 14 Air Conditioner	5A7A5018A1000A
	4A7A5024N1000A		5A7A5024A1000A
	4A7A5030N1000A		5A7A5030A1000A
	4A7A5036N1000A		5A7A5036A1000A
	4A7A5042N1000A		5A7A5042A1000A
	4A7A5048N1000A		5A7A5048A1000A
	4A7A5060N1000A		5A7A5060A1000A

AIR HANDLERS

The Air Handler product category will undergo changes to support R-454B refrigerant, including the addition of a Refrigerant Detection System (RDS) as new expansion valves optimized for R-454B refrigerant. Also, there is a notable change in premium nomenclature in the 6th through 10th digits to simplify distinguishing features and to better align with coils and furnaces.

R-410A Product Family Name	R-410A Model Number	R-454B Product Family Name	R-454B Model Number
TEM6	TEM6A0B30H21SC	5TEM6	5TEM6B03AV21SA
	TEM6A0C36H31SC		5TEM6D04AV31SA
	TEM6A0C48H41SC		5TEM6D06AV41SA
	TEM6B0C60H51SA		5TEM6D07AV51SA
A4AH5	A4AH5V30A1B30A	A5AHV	A5AHV003A1B30A
	A4AH5V36A1C30A		A5AHV004A1D30A
	A4AH5V48A1C30A		A5AHV006A1D30A
	A4AH5V60A1C30A		A5AHV007A1D30A
Silver TEM6 Air Handler	TEM6A0B24H21SCA	Silver TEM6 Air Handler	5TEM6B02AV21SA
	TEM6A0C42H41SCA		5TEM6D05AV41SA
Silver TEM4 Air Handler	TEM4B0B24M21SAA	Silver TEM4 Air Handler	5TEM4B02AC21SA
	TEM4A0B31M31SBA		5TEM4B03AC31SA
	TEM4B0C37M31SA		5TEM4D04AC31SA
	TEM4A0C43M41SBA		5TEM4D05AC41SA
	TEM4A0C49M41SBA		5TEM4D06AC41SA
	TEM4B0C60S51SAA		5TEM4D07AC51SA

AIR HANDLERS continued on next page.

Refrigerant Transition Changes: Air Handlers, Coils, Air Conditioners, and Heat Pumps

SEPTEMBER 2024



Refrigerant Transition Ready

AIR HANDLERS *(continued)*

Revised Air Handler Nomenclatures

American Standard

R-454B Air Handler

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

5 T A M X B 0 2 A V 2 1 D A A

Refrigerant
5 = R-454B

Brand
T = American Standard

Product Type
A = ForeFront Air Handler
E = Metal Air Handler

Convertability
M = Multi-poise 4-way

Product Tier
X = Communicating or 24v TAM
4 = 24v Entry Level
6 = 24v Mid-Tier
8 = High-Tier Communicating or 24v

1 Cabinet Width
B = ForeFront: 17.5"; TEM: 18.5"
C = ForeFront: 21.3"; TEM: N/A
D = ForeFront: 23.5"; TEM: 23.5"

2 Cooling Capacity - 1,000 BTUs
01 = 18 - 24K 05 = 36 - 48K
02 = 18 - 24K 06 = 36 - 60K
03 = 18 - 30K 07 = 42 - 60K
04 = 24 - 42K

3 Major Modification

Airflow Type & Capability
C = CTM
V = Variable Speed

Nominal Airflow Tonnage
2 = 2 Tons 4 = 4 Tons
3 = 3 Tons 5 = 5 Tons

Power Supply
1 = 206 - 230/1/60
2 = Dual Voltage (120 or 230)

Control Type
S = 24V 3 = 3-Phase
D = Link or 24V

Minor Design Change

Service Digit

Ameristar

R-454B Air Handler

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

A 5 A H C 0 0 2 A 1 B 3 0 A A

Brand
A = Ameristar

Refrigerant
5 = R-454B

Product Type
AH = Air Handler

3 Blower Type
C = Constant Torque
V = Variable Speed

2 Coil Size
001 = 18 - 24K
002 = 18 - 24K
003 = 18 - 30K
004 = 24 - 42K
005 = 36 - 48K
006 = 36 - 60K
007 = 42 - 60K

Major Modification

Power Supply
1 - 208-230/1/60

1 Cabinet Width
B = 18.5"
C = 21.3"
D = 23.5"

Refrigerant Control
3 = TXV
6 = FCCV

Placeholder

Minor Design Change

Service Digit - Not Orderable

- 1 Cabinet width designators now align more closely to furnace designators to help synchronize across platforms
- 2 Cooling capacity changed to be numerical to help encourage the best system match, regardless of nominal capacity
- 3 Motor type simplified to just Constant Torque and Variable Speed, making it easy to distinguish product type