

# Installation & Aftermarket Catalog

**GENERAC®**



Reduce installation costs,  
enhance performance and  
increase efficiency.

# Save Time on Installation

## AFTERMARKET ACCESSORIES



## Generator GenPads

- Takes less time to install than pea gravel and pouring concrete pads
- Covered under the lifetime warranty of the generator
- Air-Cooled GenPads fit all Air-Cooled Generac 8-24kW automatic standby generators, plus Honeywell
- Liquid-Cooled GenPads fit all Liquid-Cooled Generac 22-48kW standby generators

### Air-Cooled Part Numbers

10000007852 - 54" x 31" x 3"

10000007848 - 54" x 31" x 4"

### Liquid-Cooled Part Numbers

A0000516140 - 90" x 41" x 4"

10000005771 - 83" x 41" x 4"

10000044173 - 70" x 37" x 4"



## Generac Battery Program

- Full line of batteries available to all dealers
- Stock delivery and rotational program available
- Incredible value

### Part Number:

26R: 0H3421S

26: 077483S

24F: 058208S

27F: 058665S

31: 061119S

4DLT: 061915S

8D: 061104S



## Flex Lines

- Allow for quick, easy connection to the fuel supply
- Reduces long runs of black pipe and need for multiple elbows to reach the generator

### Part Number:

10000000498 24" - 1" I.D.

10000000499 48" - 1" I.D.

10000000500 72" - 1" I.D.

10000009776 3/4" I.D. 48" LG

10000009777 3/4" I.D. 72" LG

10000009793 3/4" I.D. 24" LG

Accounts with access to GenService, visit <https://service.generac.com>. Those without access, email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) to place your order.





Air-Cooled Generator Genpad and Exide Battery



## Norgas Fuel Regulators

- Designed to handle non-corrosive gas
- N5 series and NGR series features full internal relief
- Full line for both LP and NG

*For a detailed catalog, contact Norgas.*

To order contact Norgas  
Buy Direct Representative  
Aaron Easterly at  
[aarone@norgas.com](mailto:aarone@norgas.com)  
**513-942-3600**



## TCER Conductor Cable

- Same colored wiring as a Generac generator
- Quick, easy identification of wires
- Can be installed in damp areas and direct burial
- Available in 100- and 250-foot coil rolls
- Available for gens up to 24kW in varying sizes
- Joist Pull Rated

To order contact Cable Master  
at **414-292-2175** or email  
[generacorders@cablemaster.net](mailto:generacorders@cablemaster.net)





Shut-Off Valves with  
Manometer Port

# Save Time on Installation

## AFTERMARKET ACCESSORIES



## Pylex Generator Stands

- Quickly put together a stand for generators that need to be elevated
- Can be installed at varying depths to accommodate installations on pitched surfaces

To order contact Pylex Representative Christian Boisclair at **ChristianBoisclair@pylex.com** or call **1-800-246-1881**

## Shut-Off Valves with Manometer Port



- Reduces diagnostic times
- Allows gas pressure to be tested outside of the generator instead of at the fuel regulators

### Part Number:

1/2" Ball Valve – 0K8752

3/4" Ball Valve – 0K8754

1" Ball Valve – 0K8184

1 1/4" Ball Valve – 0L2844

1 1/2" Ball Valve – 0L2845

2" Ball Valve – 0L2846

To order email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) or visit <https://service.generac.com>



## Gen Cart

- Allows for 1 person to transport and place generator

### Part Number:

G0056850

To order call Generac at 1-888-Generac or visit <http://dealerconnection.generac.com>



# Install Smart

## TOOLS & ACCESSORIES



## Dormont Flow Pro

- A great tool for testing fuel related issues
- Displays and logs the gas flow rate, capacity and pressure
- 1/2" and 3/4" temporary flex pipe come standard

**Part Number:**

A0000032418



## Sure-Start

- Provides generator application flexibility, reduces stress on the generator when providing power to HVAC, eliminates light dimming or power interruption to sensitive electronics during AC/HP starts
- Provides up to a 60% reduction in locked rotor start-up on air conditioning units

**Part Numbers:**

10000003764 - 208 / 230v (08-16) RLA

10000003756 - 208 / 230v (16-32) RLA



## Manometer


- Used to test gas pressure directly at the generator or at the fuel shut-off valve

**Part Number:**

0C8013A

Accounts with access to GenService, visit <https://service.generac.com>. Those without access, email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) to place your order.









## Oil System Drain Pump Kit

- Drill operated pump
- This pump will speed up the draining process of the oil
- Helps keep installation area clean from oil

**Part Number:**

OK9321



## Test Kits

- Offers complete analysis for issues related to oil, coolants, and fuel to prevent breakdowns

**Part Number:**

0L4701 - Basic Oil Analysis

0L4701A - Advanced Oil Analysis

0L4701B - Basic Coolant Analysis

0L4701C - Advanced Coolant Analysis

0L4701D - Basic Diesel Fuel Analysis

0L4701E - Advanced Diesel Fuel Analysis



## Test Lead Kits

- To test wiring where access to pins or connection points are not accessible
- Includes:
  - 1 set alligator adapters
  - 1 set of .5mm tipped test lead adapters
- These adapters are connected to the Digital Volt Ohm Meter leads to aid in testing pin connectors

**Part Number:**

OJ09460SRV

Accounts with access to GenService, visit <https://service.generac.com>. Those without access, email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) to place your order.





## Spark Tester

- Quick, easy and proper way to check the spark of the magneto ignition coil

**Part Number:**  
0C5969



## Molex Pin Extractor

- Used to remove pins from a molex wire connector, essential in verifying the pin/plug is not distorted, bent, or not making electrical contact

**Part Number:**  
0K4445

# Have The Right Tools For The Job

We know the right tools can help make the job easier. That's why we recommend purchasing these accessories from your local electrical wholesaler or distributor.



## Fuel Sweeps/Risers/Fittings

---

- Used in conjunction with polypipe
- Half the cost of rigid risers and other alternatives
- Fuel risers available
- Reduces the need for welding and underground splicing



## Car Flex

---

- Light-weight, non-metallic alternative used to run wire from the house to generator



## Poly Cutter

---

- Easily cuts through poly, rubber, and plastic pipe



## Ratchet Cutter

---

- Quick, easy cutting of copper and aluminum wire



## Polypipe, Tracer Wire & Holders

---

- Light-weight, cost-effective solution when fuel delivery needs to be buried underground



## CE/SER Cable

---

- Aluminum cost-effective alternative to copper





# Generac Fuel Treatments

## Generac 2-in-1 Gasoline Quality Test

- 100 count swabs
- Test for phase separation and fuel decay
- Two-part test for fuel or water
- Keeps bad fuel out of equipment
- Identify fuel-related issues

**Part Number:**  
A0000019002

## Corrosion Inhibitor and Protectant

- Renew and protect all outdoor items
- Formulated with corrosion inhibitors, carnauba wax, UV protection, anti-rust, release agents and pleasant scent/odor controlling agents

**Part Number:**  
A0000019001

## Fuel-Life™ Fuel Stabilization Device

- Stabilizes fuel by removing water and contaminants that cause corrosion, phase separation and fuel decay
- Works in all fuels and blends
- Reduces fuel related problems due to fuel contaminants, including water
- No measuring, no mess – insert device for year-round protection

**Part Number:**  
A0000018966

## Ultrasonic Cleaner Solution

- Metal or plastic surfaces
- Engineered to clean the toughest contaminants
- Biodegradable, non-toxic, water-based formula
- Ultra-concentrated, anti-corrosive, anti-evaporation formula

**Part Number:**  
A0000018981







# Generac Fuel Treatments

## Gas Fuel System Fix

---

- Revitalize stale fuel due to increased water content at the pump
- Replaces lost octane with added octane booster
- Cleans equipment's fuel system, allowing for improved efficiency

**Part Number:**  
A0000018964

## Gasoline Stabilizer

---

- Year-round engine protection
- Keeps fuel fresh and slows aging
- Antioxidant package

**Part Number:**  
A0000018958

## All-in-One Protection Diesel Fuel Additive

---

- Improves fuel efficiency
- Reduces smoking and emissions
- Cetane improvement
- Water protection

**Part Number:**  
A0000018975

## Diesel Fuel Tank Water Absorbers

---

- Neodymium magnets remove insoluble rust
- Easy installation and removal by high strength tether line
- A0000018988 – Diesel Fuel Tank Water Absorber
  - 36in long x 2in diameter
  - Removes water and salt water
  - Reusable
- A0000019000 – Diesel Fuel Tank Water Absorber with Fuel Life Technology
  - 36in long x 2.5in diameter
  - Fuel Life technology
  - Removes water, DEF, most antifreeze, and ethanol
  - Disposable

# Generac Hand Tools

## TOOLS AND ACCESSORIES

Generac branded Snap-on are designed with strength and durability.



Technician Kit - Part Number A0000081442



### 3/8 Drive Sockets

- 72 piece set

**Model Number**  
GN28072



### Torque Wrench

- 1/2" Drive, 250 Lb. Ft.

**Model Number**  
GN39250



### Tote Bag with Zipper

**Model Number**  
GN50001



### Tote Bag with Metal Handle

**Model Number**  
GN50002



### Utility Tool Kit

- 52 piece set

**Model Number**  
GN99952



### General Service Tool Kit

- 80 piece set

**Model Number**  
GN99980

Accounts with access to GenService, visit <https://service.generac.com>. Those without access, email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) to place your order.



# Maintenance Kits

## TOOLS AND ACCESSORIES

A scheduled maintenance program will ensure that your customers' units are always in top operating condition and that your warranty requirements are met. Please refer to the service chart for our recommended service and maintenance schedule. Generac offers a comprehensive line of scheduled maintenance kits to ensure long life and top performance of your standby generator system.



### SERVICE SCHEDULED MAINTENANCE KITS (WITH OIL)

#### Pre Evolution Controller Series Kits

| DESCRIPTION                                                                          | PART NUMBER |
|--------------------------------------------------------------------------------------|-------------|
| 7 kW SM 410 Home Standby with 5W-30 SYN oil                                          | 0J62470SSM  |
| 8/9 kW SM KIT 410 Home Standby with 5W-30 SYN oil (post 2008 models only)            | 0J57640SSM  |
| 10 kW SM KIT GT530 Home Standby with 5W-30 oil (post 2008 models only)               | 0J57660SSM  |
| 12-17 kW SM KIT Home Standby 760/990 Extended Life 5W-30 oil (including 2008 models) | 0J57670SSM  |
| 20 kW SM KIT Home Standby 999 with 5W-30 SYN oil (post 2008 models only)             | 0J57680SSM  |

#### Post Evolution Controller Series Kits

| DESCRIPTION                                                             | PART NUMBER |
|-------------------------------------------------------------------------|-------------|
| 6 kW SM KIT EcoGen 530cc with 5W-30 SYN oil                             | 0J57840SSM  |
| 8 kW SM KIT 2013 Evolution unit 5W-30 SYN oil                           | 0J93200SSM  |
| 11 kW SM KIT Rectangle Air Filter-Evolution Unit 5W-30 Synthetic oil    | 0J93210SSM  |
| 13-17 kW SM KIT Rectangle Air Filter-Evolution Unit 5W-30 Synthetic oil | 0J93220SSM  |
| 22 kW SM KIT Rectangle Air Filter-Evolution Unit 5W-30 SYN oil          | 0J93230SSM  |

See GenService or email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) for a downloadable detailed list of these kits and other maintenance items.

Accounts with access to GenService, visit <https://service.generac.com>. Those without access, email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) to place your order.

Tote Bag with Metal Handle

# Distributor/Dealer Engine Oil Program

Generac is excited to announce a new partnership with Lube-Tech that gives all partners the opportunity to purchase API Certified Generac Engine Oil.

## PROGRAM DETAILS:

- All orders must be placed through Generac - see details below on how to order
- One (1) pallet minimum if ordering from vendor Lube-Tech
- One (1) case minimum if ordering from Generac JDC
- Features 5W-30 Full Synthetic, 10W-30 and 15W-40 - see below for bottle size availability
- Products will ship from either Generac or direct from Lube-Tech - see chart below for details by part number
- All part numbers listed below count toward total Generac part purchases

## PLACE YOUR OIL ORDER TODAY

Accounts with access to GENservice, place all orders through the portal.

Accounts without access to GENservice, contact [AfterSales@generac.com](mailto:AfterSales@generac.com) for price inquiries and placing orders.

## GENERAC BRANDED OIL

### Ships From Vendor Lube-Tech - 1 Pallet Minimum

| DESCRIPTION                                                           | PART NUMBER | ORDER QUANTITY (PER PALLET) |
|-----------------------------------------------------------------------|-------------|-----------------------------|
| 5W-30 Full Synthetic – 1 quart / 0.95L bottle, case of 12             | 0J5324A     | 70                          |
| 5W-30 Full Synthetic – 5 quart / 4.7L jug, 3-pack case                | 0J5323A     | 56                          |
| 5W-30 Full Synthetic – 55 gallon / 208L drum                          | 0J5322A     | 4                           |
| 15W-40 CK-4 Heavy Duty Synthetic Blend – 1 gallon / 3.8L jugs, 3-pack | 0J5160A     | 54                          |
| 15W-40 CK-4 Heavy Duty Synthetic Blend – 5 gallon / 19L pail          | 0J5171      | 36                          |
| 15W-40 CK-4 Heavy Duty Synthetic Blend – 55 gallon / 208L drum        | 0J5159A     | 4                           |

See individual spec sheets on GenService or email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) for more information.





## GENERAC BRANDED OIL

**Ships From Generac Distribution Center - 1 Case Minimum**

| DESCRIPTION                                                   | CASE NUMBER | ORDER QUANTITY<br>(PER CASE) |
|---------------------------------------------------------------|-------------|------------------------------|
| 5W-30 Full Synthetic – 1 quart / 0.95L bottle                 | 0J5141      | 12                           |
| 5W-30 Full Synthetic – 5 quart / 4.7L jug                     | 0K7635      | 3                            |
| SAE-30W – 1 quart / 0.95L bottle                              | 0J5004      | 12                           |
| 10W-30 Full Synthetic – 1 quart / 0.95L bottle                | 0K3886      | 12                           |
| 10W-30 – 1 quart / 0.95L bottle                               | 0J5139      | 12                           |
| 10W-30 - 5 quart / 4.7L jug                                   | 0J5144      | 3                            |
| 15W-40 CK-4 Heavy Duty Synthetic Blend – 1 gallon / 3.8L jugs | 0J5146      | 3                            |

See individual spec sheets on GenService or email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) for more information.

# Antifreeze/Coolant Program

Generac is excited to announce a new partnership with Lube-Tech to bring all partners the opportunity to purchase Generac antifreeze/coolant.

## PROGRAM DETAILS:

- Orders must be placed through GENservice/ Billed through Generac. See details to the right on how to order.
- One (1) pallet minimum for all orders
- Available in Ethylene Glycol and Propylene Glycol
- Ships to Generac dealers directly from supplier
- Freight included in the price of the coolant
- Available in one-gallon bottles, 55-gallon drums, and select five-gallon pails
- Part numbers listed below count toward total Generac part purchases



## PLACE YOUR COOLANT ORDER TODAY

Accounts with access to GENservice, place all orders through the portal.

Accounts without access to GENservice, contact [AfterSales@generac.com](mailto:AfterSales@generac.com) for price inquiries and placing orders.

| DESCRIPTION                                                                   | PART NUMBER | ORDER QUANTITY |
|-------------------------------------------------------------------------------|-------------|----------------|
| Light Duty Coolant 50/50 EG - 1 gal / 3.8L bottle (6/case) - 27 per pallet    | 0J5164A     | 1 Case         |
| Extended Life Coolant 50/50 EG - 1 gal / 3.8L bottle (6/case) - 27 per pallet | 0J7992      | 1 Case         |
| Heavy Duty Coolant 50/50 EG - 1 gal / 3.8L bottle (6/case) - 27 per pallet    | 0J5166A     | 1 Case         |
| Heavy Duty Coolant 50/50 EG - 55 gal / 208L drum - 4 per pallet               | 0J5167A     | 1 Drum         |
| Heavy Duty Coolant EG - 5 gal / 19L pail - 36 per pallet                      | 0J7958      | 1 Pail         |
| Heavy Duty Coolant 50/50 PG Antifreeze - 5 gal / 19L pail - 36 per pallet     | 0J7959      | 1 Pail         |

See individual spec sheets on GenService or email [AfterSales@Generac.com](mailto:AfterSales@Generac.com) for more information.



# Partnership Programs



Generac's partnership with Toro provides a smoother installation process by connecting you with the essential tools to keep business moving.

- Generac Dealers receive premium access to Toro Dingo Narrow Trax Series
- Dingo's 34-inch track allows for access through standard yard gates
- Attachments allow for one-person generator unloading and placement
  - Bore Tool - Burrow for wire and fuel pipes
  - Blades - Grading
  - Forks - Transport pallets
  - Trencher - For burying cable/pipe in open earth



## DEALER EXCLUSIVE BENEFITS

- 17% off
- Financing available
- Free shipping & no additional tax costs (based on local tax ID rules)
- Extended warranties available (participating Toro Dealers only)

For more information about the Toro Siteworks Equipment Dealer Exclusive, contact a Toro dealer near you. Visit [Toro.com](https://www.toro.com) to find your nearest dealer.



Veto Pro Pac and Generac have partnered for 2021 to bolster your success in the field.

- Designed by tradesmen for tradesmen
- Durable denier nylon and riveted poly base
- 3mm lined polypropylene waterproof material
- Five-year warranty
- Use co-op dollars for custom logo embroidery

Visit [vetopropac.com/generac10](https://vetopropac.com/generac10) to take advantage of your 10% discount and to learn more about Veto Pro Pac.





# GENERAC®

Generac Power Systems, Inc.  
S45 W29290 Hwy. 59, Waukesha, WI 53189

1-888-GENERAC (1-888-436-3722)

201903042 ©2021 Generac Power Systems. All rights reserved  
Specifications are subject to change without notice.