




Product Data

SYSTXCCUID01

Infinity™ Control



A04030

Carrier specializes in creating a customized home comfort system tailored to your needs with our broad selection of residential heating and cooling products. The Infinity Control System is the ultimate control center for all of your system components. When you add an Infinity Control to a compatible variable speed furnace or Infinity fan coil, and any central air conditioning system or heat pump—you'll enjoy longer heating and cooling cycles at lower fan speeds for a more consistent temperature throughout your home. By adding a 2 stage outdoor unit, your comfort benefits will increase even more.

FEATURES/BENEFITS

Carrier's revolutionary Infinity Control is the smart control of the future. The Infinity Control features the largest backlit liquid crystal display in the industry, making it easier to read, even at night. Intuitive prompts let you program everything from humidity levels to fan speeds, giving you the ultimate control over your home comfort. Other features include.

- 4 wire installation from each component in the system
- Intuitive on screen prompts for ease of installation and service
- IdealHumidity settings are the default no longer requiring increased system setup
- Complete integration of the temperature, humidity and ventilation in every season
- 7 day programmability with 2 or 4 periods per day
- Easy timed override schedule
- Simplified vacation schedules
- Day at a glance programming for simplified ease of use
- Programmable fan by period

- TrueSense™ Dirty Filter Detection
- Indoor Air Quality pop up reminders
- General maintenance reminder messaging

- Optional Remote Kit can be added for access to your system from the internet or phone—(coming May 2004)

NOTES


- All zone controls sold separately. No kits available.
- Infinity Control compatible with Infinity rated indoor equipment only.




* As an ENERGY STAR® Partner, Carrier Corporation has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.



Model number nomenclature



Dimensions



Product data information

Compatible Products

58MVP/58CV
FE Fan Coil

Physical Characteristics

Dimensions: See drawing
Appearance: Plastic, white color, textured

Electrical Characteristics/Communication

Input Volts/Amps 24 vac.
Each device in the Infinity System has a four-pin connector labeled ABCD.
It is recommended that the following color code be used when wiring each device:
A — Green = Data A
B — Yellow = Data B
C — White = 24VAC (Com)
D — Red = 24VAC (Hot)

Environmental Requirements:

Operating Temperature/Relative Humidity:
User interface and all sensors: 32°F to 104°F, 95% rh non-condensing
Storage Temperature/Relative Humidity:
User interface: -40°F to 134°F, 95% rh non-condensing
Damper Control Module: -40°F to 185°F, 41% rh non-condensing

Applications:

Up to 2 stages cool/3 stages heat
Dual fuel (Heat pump with gas furnace backup)

Program Specifications:

Temperature set point range: 40°F to 90°F	Auto Changeover Timer (installer adjustable)
Separate heat and cool set points	Smart Recovery (in heating and cooling)
Programming days: 7 day	Hold function
Programming periods: 4-Wake, Day, Eve, Sleep	Copy functions: Copy period, day and zone
Auto changeover (may be disabled)	Permanent memory
Programmable fan (Installer selectable)	Humidity display and control
Humidity Sensor Offsets	Temperature sensor offsets (indoor and outdoor)
	TrueSense™ Dirty Filter Detection

Wiring Requirements:

Power supply: Dedicated 24 vac, 40 va, 60 hz isolated transformer, field supplied.
Wiring material: Standard thermostat wire 18 to 24 gage.

EQUIPMENT

DESCRIPTION	PART NO.
Infinity Control (4-Wire User Interface w/multiple functionality)	SYSTXCCUID01
Infinity Network Interface Module (NIM)	SYSTXCCNIM01*

* Required for ventilator control
Required for dual fuel applications with 1-speed (non-communicating) heat pumps
Required for use with 2-speed (non-communicating) AC or HP (38TDA, 38YDA)

Accessories

OPTIONAL ACCESSORIES

DESCRIPTION	PART NO.
Infinity Remote Room Sensor (RRS)	SYSTXCCRRS01*
Infinity Large Decorative Back plate	SYSTXX0LBP01†
10 Pack Replacement — Green Indoor Unit Plug (ABCD Connector)	SYSTXGRPLG10
Infinity System Access Module (SAM)	SYSTXCCSAM01

* Not required, but may be used to remote sense indoor room temperature.

† Back-plate dimensions: 5.75" wide X 6" high



Carrier

A United Technologies Company

Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice and without incurring obligations.

Book	1	1	1	4	4	4
Tab	3a	5	6	2a	5a	8a