SQL :

Date
Page

Create table :

```
CREATE TABLE customer (
    customer_id INT PRIMARY KEY,
    name VARCHAR(50),
    city VARCHAR(50),
);
```

Insert data :

```
Insert INTO customer (customer_id,
                name, city)
    VALUES
        (1, 'Aman', 'Delhi'),
        (2, 'priya', 'Mumbai');
```

Retrieve data :

```
SELECT * FROM customers;
```

Update :

```
UPDATE customer
SET city = 'Banglore'
WHERE customer_id = 2;
```

Scanned with OKEN Scanner

DDL :-

- CREATE
- DROP
- ALTER
- TRUNCATE

DML :-

- INSERT
- UPDATE
- DELETE

DQL :-

- SELECT

(#) ALTER

- Add a new column for phone number (Any).

ALTER TABLE customers
ADD phoneNumber VARCHAR(20);

Scanned with OKEN Scanner

classmate

Date
Page

DELETE :-

```
DELETE FROM customers
WHERE customer_id = 1;
```

SELECT :-

View all current customers

```
SELECT * FROM customers
```

TRUNCATE :-

Clear all customer data
(e.g. for system reset)

```
TRUNCATE TABLE customers;
```

DROP :-

permanently remove the table

```
DROP TABLE customers;
```

Scanned with OKEN Scanner