# RAG : Retrival Augmented Generation

Retrieval-Augmented Generation (RAG) is the process of optimizing the output of a large language model, so it references an authoritative knowledge base outside of its training data sources before generating a response. Large Language Models (LLMs) are trained on vast volumes of data and use billions of parameters to generate original output for tasks like answering questions, translating languages, and completing sentences. RAG extends the already powerful capabilities of LLMs to specific domains or an organization's internal knowledge base, all without the need to retrain the model. It is a cost-effective approach to improving LLM output so it remains relevant, accurate, and useful in various contexts.

1-Aug

31st -Aug

Generate the content

Disadvantages

1) Hallucinating

Scanned with OKEN Scanner

STARTUP : DATA → Policies, → HR, → Finance ⇒ Fine Tune ⇒ RAG ⇒ Pipeline

Similarity Search

OpenAI

Updated

Knowledge BASE ⇐ Vector DB ← DATA Ingestion Pipeline.

Embedding ← PARSING ← DATA

Text → Vectors

Chunk →

RAG ⇒ Developers

Embedding

Context + Prompt

LLM → O/P

Query → Vectors

web Search

PERPLEXI

What is the leave policy

Retrieval Pipeline

[Traditional RAG]

RAG

Scanned with OKEN Scanner




Scanned with OKEN Scanner