

AMORIM GENETICS LDA

Lab Director: António Amorim, PhD

ID \ Passaport Nº: C4C44771

L GM506

Mrs.

**BIRGIT SCHULZ** 

Date of Birth: 23-09-1988 Age: 33 Y Place: LGM-LISBOA N.P.: 13338

Collection date: 13/12/2021 14:45 Emission date: 14/12/2021 01:49

| Analysis | Results / Units | Reference Values | History |
|----------|-----------------|------------------|---------|
|----------|-----------------|------------------|---------|

## **VIROLOGY**

SARS-CoV-2 (RNA Detection)

(Viral RNA extraction and rRT-PCR amplification of 2 specific SARS-CoV-2 genes)

Sample Nasopharingeal Swab

Results Negative

A NEGATIVE result is reported when detection of at least two SARS-CoV-2 genes is negative. A POSITIVE result is reported when detection of at least two SARS-CoV-2 genes is positive. An INDETERMINABLE result is reported when, in the detection of at least two SARS-CoV-2 genes, a positive result is obtained only for one of the genes or a negative result is obtained for both genes and cumulatively a negative result is obtained in the detection of human RNA (control of harvest and extraction tests).



The Specialist in Laboratory Medicine,

Prof. Doutor Antonio Amorim (CP 23110B)