# Welcome to the CoGrammar

**Tutorial: Advanced Django** 

The session will start shortly...

Questions? Drop them in the chat. We'll have dedicated moderators answering questions.



#### **Software Engineering Session Housekeeping**

- The use of disrespectful language is prohibited in the questions, this is a supportive, learning environment for all - please engage accordingly.
   (Fundamental British Values: Mutual Respect and Tolerance)
- No question is daft or silly ask them!
- There are **Q&A sessions** throughout this session, should you wish to ask any follow-up questions.
- If you have any questions outside of this lecture, or that are not answered during this lecture, please do submit these for upcoming Academic Sessions. You can submit these questions here: <u>Questions</u>



#### Software Engineering Session Housekeeping cont.

- For all non-academic questions, please submit a query:
   www.hyperiondev.com/support
- We would love your feedback on lectures: <u>Feedback on Lectures</u>
- If you are hearing impaired, please kindly use your computer's function through Google chrome to enable captions.

#### Safeguarding & Welfare

We are committed to all our students and staff feeling safe and happy; we want to make sure there is always someone you can turn to if you are worried about anything.

If you are feeling upset or unsafe, are worried about a friend, student or family member. or you feel like something isn't right, speak to our safeguarding team:



Ian Wyles Designated Safeguarding Lead



Simone Botes



Nurhaan Snyman



Scan to report a safeguarding concern



or email the Designated Safeguarding Lead: Ian Wyles safeguarding@hyperiondev.com



Ronald Munodawafa



Rafig Manan

#### **Learning Outcomes**

- Implement a basic user registration form using Django forms.
- Implement Django's authentication views to perform user login and registration
- Explain what Permissions are in Django
- Create Permissions in their Django projects.
- Assign Permissions to a user in their projects.



#### **Learning Outcomes**

- Explain what Groups are in Django.
- Create Groups in their Django projects.
- Assign Permissions to Groups.
- Assign Group to a user to apply Permissions of Group to the user.





# Overview of Django's Authentication System

 Django provides a robust authentication system with several built-in components to manage user authentication.

- Components include the:
  - o User Model
  - o Authentication views
  - o Authentication backends



### Overview: User Model

- The User model in Django is part of the django.contrib.auth module and represents user accounts in a Django application.
- It includes fields for storing essential user information such as username, password, email, and other personal details.
- The User model also supports methods for creating, updating, and authenticating users.



# Overview: Authentication Views

- Django provides a set of built-in views for handling user authentication tasks, such as login, logout, and password management.
- These views are part of the django.contrib.auth.views module
  and are designed to be used out-of-the-box, reducing the
  need for developers to write custom authentication logic.



# **Auth Views: Key Views**

- LoginView: Handles user login. This view renders a login form and processes user credentials to authenticate users.
- LogoutView: Logs users out by terminating their session.
- PasswordChangeView: Allows users to change their password while logged in.
- PasswordResetView: Provides functionality for users to reset their password if forgotten, typically involving sending a reset link to their email.



# **Auth Views: Code Example**

In urls.py:

```
from django.urls import path
from django.contrib.auth import views as auth_views

urlpatterns = [
    path('login/', auth_views.LoginView.as_view(), name='login'),
    path('logout/', auth_views.LogoutView.as_view(), name='logout'),
    path('password_change/', auth_views.PasswordChangeView.as_view(), name='password_change'),
    path('password_reset/', auth_views.PasswordResetView.as_view(), name='password_reset'),
]
```



# Creating Login and Logout Views

For more control, you can create custom views.

```
from django.contrib.auth import authenticate, login, logout
from django.shortcuts import render, redirect
def custom login(request):
    if request.method == 'POST':
       username = request.POST['username']
       password = request.POST 'password'
       user = authenticate(request, username=username, password=password)
       if user is not None:
           login(request, user)
           return redirect('home')
   return render(request, 'login.html')
def custom logout(request):
    logout(request)
    return redirect('home')
```



## **URL Configuration**

Map your views to URLs to make them accessible.

```
from django.urls import path
from .views import register, custom_login, custom_logout

urlpatterns = [
    path('register/', register, name='register'),
    path('login/', custom_login, name='login'),
    path('logout/', custom_logout, name='logout'),
]
```





#### **Permissions**

- Our applications have multiple tables in our databases and we would like to limit who has access where.
- Permission will allow us to do just that.
- We can set a permission for a specific table and only allow a user with the correct permissions to access or change the table.
- When having a table Users we can create a permission "can edit users" then only users with this permission can edit users in our table.



#### **Django Permissions**

- Luckily for us we don't have to build this permission system from scratch, although you can.
- Django has a built-in permissions system we can make use of.
- We can use permission with our models to limit access to the data within that model's database table.



#### **Django Permissions**

- Having "django.contrib.auth" within our installed apps we get four default permissions for each of our models.
  - Add
  - Change
  - Delete
  - View
- These permissions are created when calling:
  - o python manage.py migrate



#### **Django Permissions**

- Assuming you have an application with an app\_label blog\_app and a model named Blog, to test for basic permissions you should use:
  - add: user.has\_perm('blog\_app.add\_blog')
  - change: user.has\_perm('blog\_app.change\_blog')
  - delete: user.has\_perm('blog\_app.delete\_blog')
  - view: user.has\_perm('blog\_app.view\_blog')



### **Adding Permissions**

To add specific permissions to a user we first have to get the permissions.

```
content_type = ContentType.objects.get_for_model(BlogPost)
permission = Permission.objects.get(
    codename="can_publish",
    content_type=content_type,
)
```



#### **Adding Permissions**

Then we can take the permission and add it to our user.

user.user\_permissions.add(permission)

Finally we can check if the user has the correct permissions.

user.has\_perm("myapp.change\_blogpost")



#### **Permissions**

We can restrict user from accessing certain views based on their permissions using the permission\_required() decorator.

```
from django.contrib.auth.decorators import permission_required
@permission_required("polls.add_choice")
def my_view(request):
```





#### Groups

- Now that we have permissions we would like to give multiple users the same set of permissions.
- It would be very tedious to have to go to each individual user and add each permission.
- This is where groups come into play.
- We can create a group and give it a set of permissions.
- When we then want to assign those permissions to a user we can just assign them to the group



#### Groups

- We saw that we had the option to create permission using code or we could make use of the Django admin site.
- The same applies for groups we can create and assign permissions to a group using code or we could do it through the admin site.
- The Group Model class has 2 attributes:
  - Name
  - Permissions



#### **Creating Groups**

```
from django.contrib.auth.models import Group, Permission
from django.contrib.contenttypes.models import ContentType
from .models import BlogPost
new_group, created = Group.objects.get_or_create(name ='publishers')
content_type = ContentType.objects.get_for_model(BlogPost)
permission = Permission.objects.get(
   codename="change_blogpost",
    content_type=content_type,
new_group.permissions.add(permission)
```



#### **Summary**

- Authentication: User authentication is fundamental for securing access to web applications, ensuring that users are who they claim to be. Django provides a robust, built-in authentication system that includes models and views to handle user authentication seamlessly.
- Data security: We have a responsibility to protect the data of our users. We have to limit access we provide users within our applications.
- Permissions: We can create and add permissions to our web application to limit users access to certain parts of the program as well as their access to the data contained within our program.
- Groups: We can use groups to apply a broad set of permissions to a user belonging to a specific group.



# Questions and Answers





Thank you for attending







