CoGrammar

Welcome to this session:

Task Walkthrough -Tasks 11 - 12

The session will start shortly...

Questions? Drop them in the chat. We'll have dedicated moderators answering questions.



Safeguarding & Welfare

We are committed to all our students and staff feeling safe and happy; we want to make sure there is always someone you can turn to if you are worried about anything.

If you are feeling upset or unsafe, are worried about a friend, student or family member, or you feel like something isn't right, speak to our safeguarding team:



Ian Wyles Designated Safeguarding Lead



Simone Botes



Nurhaan Snyman





Ronald Munodawafa



Scan to report a safeguarding concern



or email the Designated Safequarding Lead: Ian Wyles safeguarding@hyperiondev.com





Skills Bootcamp Data Science

- The use of disrespectful language is prohibited in the questions, this is a supportive, learning environment for all - please engage accordingly. (Fundamental British Values: Mutual Respect and Tolerance)
- No question is daft or silly ask them!
- There are Q&A sessions midway and at the end of the session, should you wish to ask
 any follow-up questions. Moderators are going to be answering questions as the
 session progresses as well.
- If you have any questions outside of this lecture, or that are not answered during this lecture, please do submit these for upcoming Academic Sessions. You can submit these questions here: <u>Questions</u>



Skills Bootcamp Data Science

- For all non-academic questions, please submit a query:
 www.hyperiondev.com/support
- Report a safeguarding incident: <u>www.hyperiondev.com/safeguardreporting</u>
- We would love your feedback on lectures: <u>Feedback on Lectures</u>
- If you are hearing impaired, please kindly use your computer's function through Google chrome to enable captions.



Learning Outcomes

- Load and explore datasets using pandas to understand their structure and contents.
- Perform basic data manipulations on DataFrames, such as filtering, sorting, and summarizing data.
- Create visualizations using matplotlib and seaborn to identify trends, patterns, and relationships in data.
- **Combine DataFrame operations with visualizations** to generate comprehensive data analysis reports.



Task Walkthrough

For today's task you're a data scientist analyzing movie data for a streaming platform. Your task is to:

- Load and explore a dataset containing information about movies (e.g., title, genre, rating, revenue).
- Perform basic manipulations to answer key questions like:
 - Which genre has the highest average rating?
 - O Which movie had the highest revenue?
 - How many movies were released each year?
- Visualize trends and insights using matplotlib and seaborn, such as:
 - A bar chart of average ratings by genre.
 - A line graph showing the number of movies released per year.
 - A scatter plot of revenue vs. rating to identify correlations.



What is a DataFrame in pandas?

- A. A table-like data structure with rows and columns
- B. A type of chart for visualising data
- C. A function to filter datasets
- D. A library for machine learning



Which Python library is commonly used for data visualisation?

- A. pandas
- B. seaborn
- C. NumPy
- D. TensorFlow



Datasets





Datasets

- A dataset is a structured collection of information relevant to a specific investigation or project
- In data science, they provide the raw material for analysis and modeling. Understanding different dataset formats ensures you can work with data from various sources (databases, online repositories, etc.).
- With the help of Pandas DataFrames, we can effortlessly manipulate data to suit our needs.



DataFrames





DataFrames

- A DataFrame is the way the Pandas library in Python represents tabular data. It's like a powerful *spreadsheet* within your code.
- Rows: Each row represents a single observation or data point (e.g., a person, a product, a transaction).
- Columns: Each column represents a variable or feature (e.g., height, price, date). Data within a column usually shares the same data type (numbers, text, etc.).




Pandas DataFrame





Pandas DataFrame

The pandas' library documentation defines a DataFrame as a "two-dimensional, size-mutable, with labelled rows and columns."



Anatomy of a DataFrame

Pandas DataFrame

- Pandas provides functions like pd.read_csv(), pd.read_excel(), pd.read_sql(), to bring your data directly into your coding environment as DataFrames.
- This is where you start turning your raw data into something easily workable.

```
import pandas as pd

# url = 'https://raw.githubusercontent.com/mwaskom/seaborn-data/master/iris.csv'
# df = pd.read_csv(url)

iris = datasets.load_iris()
df = pd.DataFrame(iris.data, columns=iris.feature_names)
```

HyperionDev

df.head(), df.tail(): Peek at the top and bottom rows for initial understanding

```
df head()
   0.0s
   sepal length (cm) sepal width (cm) petal length (cm) petal width (cm) species
0
                  5.1
                                      3.5
                                                          1.4
                                                                             0.2
                  4.9
                                      3.0
                                                          1.4
                                                                             0.2
                  4.7
                                      3.2
                                                          1.3
                                                                            0.2
                                                                                        0
3
                  4.6
                                                          1.5
                                                                             0.2
                                      3.1
                  5.0
                                      3.6
                                                          1.4
                                                                            0.2
```



df.head(), df.tail(): Peek at the top and bottom rows for initial understanding

df.tail()

✓ 0.0s

	sepal length (cm)	sepal width (cm)	petal length (cm)	petal width (cm)	species
145	6.7	3.0	5.2	2.3	2
146	6.3	2.5	5.0	1.9	2
147	6.5	3.0	5.2	2.0	2
148	6.2	3.4	5.4	2.3	2
149	5.9	3.0	5.1	1.8	2



df.shape: Tells you the dimensions (rows, columns) of your data.

```
df shape

✓ 0.0s

(150, 5)
```



df.info(): Gives the data types of each column, and if columns have missing values

```
df.info()

√ 0.0s

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 150 entries, 0 to 149
Data columns (total 5 columns):
    Column
                       Non-Null Count
                                        Dtype
    sepal length (cm) 150 non-null
                                        float64
    sepal width (cm) 150 non-null
                                        float64
    petal length (cm) 150 non-null
                                        float64
    petal width (cm) 150 non-null
                                        float64
    species
                       150 non-null
                                        int64
dtypes: float64(4), int64(1)
memory usage: 6.0 KB
```



df.describe(): Quick summary statistics for numerical columns.

df describe() ✓ 0.0s sepal length (cm) sepal width (cm) petal length (cm) petal width (cm) species 150.000000 150.000000 150.000000 150.000000 150.000000 count 5.843333 3.057333 3.758000 1.199333 1.000000 mean std 0.828066 0.435866 1.765298 0.762238 0.819232 4.300000 2.000000 1.000000 min 0.100000 0.000000 25% 5.100000 2.800000 1.600000 0.300000 0.000000 50% 5.800000 3.000000 4.350000 1.300000 1.000000 6.400000 3.300000 5.100000 1.800000 2.000000 75% 7.900000 4.400000 6.900000 2.500000 2.000000 max







- Selecting Columns: You often work with a subset of features.
- Using df[['column1', 'column2']] gets you only specific columns.

```
df.columns
✓ 0.0s
Index(['sepal length (cm)', 'sepal width (cm)', 'petal length (cm)',
       'petal width (cm)', 'species'],
      dtype='object')
   # Select specific columns
   df_selected = df[['species', 'petal length (cm)', 'petal width (cm)']]
✓ 0.0s
```



Filtering Rows: Focus on specific subsets meeting certain conditions, e.g., df[df['species'] == 'setosa']

```
# Filter by flower species
df_setosa = df[df['species'] == 'setosa']
```

✓ 0.0s



Creating New Columns: Derived features, e.g., calculating area from length and width.

```
# Create a new calculated column
df['petal area (cm^2)'] = df['petal length (cm)'] * df['petal width (cm)']

0.0s
```



Renaming/Dropping: Improve clarity or get rid of unneeded data.

Data manipulation gives you a highly customized DataFrame focused on your exact analysis needs.



Built-in Methods

- Pandas offers a toolbox of functions for calculations:
 - mean() Computes the mean for each column.
 - min() Computes the minimum for each column.
 - max() Computes the maximum for each column.
 - > std() Computes the standard deviation for each column.
 - > var() Computes the variance for each column.
 - > unique() Computes the number of unique values in each column.
- This is the start of understanding the characteristics of your data.



Grouping and Aggregation

df.groupby(): Divide your data based on categories in a column (e.g., group by species).

```
print(df['petal area (cm^2)'].mean())
   print(df['species'].nunique())
   print(df.groupby('species')['petal length (cm)'].std())
   0.0s
5.794066666666667
3
species
     0.173664
     0.469911
     0.551895
Name: petal length (cm), dtype: float64
```



Grouping and Aggregation

.agg(): Apply calculations within each group (e.g., average length, maximum width).

	mean_petal_length	max_sepal_width
species		
0	1.462	4.4
1	4.260	3.4
2	5.552	3.8







Installation

pip install matplotlib

Importing


import matplotlib.pyplot as plt

```
import matplotlib.pyplot as plt
import numpy as np

ypoints = np.array([1, 2, 3, 8, 4, 10, 2.5])

plt.plot(ypoints)
plt.show()

HyperionDev
```




```
import matplotlib.pyplot as plt
import numpy as np

ypoints = np.array([1, 2, 3, 8, 4, 10, 2.5])

plt.plot(ypoints, 'o-r')

plt.show()
```



Markers

o = Circle, * = Star, . = Point, x = Cross, s = Square, d = diamond


Linestyle Is

- Solid line
- : Dotted line
- -- Dashed line
- -. Dashed/dotted line

Colour <u>List of colours</u>

b = Blue, r = Red, g = Green, c = Cyan, m = Magenta, y = Yellow, k = Black, w = White






```
pi = np.pi
# Creating x axis with range
#and y axis with sine/cosine
x = np.arange(0, 4*pi, 0.1)
y1 = np.sin(x)
y2 = np.cos(x)
#Plotting sine/cosine on the same plot
plt.plot(x,y1, label='Sine', ls='--')
plt.plot(x,y2, Label='Cosine', Lw=2, c='crimson')
#x-axis, y-axis label, and plot title
plt.xlabel('x')
plt.ylabel('y=f(x)')
plt.title('Sine and Cosine functions')
#Legend for the two curves
plt.legend()
plt.show() #plt.savefig('sine.png')
```

import matplotlib.pyplot as plt

import numpy as np


:: Matplotlib: Barplot

```
import matplotlib.pyplot as plt
import numpy as np
#x,y for 1st and 2nd barplots
x1 = np.array(["cats", "dogs", "rabbits", "goldfish"])
y1 = np.array([3, 8, 2, 10])
x2 = np.array(["tiger", "lion", "cheetah", "leopard"])
y2 = np.array([4, 2, 1, 6])
#Subplot, parameters(rows, columns, index of current plot)
plt.subplot(2,1,1)
plt.bar(x1, y1, color = 'g', width=0.3)
plt.subplot(2,1,2)
plt.barh(x2, y2, color = '#800080', height=0.2)
plt.show()
```





Matplotlib: Pie chart




```
import matplotlib.pyplot as plt
import numpy as np
y = np.array([20, 35, 30, 15])
mylabels = ['Blueberry', 'Pineapple', 'Apple', 'Kiwi']
mycolors = ['b', 'y', 'r', 'g']
myexplode = [0, 0, 0, 0.2]
plt.pie(y, labels = mylabels, colors = mycolors,
        explode = myexplode, shadow = True)
plt.legend(loc='center left',title = "Four Fruits:")
plt.show()
```




Histograms & Scatterplots

A graph showing frequency distributions, the number of observations within each given interval.

```
N = 50
x = np.random.rand(N)
y = np.random.rand(N)
colors = np.random.rand(N)
plt.hist(x, color='cornflowerblue', alpha=0.5)
plt.show()
plt.scatter(x, y, c=colors)
plt.colorbar()
plt.show()
```







Task Walkthrough

For today's task you're a data scientist analyzing movie data for a streaming platform. Your task is to:

- Load and explore a dataset containing information about movies (e.g., title, genre, rating, revenue).
- Perform basic manipulations to answer key questions like:
 - Which genre has the highest average rating?
 - O Which movie had the highest revenue?
 - How many movies were released each year?
- Visualize trends and insights using matplotlib and seaborn, such as:
 - A bar chart of average ratings by genre.
 - A line graph showing the number of movies released per year.
 - A scatter plot of revenue vs. rating to identify correlations.



Which pandas method is used to calculate the average of a column grouped by another column?

- A. groupby() and mean()
- B. value_counts()
- C. filter()
- D. pivot_table()



What is the purpose of a scatter plot?

- A. To compare categories
- B. To show trends over time
- C. To display relationships between two numerical variables
- D. To count occurrences of data points



Summary

- ★ User-Defined Functions: Modularizing operations like data validation and analysis.
- ★ Strings: Validating email formats and formatting output.
- ★ Lists and Dictionaries:

 Storing participant objects and managing survey questions and responses.
- ★ File I/O: Reading and saving data to/from files for persistence.
- ★ OOP Classes: Modeling real-world entities and encapsulating behavior with methods.



CoGrammar

Q & A SECTION

Please use this time to ask any questions relating to the topic, should you have any.

Thank you for attending





