
Trabajo Final




Desarrollo móvil - React Native Margareth Dahiana Pino Córdoba


> Medellín – Antioquia 2023

Componentes


Card




Error




List



MainNavigation



Navbar



PlayButton

```
📢 Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda

    PlayButton.is - PelisApp - Visual Studio Code

         EXPLORADOR
                                      JS Navbar.js • JS PlayButton.js •
                                        components > JS PlayButtonjs > ...
2 import (Pressable, StyleSheet) from 'react-native';
3 import Icon from 'react-native-vector-icons/Ionicons';
4 class PlayButton extends React.PureComponent {
          > assets


√ components

                                                   JS Error.js
$
          JS PlayButton.js
•
          JS StopButton.js
                                                  const styles = StyleSheet.create({
                                                    button: {
    alignContent: 'center',
    borderRadius: 50,
         > node modules
                                                      width: 50,
padding: 10,
backgroundColor: "#ffc0cb"
          JS Home.js
          JS Search.js
                                                | backgroundColor: "#ff
},
});
const Colors = {
primary: '#FF3366',
secondary: '#3366FF',
background: '#Ff60cb',
text: '#FFFFFF',
lightGray: '#CCCCCC',
gray: '#888888',
dark: '#800000',
};
          JS services.js

✓ theme

         JS App.js
        Js index.js
{} package-lock.json
       > ESQUEMA
^ ESP ♠ ♠ ♠ 10:03 p. m. 29/05/2023
                                                                   Q Buscar
```

StopButton



VideoD

```
Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda

    VideoD.js - PelisApp - Visual Studio Code

                                                                                                                                                                                                                        G)
         EXPLORADOR
                                         JS Navbar.js • JS PlayButton.js • JS VideoD.js •
                                                   import * as React from 'react';
import VideoPlayer from 'react-native-video-controls';
import Video from 'react-native-video';
import { StyleSheet } from 'react-native';
          > assets

√ components

          JS Error.js
ź,
                                                            cVideo
onBack=(() => onClose())
onEnd=(() => onClose())
fullscreenOrientation="all"
source=({uri: 'https://vjs.zencdn.net/v/oceans.mp4'})
ref=((ref) => {
    this.player = ref
}


           JS PlayButton.js
•
         > node modules
                                                            onError={this.videoError}
style={styles.backgroundVideo}
           JS Home.js
           JS Search.js
           JS services.js
                                                   };
const styles = StyleSheet.create({
  backgroundVideo: {
    position: 'absolute',
    top: 0,
    left: 0,
    hottom: 0


✓ theme

          JS App.js
          B babel.config.js
                                                        right: 0,
        Js index.js
{} package-lock.ison
       > ESQUEMA
£653
                                                                                                                   18°C
Tormentas eléc.
                                                                                                                                                                                                                        Q Buscar
```


Screens


Detail






Home





Search




```
Search.js - PelisApp - Visual Studio Code
                                                                                                                                                                             EXPLORADOR ... JS Navbar.js • JS PlayButton.js • JS VideoD.js • JS Detail.js • JS Search.js X
        > assets
                                            container: {
   flex: 1,

✓ screens

$
                                              backgroundColor: '#ffc0cb',
         JS Detail.js
JS Search.js
                                            paddingHorizontal: 10,
paddingVertical: 15,
         services
•
                                            searchContainer: {
  flexDirection: 'row',
  alignItems: 'center',
        ∨ theme
        JS Colors.is
        gitignore
                                              padding: 10,
backgroundColor: '#ffc0cb',
borderBottomWidth: 1,
borderBottomColor: '#ccc',
       {} app.json

**B* babel.config.js**
        {} package-lock.json
        {} package.json
                                              flex: 1,
height: 40,
                                              borderRadius: 5.
                                              paddingHorizontal: 10,
backgroundColor: '#cccccc',
                                              marginRight: 10,
color: '#000',
                                             searchButton: {
> ESQUEMA
> LÍNEA DE TIEMPO
                                                                                             Q Buscar
```

Services



```
services.js - PelisApp - Visual Studio Code
       EXPLORADOR ... IS Navbar.js • IS PlayButton.js • IS VideoD.js • IS Detail.js • IS services.js X
                                             // Get Family Movies
export const getFamilyMovies = async () => {
        > assets
                                               const resp = await axios.get(
    `${apiUrl}/discover/movie?${apiKey}&with_genres=10751`,

✓ screens


ź,
         JS Search.js
                                            // Get Documenterry Movies
export const getDocumentaryMovies = async () => {
   const resp = await axios.get(
   `${apiurl}/discover/movie?${apikey}&with_genres=99',

✓ services


Js services.js
        JS Colors.is
         gitignore
       {} app.json

$\mathcal{B}$ babel.config.js
                                             export const getMovie = async id => {
   const resp = await axios.get(`${apiUrl}/movie/${id}?${apiKey}`);
   return resp.data;
        {} package-lock.json
        {} package.json
                                             // Search for Movie or TV by Keyword
export const searchMovieTv = async (query, type) => {
                                               return resp.data.results;
> ESQUEMA
> LÍNEA DE TIEMPO
                                                                                             Q Buscar
```


Theme




Index



App.js






The Little Mermaid





The youngest of King Triton's daughters, and the most defiant, Ariel longs to find out more about the world beyond the sea, and while visiting the surface, falls for the dashing Prince Eric. With mermaids forbidden to interact with humans, Ariel makes a deal with the evil sea witch, Ursula, which gives her a chance to experience life on land, but ultimately places her life and her father's crown - in jeopardy.





Mission to Rescue Princess Peach

Mushroom Kingdom to rescue her.



Possible Unhandled Promise Rejection (id...



ViewPropTypes will be removed from Rea...



