

Objective value - Python vs C++ agreement

	Exact	Restricted	RelaxPriority	RelaxGrouping	Total
Knapsack	45/45	319/319	318/318	295/295	977/977
Independent Set	36/36	766/766	754/754	725/725	2281/2281
Set Cover	422/422	4127/4127	4125/4125	4078/4078	12752/12752
SOC Knapsack	180/180	1080/1080	1080/1080	1080/1080	3420/3420
Sequencing	10/10	480/480	480/480	480/480	1450/1450
Total	693/693	6772/6772	6757/6757	6658/6658	20880/20880

Node count - Python vs C++ agreement

	Exact	Restricted	RelaxPriority	RelaxGrouping	Total
Knapsack	45/45	319/319	318/318	295/295	977/977
Independent Set	36/36	766/766	754/754	725/725	2281/2281
Set Cover	422/422	4127/4127	4125/4125	4078/4078	12752/12752
SOC Knapsack	180/180	1080/1080	1080/1080	1080/1080	3420/3420
Sequencing	10/10	480/480	480/480	480/480	1450/1450
Total	693/693	6772/6772	6757/6757	6658/6658	20880/20880

Arc count - Python vs C++ agreement

	Exact	Restricted	RelaxPriority	RelaxGrouping	Total
Knapsack	45/45	319/319	318/318	295/295	977/977
Independent Set	36/36	766/766	754/754	725/725	2281/2281
Set Cover	422/422	4127/4127	4125/4125	4078/4078	12752/12752
SOC Knapsack	180/180	1080/1080	1080/1080	1080/1080	3420/3420
Sequencing	10/10	480/480	480/480	480/480	1450/1450
Total	693/693	6772/6772	6757/6757	6658/6658	20880/20880