
YuE2 Studio

User Manual

Local AI music generator with the YuE2-3B model



Version: 1.6 · October 2026

Contents

1. Introduction 6

What can the program do? 6

System requirements 7

Key terms 8

2. Installation and first start 9

Program files 9

Starting 10

Interface language 10

If you already have Remiqora 10

Without Remiqora: download from the program 11

Your first song in five steps 11

3. The main window 12

The tab bar 13

The project bar 14

The Clean slate button 14

The status bar 15

The player bar 15

Tooltips 16

4. The Generate tab 17

4.1 Lyrics 18

4.2 Style 20

4.3 Mode and model 21

4.4 Song length 23

4.5 Seed and count 24

4.6 Advanced settings 24
4.7 Presets 28
4.8 Title and starting generation 28
4.9 Queue 29
4.10 Last result and log 30
4.11 Ollama helper (optional) 31
5. The ABC score tab 32
5.1 Toolbar 33
5.2 The score editor 33
5.3 Extracting from an audio file (SheetSage2) 34
5.4 Remaking an existing song by hand 35
6. The Library tab 37
6.1 Search and filter 37
6.2 The track table 38
6.3 Playback 39
6.4 Actions 39
6.5 Clearing the library 40
6.6 Details 41
7. The DAW – track editor 42
7.1 Top toolbar: project and loading 43
7.2 Second toolbar: playback and view 44
7.3 Track headers 45
7.4 The timeline and clips 46
7.5 The ruler and the loop 47
7.6 Volume automation 47
7.7 Effects (FX) 48

7.8 Clip properties: tempo, pitch 49
7.9 MIDI score from a track 49
8. The Score tab 50
8.1 Where should the score come from? 51
8.2 MIDI conversion 51
8.3 Appearance 52
8.4 Print, PDF, playback 53
9. The Remake tab – an existing song in a new style 54
9.1 Choosing the song 55
9.2 ⚡ Preparation with one click 55
9.3 Vocal separation 55
9.4 Melody and chords 56
9.5 Lyrics 57
9.6 New style 58
9.7 Generation 59
10. The Setup & Server tab 61
10.1 The YuE2 engine 61
10.2 Models 62
10.3 Download status 63
10.4 Server 64
11. The Settings tab 66
11.1 Paths and server 67
11.2 Ollama helper 68
11.3 Buttons 68
12. The Help tab and the Guide 69
12.1 Guide – step-by-step tours 69

12.2 The Help tab 72

13. Proven workflows 73

13.0 Projects – so that work does not get mixed up 73

13.1 Several variations, picking the best 73

13.2 Instrumental music 74

13.3 A longer song 74

13.4 An existing song in another style 74

13.5 Writing lyrics with local AI 74

14. Troubleshooting 76

15. Appendix 79

15.1 Output files 79

15.2 Licenses 79

1. Introduction

YuE2 Studio is a Windows desktop program that makes complete songs with vocals on your own computer, without internet or a subscription. You give it the lyrics and the musical style, and the program creates the finished recording with the **YuE2-3B** AI model.

The program is a single Python file (**yue2_studio.py**) plus a launcher (**YuE2_Studio_inditas.bat**). Most of the work is done on the graphics card by a fast server running in the background (**audiocpp_server.exe**); YuE2 Studio is a comfortable interface for it.

What can the program do?

- **Song generation** from lyrics and style, even several variations at once.
- **Musical planning** (COT): the model first writes the score of the song (melody and chords), then creates the audio to match it.
- **Your own melody** as text notation (ABC format), or **extracted from an existing song**.
- **Instrumental** music (no vocals).
- **LoRA adapters** to change the sound or the style.
- **Remake**: an existing song in a new style – vocals separated, melody and lyrics recognized automatically.
- **Queue**: line up several generations, pause, abort.
- **Library** with a built-in player, search, favorites, notes and MP3 export.
- **Projects**: save and reopen all tabs together; a **Clean slate** button on every tab.
- **Presets**: save and reload your favorite settings.

- **Installer**: download the engine and the models from inside the program, with resumable downloads.
- **DAW – track editor**: split a song into tracks (vocals, drums, bass, other), cut, effects, automation, export.
- **Score**: a real score from the melody and chords – print, PDF, playback.
- **MIDI**: extract notes from a track.
- **Guide**: step-by-step tours that highlight where to click.
- **Ollama helper** (optional): write lyrics and style with a local language model.
- **Tooltips** on every element, and a **multilingual interface** (Hungarian, English, German, French, Romani).

System requirements

Item	Requirement
Operating system	Windows 10 or 11, 64-bit
Graphics card	NVIDIA RTX (20 series or newer) with an up-to-date driver. At least 12 GB VRAM is recommended for the Q8_0 model; 16 GB is comfortable.
Memory (RAM)	At least 16 GB, 32 GB or more recommended
Free disk space	About 8 GB for the basic models; about 20 GB with every optional package
Python	3.10 or newer, with the PySide6, numpy, pedalboard and sounddevice packages (the launcher installs them)
Internet	Only for downloads, and the first use of the Score tab (the score renderer is about 0.5 MB)
ffmpeg (optional)	For MP3 export and non-WAV reference audio
Ollama (optional)	For the lyrics and style helper

Key terms

Term	Meaning
YuE2-3B	The AI music model. It creates a complete song with vocals from lyrics and a style.
Server	The audiocpp_server.exe program that runs the model on the graphics card. YuE2 Studio starts and controls it.
Style tags	Comma-separated English keywords that describe the sound (e.g. blues, piano, female vocal).
COT mode	Musical planning: the model first writes a score, then the audio. Values: off, melody, full.
ABC score	A simple text-based music notation. The song plan (melody and chords) is written in it.
SheetSage2	An extra model that reads the melody and the chords from an audio file into ABC notation.
Seed	Random seed. The same seed with the same settings gives the same song.
LoRA	A small add-on file that tunes the model's behavior in one direction (e.g. instrumental music).
VRAM	The memory of the graphics card. The models are loaded here.

2. Installation and first start

Program files

Create a folder for the program, for example:

```
D:\Music\YuE2Studio\
```

Copy these into it:

- **yue2_studio.py** – the program itself,
- **YuE2_Studio_inditas.bat** – the launcher, which installs the required packages the first time,
- the **lang** folder – the interface translations (needed for any language other than Hungarian).

After the first start, the program creates these in its own folder:

File / folder	Contents
yue2_studio_beallitasok.json	All settings and the state of the last used form
yue2_studio.db	The library database (data of the generated tracks)
presetek\	Saved presets (.json files)
projektek\	Saved projects (.y2proj) and the last session (_munkamenet.y2proj)
daw_projektek\	DAW projects (.y2daw) and the MIDI files you made (midi\ subfolder)
kottak\, kotta_lib\	Saved scores, and the score renderer (downloaded on first use)
kimenet\YYYY-MM-DD\	The generated WAV, MP3 and ABC files, one folder per day
motor\, modellek\	Only if you download the engine and the models from the program

The folder and file names are Hungarian on disk in every interface language; this is intentional, so that projects can be shared between users.

Starting

Double-click **YuE2_Studio_inditas.bat**. If an error happens, the window stays open so you can read the message. From a command prompt:

```
python yue2_studio.py
```

Interface language

The program starts in Hungarian. To switch: **Settings** tab → **Interface language** → choose **English**. The program offers to restart, and from then on it starts in English. The tooltips, the Help tab and the Guide tours are translated too.

If you already have Remiqora

If the **Remiqora** desktop program is on your computer, the YuE2 engine and the models are already downloaded here:

```
C:\Users\<user>\AppData\Local\Remiqora\engines\YuE2
```

YuE2 Studio **finds this by itself** on the first start and uses these files, so nothing needs to be downloaded again. If it does not find them, press the **Find Remiqora install** button on the **Settings** tab.

> **Warning:** Remiqora and YuE2 Studio use the same port (8080) and the same graphics card. Close Remiqora before you work with YuE2 Studio.

Without Remiqora: download from the program

- Open the **Setup & Server** tab (on the first start it opens by itself).
- Press **Download engine** (about 300 MB).
- In the model list leave the basics ticked (Q8_0 main model, VAE F16, SheetSage2), then press **Download selected** (about 7 GB).
- When done, press ▶ **Start**. Green light: the server is running.


Chapter 10 describes the details.

Your first song in five steps

Step	What to do
1.	Check the status bar (at the bottom of the window): it should say **Server:** ✓ **running**.
2.	On the **Generate** tab the lyrics and style fields already contain a tested example. Keep it or rewrite it.
3.	Set **COT mode** to **full** (the default).
4.	Press ▶ **Queue and generate**.
5.	When the job in the queue is ✓ **done**, press ▶ **Play** in the **Last result** section.


> **Good to know:** The first generation is slower, because the model is loaded onto the graphics card (1–2 minutes). After that the model stays loaded, so the next songs start faster.

3. The main window




The **tab bar** is at the top of the main window and the **status bar** at the bottom. Between them you see the selected tab. In the picture the **Generate** tab is open.

The tab bar



Tab	What it is for
Generate	Putting the song together (lyrics, style, mode, parameters) and starting generation
Remake	Remaking an existing song (MP3) in a new style: vocals, melody, lyrics, generation
ABC score	The musical plan of the song: edit, extend, extract from an existing song
Library	All generated tracks: play, search, favorites, export
DAW – track editor	Multitrack editor: split into tracks, cut, effects, mixing, export
Score	Melody and chords as sheet music: print, PDF, playback
Setup & Server	Downloading the engine and the models, starting the server and its log
Settings	Folders, port, ffmpeg, Ollama, tooltips, interface language
Help	A short guide and the Guide tours

The project bar



Above the tab bar you always see **which project** you are working on. A project = **the content of every tab** (Generate, Remake, ABC score, DAW, Score) + the songs generated for it. This way different pieces of work do not get mixed up.

- **Name** and project file name; the yellow ● means there are unsaved changes.
- **New project** (Ctrl+N): every tab is cleared and you give a new name. The old project's songs are not lost; the Library just shows the new one.
- **Open…** (Ctrl+O): a saved project comes back exactly as you left it.
- **Save** (Ctrl+S): everything goes into a single **.y2proj** file (in the projects folder).
- **Save as…** (Ctrl+Shift+S): under a new name; the project's songs continue under the new name.
- **Recent ▾**: the last 10 projects with one click.

> **Good to know:** Nothing is lost when you quit: the program saves the session, and next time you continue exactly where you stopped – even if you did not save the project.

The Clean slate button

Every work tab (Generate, Remake, ABC score, DAW, Score) has a yellow **Clean slate** button. It clears **only that one tab**, after asking. Finished songs stay in the Library. On the Generate tab the chosen main model and VAE are kept; the parameters go back to their defaults.


The status bar



Three pieces of information are always visible at the very bottom of the window:

- **Server**: ✓ running / starting… / ✗ stopped – the state of the YuE2 server.
- **Queue**: how many jobs are still in the queue (including the running one).
- **Graphics card** (right side): the card's name, used and total VRAM, and utilization. Updated every four seconds.

The player bar




Visible at the bottom of the window on every tab. You can play any finished song with it, even during generation.

- **Previous / Next** (first and fourth button): previous and next track in Library order.
- ▶ **Play / pause** (purple button) and ■ stop.
- **Slider**: seek in the track (click or drag), with the time next to it.
- **next automatically**: at the end of a track the next one starts by itself – so you can listen through all variations of a batch.
- volume, folder of the playing file.
- Keys: **Ctrl+Space** = play/pause, and the multimedia keys of the keyboard work too.

To start playback: double-click a song in the Library, or double-click a finished job in the queue of the Generate tab. The playing song is shown in bold in the Library.


Tooltips

If you hold the mouse pointer over any button, field, list or label for a moment, a **tooltip** appears. It shows the element's name, its function, and for parameters the default value and when it is worth changing.




Example: the tooltip of COT mode. The bold line is the element's name, the explanation is below.

Tooltips can be switched off with a checkbox on the **Settings** tab once you know the program.



Parameter tooltips: describe what the parameter controls and its default value.


4. The Generate tab



The tab has two parts. On the **left** is the form where you put the song together (scrollable). On the **right** are the queue, the last result and the log.

Parts of the form from top to bottom: Lyrics, Style, Mode and model, Song length, Seed and count, Advanced settings, Presets, and finally the title field and the start button. The following sections describe them in this order.

4.1 Lyrics



Write the lyrics here. Mark the parts (sections) of the song with **labels in square brackets**, each on its own line, before its text.

Section buttons (above the field)

The buttons insert the label at the cursor, on a new line.

Button	Meaning
[Intro]	Introduction, often without vocals
[Verse]	Verse – the story of the song
[Pre-Chorus]	Transition before the chorus, building tension
[Chorus]	Chorus – the key part of the song, repeated
[Bridge]	A contrasting part near the end of the song
[Solo]	Instrumental solo
[Outro]	The ending of the song
[instrumental]	A part without vocals, or a fully instrumental track

Buttons below the field

Button	What it does
Example	Loads a tested English example text
From file…	Loads lyrics from a .txt file
Save…	Saves the lyrics to a .txt file
Clear	Empties the field
Ollama: lyrics	You give a topic and the local Ollama model writes the lyrics with the right labels (see section 4.12)


To the left of the buttons a small **statistic** shows how many sections, lines and words the text has, and roughly how long the vocals will take.

Tips for good lyrics

- Short, singable lines (6–10 syllables per line).
- Write the chorus **exactly the same way** under every [Chorus]. Then the model keeps the same melody on it.
- For an average song, 2 verses, 2–3 choruses and maybe a bridge are enough.
- YuE2 was trained mainly on **English** text. Other languages may work, but pronunciation can be weaker.

```
[Verse]
Down by the river where the city lights glow
I walk alone and the night is moving slow
[Chorus]
Danube night, carry me home
Danube night, I'm not alone
```

4.2 Style



The style field expects **comma-separated English keywords** (tags), not a sentence. The ideal amount is **5–8 tags**. Next to the field the program shows how many tags there are, and whether that is too few, right (✓) or too many.

Tag lists

With the seven drop-down lists you can add tags to the style with one click. The chosen tag goes to the end, and the list resets.


List	Examples
Language	English, Hungarian, German, Spanish… (the first tag should be the language of the vocals)
Genre	pop, rock, folk, blues, jazz, synthwave, cinematic, delta blues…
Mood	happy, melancholic, dreamy, epic, nostalgic, smoky…
Instrument	acoustic guitar, piano, violin, saxophone, harmonica, cimbalom…
Vocals	male vocal, female vocal, raspy vocal, choir, falsetto…
Tempo	slow tempo, ballad, groovy, 90 bpm, 120 bpm, 12-bar…
Production	polished mix, live recording, lo-fi recording, vintage, warm analog…

Buttons below the lists

Button	What it does
Random style	Builds a random but well-structured 8-tag style – for ideas
Remove last tag	Removes the last tag
Sort / remove duplicates	Removes repeated tags and tidies the commas
Ollama: tags from description	You describe the sound in your own words and the local Ollama model turns it into English tags

> **Tip:** A good order: **vocal language, genre, mood, 2–3 instruments, vocal type, production**. For example: *English, delta blues, smoky, slide guitar, harmonica, raspy male vocal, live recording*

4.3 Mode and model



Here you choose how the model should plan, and which model files it should use.

COT mode (musical planning)

Mode	What it does	When to use
off	No musical plan; the model generates audio directly	Quick sketches, brainstorming
melody	First makes a melody plan (ABC score), or follows your score	When you want to use your own melody or one extracted from a song
full	Plans both melody and chords, and follows them	Default; the best song structure

Checkboxes


- **Use the contents of the 'ABC score' tab as the plan** – when ticked, the model gets the score from the ABC score tab as its melody plan. Works only in **melody** and **full** mode; if you tick it in off mode, the program switches to melody when generating.
- **Instrumental** – for a track without vocals. With empty lyrics, **[instrumental]** is used as the text, the mode switches to **full**, and if it is downloaded, the program selects the instrumental LoRA.

Model files

Item	Options	Explanation
Main model	yue2-3b-q8_0 / q4_0 / bf16	**q8_0**: recommended, good quality. **q4_0**: less memory, slightly weaker. **bf16**: best quality, most accurate with LoRAs, but needs the most VRAM.
VAE	yue2-vae-f16 / f32	Turns the internal codes into real audio. f16 is the usual choice.
Weight storage	native, f32, f16, bf16, q8_0, q4_0, q4_k	How the graphics card stores the weights. Leave it on **native** unless you need to save memory.

The list shows only the files that are actually in the models folder.

4.4 Song length




- **Limit length**: when ticked, the song will be at most as long as the slider (15 seconds to 6 minutes, in 5-second steps). Next to it the exact value: minutes:seconds and the number of tokens (25 tokens = 1 s).
- **Not much shorter**: the model may not end the song before 85% of the set length.
- Below it the **estimate**: how long the vocals will take based on the lyrics. Green: fits well; red: the limit would cut off the end of the song; yellow: warning.

> **Warning:** For songs without vocals (instrumental), **always** turn on the length limit! There is no text the model could follow, so it may write a 6-minute song by itself – and that takes a long time.

Without a limit, the lyrics decide the length (the upper bound is about 6 minutes). The **Time** column of the queue shows the generation time, not the song length.

4.5 Seed and count



- **Seed**: the random seed. The same seed with the same settings gives the same song.
- **random**: when ticked, every generation gets a new random seed. The seed field is then grey.
- **Count**: how many variations to make at once (1–50). All of them go into the queue and run one after another.
- **Batch mode** (list on the right): how the variations get their seeds.

Batch mode	Meaning
seed, seed+1, seed+2...	Consecutive seeds. Easy to find again later.
all random seeds	Completely different variations.
same seed	All get the same seed. Useful when you want to compare settings.

> **Tip:** If a song turns out really well, note its seed (it is also shown in the Library). With the same seed and fine-tuned parameters, the character of the song stays.

4.6 Advanced settings




On the form, **Advanced settings** is a collapsible section. Click to open it, click again to close it.

Every advanced parameter has a **checkbox** in front of the field. If the box is empty, the field is grey and the model's **own default** applies (shown as "default:" on the right of the field). If you tick it, the value in the field takes effect.


> **Tip:** You do not need to touch the advanced settings at first. The defaults are well tested.

Main parameters




Parameter	Default	Effect
Guidance scale	1.01 (off) / 1.0	How strictly the model follows the style and the lyrics. Higher: closer following, but too high can distort. Try between 1.0 and 3.0.
Inference steps	8	Steps of the audio synthesis. More steps sometimes give cleaner sound, but slower. Worth experimenting between 8 and 16.

Semantic sampling (audio tokens)



These parameters control the generation of the **musical audio tokens**, so they affect the final sound.

ABC planner sampling (musical plan)




The same parameters, but for making the **musical plan (score)**. They only matter in **melody** and **full** mode, and only when the model plans by itself (you do not give a score).

Meaning of the fields in the two groups:

Field	Semantic default	ABC default	Meaning
Temperature	1.0	0.7	Randomness. Higher: more varied, bolder; lower: more predictable.
Top-p	0.95	0.9	Chooses only from the most likely options. Lower: more cautious.
Top-k	100	30	At each step chooses only from the k most likely options.
Repetition penalty	1.2	1.005	Penalty against repetition. If the music gets stuck, increase it a little.
Penalty window	50	100	How many previous tokens the repetition penalty looks at.
Min. tokens	200	32	It cannot stop before this many tokens. Against too short results.
Max. tokens	9000	4096	Upper limit. Semantic max tokens also sets the **maximum length** of the song; the Song length slider is the easier way to set it.

LoRA adapters



- **AR LoRA**: changes planning and musical content, for example the instrumental adapter (needs full mode).
- **NAR LoRA**: changes the sound, for example the "realaudio" adapter for more realistic timbre.
- **strength**: 1.0 is the full effect, 0 switches it off. 0.5–0.8 gives a subtler effect; above 1 it may distort.
- **Add LoRA file…**: copies a .safetensors file into the models folder so it can be selected.
- **Refresh list**: re-reads the models folder.


> **Warning:** Only so-called "unfused" LoRA files work, not the merged versions made for ComfyUI. Changing LoRA reloads the model, which can take a few minutes.

GPU memory arenas (expert)



Sizes (MB) of the work areas reserved in the graphics card's memory. **Only change them** if a memory-related error (arena, allocation) appears in the log. Without a tick the default applies.

4.7 Presets




A preset is the saved state of the whole form: lyrics, style, mode, models, seed and every advanced parameter.

Button	What it does
(list)	Saved presets. Choose one, then press Load.
Load	Restores every setting of the selected preset
Save as…	Saves the current form under the given name
Delete preset	Deletes the selected preset (asks for confirmation)
Reset	Example lyrics, example style, full mode, every parameter at its default

Presets are in the program folder, in the **presetek** subfolder, as .json files. They can be copied and shared.

4.8 Title and starting generation




- **Title**: the song's name in the library and in the file name. If you leave it empty, the program builds a name from the time, the seed and the style. In a batch a number is added after the title, for example "(2)".
- **▶ Queue and generate**: adds a job to the queue with the current settings. If the server is running, generation starts at once.

During generation you can freely edit the form and queue the next song. The program saves for every job the settings it was made with.

> **Good to know:** If the lyrics or the style are empty, or no model is downloaded, the program warns you and does not start generation.

4.9 Queue



Here you see queued, running and finished generations. Columns: number, title or style, seed, status and elapsed time.


Status	Meaning
waiting	Will run when its turn comes
▶ running…	Generating now; the Time column updates every second
✓ done	Finished; it has also been added to the Library
✗ error	Failed. The reason is in the cell's tooltip and in the Log
removed	You took it out of the queue before it started

Button	What it does
Pause queue	The running generation finishes, but the next one does not start. Press again to continue.

Button	What it does
Remove selected from queue	Removes the selected job that is still waiting. Does not stop the running one.
Clear waiting jobs	Removes every job that has not started
Abort now	Stops the running generation by restarting the server, and removes the waiting jobs. Asks for confirmation.


> **Good to know:** The server cannot stop a running generation halfway, so a restart is needed. Afterwards the first generation is slower again, because the model is reloaded.

4.10 Last result and log



File name, length and generation time of the most recent song. It also shows if the model made a musical plan.

Button	What it does
▶ Play	Plays the song in the player
Folder	Opens Windows Explorer pointing at the file
Generated ABC → ABC tab	Moves the plan made by the model to the ABC score tab
Same with new seed	Makes another variation with exactly the same settings but a new seed



The **Log** shows with timestamps what is happening: model loading, generation, finished files, errors. If something does not work, copy the last lines from here.


4.11 Ollama helper (optional)

If **Ollama** runs on your computer and you have a downloaded language model, the program can help with two tasks. First set the Ollama model on the **Settings** tab.

- **Ollama: lyrics** – in a window you give the topic, the mood and the language (for example: *autumn rain on the Danube, in English*). The model writes the lyrics with section labels, and the program puts them into the Lyrics field.
- **Ollama: tags from description** – you describe the sound you want (for example: *smoky late-night blues with harmonica and a raspy male voice*). The model turns it into 6–8 English style tags.


> **Tip:** Always check the text you get before generating. The language model sometimes writes lines that are too long, or leaves out the labels.

5. The ABC score tab




The **ABC score** is the text-based musical plan of the song: melody, chords, tempo, key. In melody and full mode the model makes such a plan before generating the audio. On this tab you can see and edit the plan, or make a new one from an existing song.

5.1 Toolbar



Button	What it does
Open…	Loads an .abc score file (for example from an earlier generation)
Save…	Saves the editor's content to an .abc file
Last generated plan	Loads the plan of the latest melody or full generation
Extend ×2 / ×3	Repeats the whole plan two or three times. The voices stay in sync, so a longer song can be made from it.
Remove vocal part	Removes the "V: Vocal" blocks. For instrumental tracks it helps against unwanted humming.
Clear	Empties the editor

5.2 The score editor



```
X:1
T:Danube Night Blues
M:4/4
L:1/8
Q:1/4=72
K:Em
V: Vocal clef=treble name="Vocal"
V: Ins clef=treble name="Ins"
V: Vocal
"Em" z2 E2 G2 B2 | "A7" c4 B2 A2 | "Em" G2 E2 E4 | "B7" ^D2 F2 B4 |
"Em" E2 G2 B2 e2 | "A7" d4 c2 A2 | "Em" G2 E2 "B7" F2 ^D2 | "Em" E8 |
V: Ins
"Em" E,2 B,2 E2 B,2 | "A7" A,2 E2 G2 E2 | "Em" E,2 B,2 E2 B,2 | "B7" B,,2 F,2 A,2 F,2 |
"Em" E,2 B,2 E2 B,2 | "A7" A,2 E2 G2 E2 | "Em" E,2 B,2 "B7" B,,2 F,2 | "Em" E,8 |
```

A simple text editor where you can write or correct directly. Below it the program continuously shows the data of the score:




number of lines, bar lines, voices, time signature, tempo and key. This quickly shows how big the plan is and in which tempo and key it plays.

ABC notation crash course

Notation	Meaning
X:1	Tune number (required, usually 1)
T:Title	Title of the song
M:4/4	Time signature
L:1/8	Default note length
Q:1/4=120	Tempo (quarter notes per minute)
K:Am	Key; the notes start after this
V: Vocal / V: Ins	Voice: vocals or instrument
A B c d	Notes. Upper case: lower octave, lower case: upper octave. A number gives the length (c2 = double length).
z	Rest
"Am" "G7"	Chord symbol in quotes, before the note
|	Bar line

5.3 Extracting from an audio file (SheetSage2)



The **SheetSage2** model reads the melody and chords from an existing song and writes them into the editor as an ABC score.

- Press **Browse…** and choose the song. WAV files work directly; MP3, FLAC, M4A, OGG or AAC files need ffmpeg (Settings tab).

- Press **Extract ABC**. The job goes into the queue.
- During extraction the program unloads the YuE2 model from the graphics card to make room (this can be switched off in Settings).
- When done, the score appears in the editor, and the program ticks **Use the ABC score** on the Generate tab. If you were in off mode, it switches to melody.

5.4 Remaking an existing song by hand


YuE2 does not transform the recording; it takes the **melody and chords** of the song and makes a completely new recording on them, with new instruments and a new singer. This way you can, for example, make a blues version of a pop song.

> **Good to know:** The more convenient, guided way is the **Remake** tab (chapter 9) – it also recognizes the lyrics and generates in several styles at once. This section describes the manual method.

Step	What to do
1.	ABC score tab → Browse… → choose the song → **Extract ABC**.
2.	Check the score. If it is short, use **Extend ×2**.
3.	Generate tab: enter the lyrics (the original or new ones). The rhythm of the lines should roughly fit the melody.
4.	Give a new style (for example *English, jazz, piano, upright bass, soulful female vocal*).
5.	Check: COT mode is **melody** or **full**, and **Use the ABC score** is ticked.
6.	Set a count of 3–4 with random seeds and start generation. Pick the best variation.


> **Good to know:** The sound of the original recording (the singer's voice, the instruments' timbre) is not kept. Only the melody and the chord progression carry over into the new song.

6. The Library tab




Here you find every track the program has ever generated. The data is in a local database (yue2_studio.db), the audio files in the output folder.

6.1 Search and filter




The search field filters while you type, on **title, style, lyrics and note**. The **favorites only** checkbox shows only the starred tracks.



Project: by default only the songs of the **current project** are shown. You can choose another project, or **All songs**. Older songs made without a project are under **(old songs without project)**.

6.2 The track table



Click to select a track, **double-click** to play it. The newest track is at the top. Grey row: the audio file is no longer on disk.


Column	Contents
★	Favorite mark
Date	Time of generation
Title	Title of the track (can be renamed)
Style	The style tags used
Seed	Seed of the generation – it can be repeated with this
COT	Musical planning mode (off / melody / full)
Length	Length of the track (minutes:seconds)

Column	Contents
Gen. time	How long generation took
Note	Your own note

6.3 Playback

In the Library, **double-click** a track to play it; the controls are on the **player bar** at the bottom of the window (see chapter 3). The playing track is bold in the table.

6.4 Actions




The buttons always act on the **selected** track in the table.

Button	What it does
★ Favorite	Star on/off
✎ Note	Write your own note (e.g. "good chorus, weak ending"). Searchable.
Rename	Changes the title in the library (the file name does not change)
⟲ Restore settings	Loads every setting of the track back onto the Generate tab: lyrics, style, seed, parameters, ABC plan. This way you can refine a successful song.
Use seed	Takes only the seed and switches off the random seed

Button	What it does
ABC → ABC tab	Loads the musical plan saved with the track onto the ABC score tab
Folder	Opens Windows Explorer pointing at the file
MP3 export	Makes a 320 kbps MP3 with title and style in the metadata (needs ffmpeg)
Score	Shows the song's musical plan (melody + chords) as sheet music on the Score tab
To DAW	Loads the song as a new track into the DAW track editor
✂ Split into tracks	Splits the song into 4 tracks (vocals, drums, bass, other) and loads them into the DAW
Delete	Asks whether to remove it only from the list, or the files (WAV, MP3, ABC) too

6.5 Clearing the library



The **Clear library…** button deletes several songs at once:

- **Which songs**: those of the current project, those visible in the list, or all
- **How**: only from the list (the files stay), or from the disk too – that is permanent!
- **Favorites** are kept by default
- At the end it asks once more how many songs it will delete


If you removed a project's songs only from the list, they come back when you open the project (the project file remembers them), as long as the audio files exist.

6.6 Details



The bottom field shows every detail of the selected track: file location, model, COT mode, seed, style, the parameters used and the full lyrics. You can copy them from here.


7. The DAW – track editor



The **DAW** (digital audio workstation) shows a song **split into tracks**. Every horizontal row is a track (e.g. vocals, drums); the coloured rectangles are **clips**: pieces of audio you can move, cut, make quieter and add effects to. The yellow vertical line is the **playhead**.


> **Tip:** Quick start: Library → select a song → ✂ **Split into tracks**. A few minutes later the vocals, drums, bass and other instruments tracks appear in the DAW. Mute the vocals (**M**) and you have a karaoke version!

7.1 Top toolbar: project and loading




Button	What it does
Clean slate	Removes every track (can be brought back with Ctrl+Z)
DAW file… / Save DAW file / …as	Only the track editor's content, in a separate .y2daw file. The whole work is saved by the project bar at the top – the DAW is included in it.
Audio file…	Loads WAV, MP3, FLAC, OGG file(s) onto a new track, at the playhead
From Library	Loads the generated song selected on the Library tab onto a new track
✂ Split into tracks…	Splits a song into 4 tracks (vocals, drums, bass, other). Needs the HTDemucs package.
Empty track	New, empty track
↶ / ↷	Undo (Ctrl+Z) and redo (Ctrl+Y) – any edit can be undone
Export mix…	Saves the whole song (or the loop) to WAV / MP3 / FLAC; can be added to the Library
Export tracks…	Every track to a separate file, with its own effects and volume

7.2 Second toolbar: playback and view



Item	What it does
Start · ▶ · ■	Jump to start · play/pause (Space) · stop (back to where it started)
Loop	Repeats the range marked on the ruler – for practice and fine-tuning
Position	Minutes:seconds, and bar.beat
Tempo / Recognition	The project tempo (BPM). The Recognition button estimates it from the selected clip.
Grid	When moving and cutting, clips snap to this grid (bar, quarter, eighth…). 'off' = free.
− / + / All	Zoom out, zoom in (also Ctrl+wheel), full view
Master / Master FX / meter	Volume, effect chain and left-right level of the whole mix


7.3 Track headers



On the left of every track:

- **Colour strip**: the track colour (click to change)
- **Name**: editable
- **M**: mute · **S**: solo (only this plays)
- **A**: volume automation (see 7.6)
- **FX**: effects (see 7.7); the number is the count of active effects
- ⋮: menu (duplicate, move, export, MIDI, delete)
- **Volume**, **Pan** (left-right); double-click the label: reset
- Bottom: **level meter**

7.4 The timeline and clips



Action	How
Move a clip	Grab and drag – even to another track
Trim the start / end	Drag the left or right edge of the clip (the cursor becomes ↔)
Fade in / fade out	Drag the white dots at the top of the clip inwards – the slanted line shows the fade
Split	Click where you want to cut (yellow line), select the clip and press **S**
Delete / duplicate	**Del** · **Ctrl+D** (copies it after the clip) · **Ctrl+C** / **Ctrl+V**
Properties	Double-click the clip (see 7.8)
Everything else	Right-click the clip: menu
Scroll, zoom	Wheel: up-down · Shift+wheel: horizontal · Ctrl+wheel: zoom

The clip's right-click menu: split at playhead, duplicate, copy, paste, mute, normalize (loudest peak to -1 dB), move to new track, properties, ✂ **split into tracks**, ♫ **make MIDI score**, export clip, source file folder, delete.

7.5 The ruler and the loop



- **Bar numbers** at the top, **minutes:seconds** at the bottom.
- **Click**: the playhead jumps there.
- **Drag**: mark a loop (repeat) range – purple band. Switch it on with the button.

7.6 Volume automation

Switched on with the **A** button of the track header, a yellow line appears on the track: the volume over time. This way you can, for example, slowly fade out an instrument at the end of the song.

- **Click** on the track: new point
- **Drag**: move a point (up = louder, down = quieter)
- **Right-click** a point: delete
- While A is on, the clips of this track cannot be moved.

7.7 Effects (FX)



On the left the **effect chain**: the effects process the sound in order from top to bottom. Untick one to switch it off temporarily, reorder with the ▲▼ buttons.


On the right the **settings** of the selected effect – with a slider or a number. The change is audible after a moment.

Load ready-made effect chain: proven settings for vocals, drums, bass, lo-fi sound and the master.

Effect	What it is for
High-pass / Low-pass	Cuts the lows (rumble) or the highs (duller sound)
EQ low shelf / peak / high shelf	Tone: boost or cut the lows, one band, or the highs
Compressor	Evens out the volume: quiet parts come forward, loud ones are pulled back
Limiter	Does not let the signal above a level – on the master it protects against distortion
Noise gate	Silences quiet noises (e.g. leftovers after splitting)
Reverb / Delay	Gives space to the sound / repeating echo
Chorus / Phaser	Wider, floating / sweeping, swirling tone
Distortion / Bitcrusher / Clipping	Distortion, retro digital sound, hard peak clipping

Effect	What it is for
Pitch shift	Transposition in semitones, without changing the tempo

7.8 Clip properties: tempo, pitch



Double-click the clip:


- **Start, offset, length**: exact numbers
- **Volume**, **fade in**, **fade out**
- **Tempo (%)**: 100 = original; 120 = faster. The pitch does not change.
- **Pitch**: in semitones; the tempo does not change
- **Reverse**, **Mute**
- **Detect tempo and match**: adjusts the clip to the project tempo

7.9 MIDI score from a track

Right-click a clip → ♫ **Make MIDI score…** (or the whole track from the track's ⋮ menu). The program asks which instrument's notes to look for (it guesses from the track name: Vocals → melody, Drums, Bass). The MuScriptor model makes the MIDI file, which you can open on the Score tab right away with **Open as score**.

> **Tip:** The nicest score comes from the **Vocals** track (after splitting): a single melody line. The MIDI of a whole song contains many overlapping notes, which gives a crowded score.


8. The Score tab



Here the music becomes **real sheet music**: staff, clef, key signature, notes, chord symbols. On the left the settings in three steps, on the right the score itself.

> **Good to know:** The score renderer (abcjs) is downloaded from the internet on first use (about 0.5 MB); after that it works offline.


8.1 Where should the score come from?



- **Contents of the ABC score tab**: YuE2's musical plan, or what you extracted from audio
- **Library: plan of selected song**: the program saves the plan of songs generated in melody/full mode
- **Open MIDI file…**: any .mid file
- **Latest DAW MIDI**: the one you made last in the DAW
- **Open ABC file…**: a saved .abc score


Shortcut buttons elsewhere too: **As score** on the ABC score tab, **Score** in the Library, and **Open as score** when a MIDI file is ready.

8.2 MIDI conversion




Visible only for a MIDI source.

- **Type**: *Melody* = one line, always the top note (for vocals); *Piano* = treble and bass clef, with chords; *Automatic* = the program decides
- **Grid**: aligns the rhythm to sixteenths or eighths (eighths are simpler)
- **Key**: automatic detection (major and minor), or by hand
- **Bars/line**: how many bars per line




Example: a MIDI melody as a piano score – right hand the melody, left hand the chords. The program detected E minor (one sharp).

8.3 Appearance




- **Title**, **Composer**: at the top of the score
- **Voice**: YuE2's plan has separate vocal (Vocal) and instrument (Ins) voices – you can choose
- **Chord symbols**: chord names above the notes on/off
- **Transpose**: up/down in semitones – if it is more comfortable to sing
- **Size**: zoom on screen and in print

8.4 Print, PDF, playback




- **▶ Play / ■**: plays it and shows the current position in purple (instrument sounds need internet)
- **Print…**: choose a printer, A4
- **Save PDF…**: can be sent, printed later
- **Save MIDI / ABC…**: for other music programs
- **In MuseScore**: if the free MuseScore is installed, you can keep editing there
- **Edit code**: the text (ABC) source of the score, editable by hand



This is how a score **saved to PDF** looks: on white paper, black notes, chord symbols, title and composer – it looks the same when printed.

9. The Remake tab – an existing song in a new style




Here you can remake an **existing song** (MP3, WAV, FLAC, OGG, M4A) in a completely different style. YuE2 keeps the song's **melody and chords**, but plays it with new instruments and a new singer – even in several styles at once (for example a jazz, a blues and a rock version with one click).

On the left the six steps from top to bottom, on the right the status, the finished versions and the log.


> **Good to know:** Required packages (Setup & Server tab): **SheetSage2** (melody), **HTDemucs** (vocal separation) and **Qwen3-ASR** (lyrics recognition, ~2 GB). If one is missing, the program skips that step – you can also type the lyrics by hand.

9.1 Choosing the song




- **Browse…**: choose a song from your computer. **From Library**: the song selected on the Library tab.
- ▶ **Listen**: plays it on the player bar.
- **Only a section**: for a long song, set from which second to which second to work (60–90 s is ideal: faster and more accurate). Below it you see the length and the estimated tempo.

9.2 ⚡ Preparation with one click




The purple button does steps 2, 3 and 4 one after another: separates the vocals, extracts the melody and recognizes the lyrics. For a 1–2 minute section this takes a few minutes. If a step fails (or its model is missing), the others still run. It beeps at the end.

9.3 Vocal separation




HTDemucs takes the vocals out of the music. You can listen with the ▶ **Vocals** button. Lyrics recognition is much more accurate on these clean vocals. Can be skipped – then it works from the whole song.

9.4 Melody and chords




- **Extract melody**: SheetSage2 makes a musical plan (ABC score) from the song – YuE2 will follow it.
- **Extend ×2**: repeats the plan twice, which makes a longer song.
- **View as score**: shows it as real sheet music on the Score tab (printable too).
- Below it the data of the plan (lines, bars, tempo, key) and the plan itself – editable.

9.5 Lyrics



- **Language**: the language of the song. If you know it, set it – it will be more accurate.
- **Recognize lyrics (Qwen3-ASR)**: writes down what is sung and automatically splits it into lines, with [Verse]/[Chorus] labels (repeated lines become the chorus).
- **Timed recognition** (on by default): cuts the separated vocals where the singer takes a breath and recognizes every piece separately. So every line is exactly one sung phrase, and sections split at the longer pauses – the lyrics fit the melody much better.
- **Auto structure**: structures your own typed or pasted text the same way.
- **New lyrics (Ollama)**: translates them (singably, keeping the syllable count), or writes new lyrics about a given topic on the same structure.
- **Instrumental version**: without vocals, the melody on instruments only.




Timing… – after timed recognition: at which second and which bar each line starts in the original, and how long it is. Double-click a line: plays the original song from that point.

The times are for information only: YuE2 cannot take timestamps, so do not write times into the lyrics – the splitting into lines is what helps.


Warning: Machine recognition of sung lyrics is never perfect. **Always read and correct** the text before generating – YuE2 sings exactly what is written here.

9.6 New style




- Tick **one or more** styles – separate versions are made from each. The tooltip shows which English tags are sent to the model.
- **Voice**: male, female, choir, or any.
- **Vocal language**: match it to the lyrics (set automatically after recognition).
- **Own style**: if none fits, write your own English tags – a version is made from these too.

9.7 Generation




- **Per style**: how many versions to make (with different seeds). 3 styles × 2 = 6 songs.
- **Follow melody (melody)**: follows the melody. **Melody + chords (full)**: the chords too.
- **Title**: name of the versions in the Library; the style name is added after it.
- **Length = original**: the new version will be about as long as the original song (or the section). When off, the Song length setting of the Generate tab applies.
- ▶ **Start remake**: every version goes into the queue of the Generate tab. The advanced settings (model, LoRA, parameters) are taken from the Generate tab.



Where are we? – status of the six steps:


- ○ not done yet
- in progress
- ✓ done
- – skipped
- ✗ error (details in the log)



Done: on the right is the list of **Finished versions**. **Double-click** a version: play. Compare with the original using the **▶ Original song** button. Every version is in the Library too.


> **Tip:** YuE2 follows the melody and the mood – the result is a **new cover**, not an exact copy. It is worth asking for 2–3 versions per style and picking the best. Remake copyrighted songs only for your own, non-public use.

10. The Setup & Server tab



On this tab you download the engine and models the program needs, and you start and stop the YuE2 server that runs in the background.

10.1 The YuE2 engine




Here you see where the server (**audiocpp_server.exe**) is. Green ✓: installed. Red ✗: missing.

The **Download engine** button downloads the ready-built server from GitHub. No compiling or CUDA Toolkit needed, only an up-to-date NVIDIA driver.

If Remiqora has already installed it, you do not need this button.

10.2 Models



Tick what you want to download. A ✓ means the package is already there; the program does not download it again.

Download selected: starts the download.

Open folder: opens the models folder.

Package	Size	Required?	What it is for
Q8_0 main model	~4.3 GB	Yes (or Q4)	Recommended base model
Q4_0 main model	~2.7 GB	No	Less VRAM, slightly lower quality
BF16 main model	~7 GB	No	Best quality; recommended for LoRAs
VAE F16	~0.3 GB	Yes	Audio decoder
VAE F32	~0.5 GB	No	Higher-precision audio decoder
SheetSage2	~2.7 GB	Only for ABC extraction	Melody and chord recognition from audio
HTDemucs	small	For DAW splitting	Splitting songs into tracks (vocals, drums, bass, other)

Package	Size	Required?	What it is for
MuScriptor	~0.4 GB	For DAW MIDI	Audio to MIDI (notes) – Remiqora has already downloaded it
Qwen3-ASR 1.7B	~2 GB	For Remake	Lyrics recognition from vocals
Instrumental LoRA	small	No	For music without vocals (license: CC BY-NC)
Realaudio NAR LoRA	small	No	More realistic timbre (license: CC BY-NC)

> **Warning:** The download addresses of the two LoRAs come from an external source and may change. If the download fails, download the file by hand from Hugging Face and add it with the **Add LoRA file…** button.


10.3 Download status



- At the top the name of the file being downloaded, or the final result message.
- **Current file**: progress of the file being downloaded, in gigabytes.
- **Total**: how many of the files to download are done.
- **Stop download**: interrupts the download. The partial file is kept and continues from there next time.

> **Good to know:** When downloading the engine, the program also verifies the file with a checksum (SHA256). If it does not match, it deletes it and asks you to try again.

10.4 Server




The server state is the indicator on the left: **green** = running and responding, **yellow** = starting, **red** = stopped. "(external)" means this program did not start it (for example Remiqora did).

Button	What it does
▶ Start	Starts the server in the background. The model is loaded onto the graphics card only at the first generation.
■ Stop	Stops the server and frees all VRAM
⟲ Restart	Stops and restarts it – if it is stuck, or a running generation must be aborted
Unload models (VRAM)	Unloads the loaded models from the graphics card, but the server keeps running
GPU list	Writes to the log which graphics cards the engine sees

At the bottom the **server log**: the server's own messages (loading, generation time, errors). This is the most important source for troubleshooting.


11. The Settings tab



Here you set the folders, the server settings, the automatic functions and the Ollama helper. Changes take effect after pressing **Save**.

Interface language: Hungarian, English, Deutsch, Français or Romani (Lovari). After choosing, the program offers to restart. The interface, the tooltips, the Help tab and the Guide all switch. The translations are JSON files in the **lang** folder and can be corrected with a text editor (on the left the Hungarian original, on the right the translation).

11.1 Paths and server




Use the **...** button next to the folders to browse.

Setting	Meaning
Engine folder	Where audiocpp_server.exe is (the program also searches the subfolders). With Remiqora: AppData\Local\Remiqora\engines\YuE2
Models folder	The Yue2-3B-GGUF and SheetSage2-GGUF folders must be under this
Output folder	The generated files go here, in daily subfolders
ffmpeg.exe	For MP3 export and non-WAV audio. If left empty, the program looks for it on the PATH.
Port	The server's local port (default: 8080). Remiqora uses it too – do not run them at the same time.
CUDA_VISIBLE_DEVICES	Which graphics card to use (0 = the first). With one card leave it at 0.
Automatic start	Starts the server as soon as the program starts
Unload model when switching	YuE2 and SheetSage2 do not fit comfortably together in 16 GB, so one is unloaded when switching. Recommended to leave on.


Setting	Meaning
Automatic MP3	Makes an MP3 next to every finished WAV (needs ffmpeg)
Tooltips	Switches the tooltips on and off. Takes effect at once.
Interface language	Language of the program (restart needed)

11.2 Ollama helper



- **URL**: address of the local Ollama server (default: http://127.0.0.1:11434).
- **Model**: which language model writes the lyrics and the style. The **Fetch models** button fills the list with the models on your computer. You can also type the name.

11.3 Buttons



Save – saves the settings. A port change takes effect after restarting the server.


Find Remiqora install – finds the engine and models downloaded by Remiqora and points the folders to them.

Open app folder – opens the program's folder (settings, database, presets).


12. The Help tab and the Guide

12.1 Guide – step-by-step tours

The Guide covers the window with a dark layer and highlights only the element being discussed. A bubble next to it explains what it is for. You **can click** the highlighted element, so you can try it out meanwhile.




- **Next ▶** (or the → arrow, Enter): next step. **◀ Back** (←): back.
- **Exit** (or **Esc**): you can stop at any time.
- At the top of the bubble: which tour, and which step you are at.




Start: with the buttons at the top of the **Help** tab, or at any time with the **Guide** button in the status bar. On the app's very first start it offers a tour.

Tour	What it covers	Steps
The first song	Lyrics, style, musical plan, generation, queue, playback, Library	13
DAW – tracks	Loading, splitting into tracks, track headers, clips, ruler, effects, export	11
Score	Score sources, appearance, printing, PDF, playback	5
Projects	Project bar, saving, opening, clean slate, Library filter and clearing	5
Remaking a song	The six steps of the Remake tab: song, vocals, melody, lyrics, style, start	9



The **Remaking a song** tour on the Remake tab: the Guide also scrolls to where the highlighted part is.

12.2 The Help tab



A short guide inside the program: first start, lyrics, style, COT mode, ABC score, important parameters, models and VRAM, LoRA, queue, projects, remake and license. Useful when you want to look something up quickly and this manual is not at hand.

13. Proven workflows

13.0 Projects – so that work does not get mixed up

Step	What to do
1.	Before new work: **New project**, give it a name (for example "Danube blues").
2.	Work freely: generation, remake, DAW, score. The Library shows only this project's songs.
3.	From time to time **Save** (Ctrl+S).
4.	For other work: **New project** or **Open**. Going back is easiest from the **Recent ▾** list.

13.1 Several variations, picking the best

Step	What to do
1.	Write the lyrics and the style.
2.	Seed: **random**, Count: **4**, batch mode: **all random seeds**.
3.	Start generation and listen to the variations in the Library.
4.	Mark the best as favorite and add a note.
5.	Load it back with ⟲ **Restore settings** and refine it (for example style, guidance), with the same seed.

13.2 Instrumental music

Step	What to do
1.	Download the **Instrumental LoRA** package (Setup & Server tab).
2.	Generate tab: tick **Instrumental**. The program sets [instrumental] text, full mode and the instrumental LoRA.
3.	In the style give only instruments and mood, without vocal tags (for example *cinematic, epic, strings, piano, slow tempo*).
4.	Turn on **Limit length** and set the length you want.
5.	If humming is heard in the finished song: load the plan onto the ABC tab, press **Remove vocal part**, tick Use the ABC score, and generate again.

13.3 A longer song

- Write longer lyrics (more verses, choruses, a bridge).
- Set the **Song length** slider to the length you want (up to 6 minutes).
- Or: extend the generated ABC plan with ×2 on the ABC tab, and generate again with it.

13.4 An existing song in another style

The easiest is the **Remake** tab (chapter 9): load the song → ⚡ preparation → check the lyrics → tick the styles → start. Manual method: see section 5.4.

13.5 Writing lyrics with local AI

- Settings: choose the Ollama model and save.
- Generate tab: **Ollama: lyrics** → give the topic and the language.

- **Ollama: tags from description** → describe the sound in your own words.
- Check and correct the result, then generate.

14. Troubleshooting

Symptom	Cause and solution
The server is red, does not start	Check the server log. A common cause is that Remiqora is still running and holds port 8080: close it, then press Start. Check the Engine folder in Settings.
"The server is not reachable"	The server stopped or is still starting. Wait until it is green, or restart it.
An "(external)" server is running	Another program (e.g. Remiqora) started the server. YuE2 Studio uses it, but it can only be stopped from there.
Memory error in the log (out of memory, allocation)	Not enough VRAM. Try the Q4_0 main model, close other programs using the GPU, press Unload models, or restart the server.
HTTP 400: abc requires cot=melody or cot=full	Your own ABC score can only be used in melody or full mode. Change the COT mode.
"The server returned no audio"	Generation gave a faulty result. Check the server log and try again with another seed.
The first generation is very slow	Normal: the model is being loaded onto the graphics card (1–2 minutes).
Slow after changing LoRA	Normal: the model is reloaded when the LoRA changes.
MP3 export or non-WAV extraction fails	No ffmpeg. Install it and set its path in Settings.
Poor pronunciation in other languages	YuE2 was trained mainly on English text. Try English lyrics, or simpler, shorter lines.
Ollama error	Check that Ollama is running and that the URL and model name in Settings are correct.
A row in the Library is grey	The audio file is no longer in place (deleted or moved).
Download error	Press Download again: it continues from where it stopped.

Symptom	Cause and solution
The DAW makes no sound	The DAW plays to the Windows default audio device. Check the audio output and that the 'sounddevice' package is installed (the DAW tab tells you if it is missing).
DAW: crackling, stuttering	Many effects on many tracks can load the computer. While effects are being calculated ('Calculating…' at the bottom) wait a moment, or switch some effects off.
Split into tracks: 'not downloaded'	Setup & Server tab → tick HTDemucs → Download selected.
The Score tab is empty / does not load	The score renderer needs internet on first use. If it failed, restart the app with an internet connection.
Score playback is silent	Score playback downloads the instrument sounds from the internet – it needs internet.
Remake: "Qwen3-ASR did not load"	Download the Qwen3-ASR package. If it is there and still fails, the installed engine is older – update it on the Setup tab. Until then, type the lyrics by hand.
Remake: the recognized lyrics are wrong	Separate the vocals first, set the language, and correct by hand. With heavy effects or choir vocals recognition is weaker.
Song too long, generation takes very long	Turn on the **Song length** limit on the Generate tab, especially for songs without vocals. Shorter lyrics = shorter song.
Remake: the lyrics jump, skip, add	Turn on **Timed recognition** (separate the vocals first). One line = one melodic phrase; as many lines per section as in the original. A shorter section is more accurate.
Remake: it does not sound like the original	Check that a melody was extracted (step 3), and try the 'Melody + chords (full)' mode. A shorter section is more accurate.

Symptom	Cause and solution
The score made from MIDI looks strange	Try the 'Eighth' grid, the 'Melody' type, or set the key by hand. Machine-recognized rhythm is never perfect.
Some text is still in Hungarian	The translation file may be missing that text. You can add it to the lang/en.json file (Hungarian original → English).

> **Tip:** If you cannot solve a problem, copy the last lines of the **Log** and the **server log** – most problems can be understood from them.

15. Appendix

15.1 Output files

Every generation goes into the day's subfolder of the output folder, with names like this:

```
kimenet\2026-10-14\211531_184620_Danube_Night.wav
kimenet\2026-10-14\211531_184620_Danube_Night.abc
kimenet\2026-10-14\211531_184620_Danube_Night.mp3   (if enabled)
```

The DAW's split tracks go into the **savok** subfolder of the daily folder, MIDI files into **daw_projektek\midi**, saved scores into **kottak**.

Parts of the name: **time** (hour, minute, second), **seed**, **title** (or the beginning of the style). The .abc file is the musical plan of the song; it is made only in melody and full mode.

15.2 Licenses

Component	License
YuE2 Studio (this program)	The Unlicense – public domain, free for everyone
YuE2-3B model weights	CC BY-NC 4.0 – non-commercial use only
Mothersuperior LoRAs	CC BY-NC 4.0 – non-commercial use only
audio.cpp (the server)	MIT
PySide6 (the interface)	LGPL

> **Warning:** When using the generated music, keep the models' licenses in mind: CC BY-NC 4.0 does not allow commercial use.