


Global Terrorism Dataset

By Mariam Mahmoud

Insights-→

1- From data we find that:

a. Year with the biggest number of casualties was **2014**



b. The total number of kills in specific region(Iraq)

```
In [154]: #Check the total number of kills in specific region(Iraq)
iraq_data = df[df['country_txt'] == 'Iraq']

total_kills_in_iraq = iraq_data['nkill'].sum()
print(f"Total number of kills in Iraq: {total_kills_in_iraq}")

Total number of kills in Iraq: 78557.0
```

c. The year with most number of kills in Iraq

```
Year with the most number of kills in Iraq:
year      2014.0
nkill     13965.0
Name: 33, dtype: float64
```

d. The year with most number of kills in United States

```
Year with the most number of kills in United States:
year      2001.0
nkill     3008.0
Name: 30, dtype: float64
```

e. Most Common Attack Types in Iraq is Bombing/Explosion


```
Out[165]:
```

	attackType	count
0	Bombing/Explosion	18281
1	Armed Assault	3148
2	Assassination	1286
3	Hostage Taking (Kidnapping)	940
4	Unknown	764
5	Facility/Infrastructure Attack	154
6	Hostage Taking (Barricade Incident)	24
7	Hijacking	13
8	Unarmed Assault	6


f. Most common targets are Civilians

```
-----
Most Common Targets: Civilians    6329
Unknown        5776
Patrol         2673
Soldiers       2594
Vehicle        2500
Name: target, dtype: int64
```


g. The number of attacks by region



h. Top Attack Types by Average Number of Kills



i. The number of attacks by country is **Iraq**



j. Number of kills is way bigger when a ransom is not asked

