




(a) Integrated time and the interval in which neutron stars exist
interval in which each neutron star is recorded
NS 523
NS 6
NS 521
NS 520
NS 5
NS 519
NS 518
NS 4
NS 517
NS 516
Run 1
N = 50 000
stops at 9.14 Myr, before any neutron star forms
Run 2
N = 5 000
286 records
Run 3
N = 5 000
152 records
Run 4
N = 5 000
286 records
0
5
10
15
20
25
30
Physical time t (Myr)


(b) Status of the 286 records
Run 2
P
Ṗ
B
Run 3
P
Ṗ
B
Run 4
P
Ṗ
B
0
20
40
60
80
100
Share of records (%)
finite, > 0
NaN
exactly 0
line not readable


(c) Recorded Ṗ
Run 2
no value > 0
Run 3
2.3 × 10−88 to 6.3 × 10−20
Run 4
5.6 × 10−22 to 6.3 × 10−20
10−92
10−77
10−62
10−47
10−32
10−17
Ṗ (s s−1)


(d) Recorded B
Run 2
no value > 0
Run 3
5.4 × 10−34 to 4.4 × 10^8
Run 4
1.7 × 10^8 to 9.9 × 10^8
10−36
10−27
10−18
10−9
10^0
10^9
B (G)


(e) Fraction of records bit-identical to Run 4
from the N-body state (incl. scenario)
spin parameters
Run 2 vs Run 4
286 records
1.000
1.000
1.000
1.000
1.000
1.000
1.000
0.731
0.000
0.000
Run 3 vs Run 4
152 records
1.000
1.000
1.000
1.000
1.000
1.000
1.000
0.493
0.138
0.507
position
velocity
force
E_total
E_bind
KSTAR
scenario
P
Ṗ
B