


SUPRE^M PRO

X AICA



BEST WATERPROOF



SUPRE^M PRO

X AICA



STRONGEST ADHESIVE



www.utmosthouse.co.th

ecoZMART
VENTURES INCORPORATED

Imported and Distributed by
ECOZMART VENTURES INCORPORATED
2nd Floor JSO building 210 Katipunan Ave.
Blue Ridge A Quezon City
Phone : +632 8741 2272 www.ecozmart.ph



SUPERIOR SOLUTIONS

ECO-INNOVATION

BUILDING TOMORROW'S SOLUTIONS TODAY!



Safer for you, safer for the environment.



Low VOC / ISO 11890-2:

Low volatile organic compounds;
safe for health and the environment.

Toluene Free:

Free from Toluene; safe for the nervous
and respiratory systems.

Low Odour:

Mild scent; reduces impact on the user.

LEAD & Phthalate Free:

Free from lead and phthalate compounds
that cause cancer.

RoHS 2:

Free from heavy metals and
hazardous toxic residues.

Isocyanate & Solvent Free:

Free from isocyanates and harsh solvents that
damage the respiratory system and lungs.

CFC & HCFC Free:

Free from ozone-depleting substances.

Anti-Fungal:

Inhibits mold growth for better hygiene
and a longer service life.

POLYMER SEALANT



The ultimate sealant, adhesive and waterproof solution for construction. Suitable for both indoor and outdoor use, it bonds strongly without the need for a primer and cures rapidly. Multipurpose compatible with virtually all substrates. Ideal for joints and applications requiring high strength.

- HIGH ADHESION SEALANT & WATERPROOF**
- ✓ FAST CURING, FIRM BOND, COMPATIBLE WITH ALL MATERIALS
 - ✓ WORKS ON WET & MOIST SURFACES
 - ✓ ALL WEATHER RESISTANT

Ideal for porous and non porous surfaces including PVC, ABS, polycarbonate, WPC boards, vinyl, stainless steel, aluminum, iron, copper, wood, engineered wood, fiber cement board, concrete, plaster, natural stone, glass, tile, porcelain and more.



Low VOC ISO 11890-2 Isocyanate & Solvent Free ASTM D412 ASTM D1002

Coverage	For bonding/adhesive: approx. 11.6 m at 5 mm bead width
	For joint sealing: approx. 11.6 m for 5x5 mm joint cross-section
Net Content	290 ml

COLOR	POWDER WHITE
	SAHARA GREY

MS POLYMER SEALANT

HIGHLY ELASTIC

Best-in-class technology: Specially formulated for sealing around windows, doors, and precast concrete panels. Excellent waterproofing, all weather and UV resistant, and long lasting service life.

- ✓ SEALS WINDOWS & DOORS.
- ✓ SUPPORTS JOINT MOVEMENT
- ✓ WORKS ON WET & MOIST SURFACES
- ✓ EXTREME ELONGATION UP TO 600%

Ideal for a wide range of materials including aluminum, uPVC, glass, concrete, precast concrete panels and wood.

*Disclaimer: If the surface is not clean or prepared properly (such as dust), it will cause poor adhesion and impact to the product durability (shorter period). Check and follow Technical Data Sheet for full instructions.



Coverage	11.6 m for joint 5 mm x 5 mm
Net Content	290 ml



COLOR	POWDER WHITE
	SMOKE GREY
	SAHARA GREY
	INK BLACK

POLYMER SEALANT

HYBRID POLYMER SEALANT


HIGHLY ELASTIC



Coverage	15.2 m for joint 5 mm x 5 mm	COLOR	POWDER WHITE
Net Content	380 ml		SMOKE GREY
			INK BLACK

MS POLYMER SEALANT

HIGHLY ELASTIC



Coverage	15.2 m for joint 5 mm x 5 mm	COLOR	POWDER WHITE
Net Content	380 ml (Ideal for projects)		SAHARA GREY



UNIVERSAL BOND

SOLVENT BASED-INSTANT GRAB



NAIL POWER

A high performance solvent based adhesive that delivers instant grab. No VOC (Volatile Organic Compounds) evaporation (not needed). Suitable for both indoor and outdoor use.

- ✓ STRONG AS NAILS
- ✓ INSTANT GRAB & DRY
- ✓ SUITS ALL WEATHER

Ideal for bonding a wide range of construction materials including brick, ceramic, concrete, hardboard, MDF, plywood, vinyl, and mirror glass.



Lead & Phthalate Free RoHS2 ASTM D1002

Coverage	Approx. 12 m. at 5 mm. beads
Net Content	300 ml

COLOR	CLEAR
	BEIGE

NAIL POWER

NAIL POWER

QUICK BOND

SOLVENT BASED-FAST DRYING

A high performance solvent based adhesive developed to suit a wide range of construction materials (suits both porous and non-porous materials). Fast drying and all weather resistant.

- ✓ QUICK DRY FORMULA
- ✓ OUTDOOR USE
- ✓ LONG DURABILITY

Ideal for bonding WPC boards, timber boards, engineered wood, metal, gypsum board, wood, vinyl and brick.



Coverage	Approx. 12 m. at 5 mm. beads
Net Content	300 ml

COLOR	BROWN
-------	-------

POWER GRAB

WATER BASED-INSTANT GRAB

A high strength Instant Grab construction adhesive for bonding of skirting boards, wall panels, ceiling panels (made of polystyrene, rigid polyurethane foam) and gypsum board.

- ✓ INSTANT GRAB
- ✓ INDOOR USE
- ✓ LOW ODOUR

Ideal for use with porous materials such as wood, brick, ceramic and MDF.



Coverage	Approx. 12 m. at 5 mm. beads
Net Content	300 ml

COLOR	POWDER WHITE
-------	--------------

WET AREA

ANTI-FUNGAL PROTECTION

For interior use as a joint sealant around bathrooms, bathtubs, washbasins, and sinks. Formulated with anti-fungal protection. 100% silicone formula maintains hygiene in wet areas, waterproof and leak-proof.

- ✓ SEALS & PROTECTS
- ✓ 100% WATERPROOF
- ✓ STRONG BOND, FLEXIBLE, NON SHRINKAGE
- ✓ ANTI-FUNGAL, LONG LASTING

Ideal for bathroom and kitchen surfaces including ceramic, porcelain, stainless steel and glass. Resistant to temperature fluctuations, scrubbing and cleaning chemicals.



Coverage	12m for joint 5mm x 5mm
Net Content	280 ml

COLOR	POWDER WHITE
-------	--------------

MULTIPURPOSE

INDOOR & OUTDOOR SOLUTION

- ✓ SEALS JOINTS
- ✓ 100% WATERPROOF
- ✓ NON SHRINKAGE
- ✓ LONG DURABILITY

Ideal for all surfaces including aluminium, aluminium composite, uPVC, concrete, glass, wood, stainless and metal.



Coverage	12m for joint 5mm x 5mm
Net Content	280 ml

COLOR	TRANSPARENT
	POWDER WHITE
	INK BLACK

SILICONE SEALANT

DOOR & WINDOW

NEUTRAL CURE



A neutral cure silicone sealant for doors and windows. All-weather product is resistant to UV and high temperatures. An elastic silicone for general sealing in building applications.

- ✓ SEALS JOINTS
- ✓ NON DRIP
- ✓ UV & TEMPERATURE RESISTANT

Ideal for bonding aluminum, uPVC, glass, ceramic tile, concrete, wood, stainless steel, metal and more.



Low VOC ASTM D412 ISO 11890-2 ASTM D2202

Coverage	12m for joint 5mm x 5mm
Net Content	260 ml

COLOR	TRANSPARENT
	POWDER WHITE
	LIGHT GREY

SILICONE SEALANT

GENERAL PURPOSE

ACID CURE



An acid cure silicone sealant for general purpose use. Suitable for joint sealing. The product withstands all weather conditions and high temperatures, making it ideal for general joint sealing and gap filling in buildings.

- ✓ SEALS JOINTS
- ✓ QUICK DRY
- ✓ UV & TEMPERATURE RESISTANT

Ideal for bonding glass blocks, glass, wood, uPVC, aluminum, stainless steel, metal and more.



Low VOC ASTM D412 ISO 11890-2 ASTM D2202

Coverage	12m for joint 5mm x 5mm
Net Content	260 ml

COLOR	TRANSPARENT
	POWDER WHITE



SUPREM
PRO
x AICA

MULTIPURPOSE PROFESSIONAL ACRYLIC SEALANT



ACRYLIC SEALANT

Perfect for sealing gaps between concrete and indoor window or door frames, as well as gaps in skirting boards, timber floors and stairs. Ideal for finishing woodworking tasks like built-in furniture installation. Provides excellent flexibility and is fully paintable."

- ✓ FILLS & SEALS GAPS
- ✓ INDOOR USE
- ✓ SUPPORTS EXPANSION JOINTS

Ideal for porous materials such as concrete, plaster, wood, gypsum and natural stone, as well as aluminum and uPVC. Provides excellent flexibility and is easy to color match for a seamless wood finish.

Color	POWDER WHITE
	SMOKE GREY
	SAHARA GREY
	INK BLACK
	CHOCO BROWN
	TEAK BROWN
	ALMOND BROWN
	ROYAL BEIGE



Low VOC & Odour Lead Free ASTM C794 ASTM C1246 ISO 11890-2

Coverage

12m for joint 5mm x 5mm

Net Content

450 g

FIRE RETARDANT

FIRE RETARDANT

MULTIPURPOSE ACRYLIC SEALANT

FIRE RETARDANT FORMULA

Perfect for interior joint sealing in applications requiring fire resistance, such as wall and ceiling joints, penetrations around pipes and cables, and sealing around door and window frames.

- ✓ BOMBA FIRE STOP CERTIFIED
- ✓ FIRE RESISTANCE UP TO 4 HOURS
- ✓ JOINT MOVEMENT CAPABILITY $\pm 25\%$
- ✓ INDOOR USE

Ideal for use as a joint sealant between concrete, plaster, timber frames, gypsum board, natural stone, aluminum, uPVC, and other general construction materials. Specially formulated to control the spread of flame, smoke and toxic gases.



For IT rooms, server rooms/data centers, public buildings, and fire-rated applications.
Any rooms in your home that require extra protection.



Low VOC & Odour BS EN 1366-4 ISO 11890-2 AS 1530.4

Coverage	12m for joint 5mm x 5mm
Net Content	450 g

Color

POWDER WHITE

MULTIPURPOSE PU FOAM (B2)

FIRE RETARDANT FORMULA

Perfect for filling gaps and joints around windows and doors, cavity spaces in walls, floors, roof structures, and electrical conduits. Expanding PU foam fills voids completely and prevents water leakage. Contains fire retardant agents to inhibit the spread of flame.

- ✓ SEALS, FILLS & WATERPROOFS
- ✓ 360-DEGREE EXPANSION
- ✓ FIRE RETARDANT

It is fast drying, non shrinkage and 100% waterproof. Will adhere to moist surfaces. Can be cut to size. Topcoat with paint or acrylic waterproofing for maximum durability.



For safety in hospitals, hotels, office buildings, and residential buildings.
Parts of your home which require extra fire protection.



CFC & HCFC Free DIN 4102 Part 2 Class B2

Coverage	Gap dimension 40x50 mm = 5 m when apply approx. 50% of gap volume
----------	--

Net Content

500 ml

Color

ORANGE



FIRE RETARDANT FOR YOUR SAFETY



FIRE RETARDANT FOR YOUR SAFETY



**SUPREM
PRO**
X AIDA

3-IN-1 POLYMER SEALANT

Seals - Bonds - Waterproofs
Works on wet & moist surfaces



MS POLYMER SEALANT HIGHLY ELASTIC

Extreme elongation up to 600%
Works on wet & moist surfaces



100% SILICONE SEALANT MULTIPURPOSE

Seals joints, 100% waterproof & non-shrink
Excellent adhesion to most household surfaces



MULTIPURPOSE PU FOAM

Seals, Fills & Waterproofs
360-degree expansion



BUTYL WATERPROOF TAPE

Prevents and repairs leaks
at expansion joints.



WATERPROOF COATING & ROOF SEALER

Coats and seals cracks & leaks
on roofs, flat roofs, and walls.



CRYSTAL CLEAR WATERPROOF COATING

Hairline cracks on walls, tiles
and ceilings. Dries clear and glossy.



UNIVERSAL BOND NAIL POWER

Instant grab, fast drying.
All-weather. For a wide range
of construction materials.



MULTIPURPOSE ACRYLIC SEALANT

Fills joints around window frames, doors,
skirting boards and furniture (8 colors).



FIRE RETARDANT MULTIPURPOSE ACRYLIC SEALANT

Interior joints sealant for fire-rated
applications. Fire resistance up to 4 hours.



WET AREA 100% SILICONE SEALANT

Seals joints, Non Shrinkage, Anti-fungal.
Resistant to scrubbing and chemicals.



SURFACE REPAIR WALL PUTTY

Repairs cracks on surfaces.
Fills gaps & cracks.



Outdoor use

Indoor use

STOP LEAKS

WATERPROOF COATING & ROOF SEALER

ACRYLIC WATERPROOF

A water-based acrylic polymer formula for sealing roof joints, decks, and walls. The highly elastic product bridges and seals cracks up to 5 mm wide, as well as hairline cracks. Provides seamless, joint-free waterproofing that is 100% waterproof and UV resistant.

- ✓ SUITABLE FOR ROOFS, DECKS & WALLS
- ✓ 100% WATERPROOFING
- ✓ 10 YEARS PROTECTION
- ✓ HAS ANTI-FUNGAL & ANTI-ALGAE PROPERTIES

Ideal for adhesion to concrete, cement, plaster, roof tiles, wood, galvanized steel and aluminum. Low odor, smooth finish, and easy to apply. Thick adhesive content. No fibre mesh needed.



✓ Anti moss & fungus Low VOC & Odour ASTM G 154-16 JIS R-3106 TIS 285 No. 21 & 59 ISO 2812-1 ISO 2812-2

Coverage	1 kg/m ² (at 1 mm thickness)	
Net Content	1 kg	4 kg
	10 kg	20 kg

Color	POWDER WHITE
	SMOKE GREY
	ROYAL BEIGE

*Disclaimer: If the surface is not clean or prepared properly (such as cracked & uneven surface, algae, dust), it will cause poor adhesion & impact product durability (shorter period). Check & follow Technical Data Sheet for full instructions. And if the original deck is a polished cement floor, it should be roughed before using the product.

STOP LEAKS


CRYSTAL CLEAR

WATERPROOF COATING

A high-tech hybrid product (Water-based hybrid acrylic emulsion) that prevents water seepage while leaving surfaces 'looking new' again with Crystal Clear, glossy look once dried. It repairs hairline cracks on walls, floors, balconies.

- ✓ 100% WATERPROOFING & COATING (2-IN-1)
- ✓ ALL WEATHER & UV RESISTANT
- ✓ CRYSTAL CLEAR, GLOSSY FINISH

Ideal for indoor and outdoor applications on ceramic tiles, cement, brick, wood, glass, acrylic, polycarbonate, sandstone, fiber cement and similar porous materials.



✓ Low VOC Toluene Free Lead Free RoHS 2 ISO 11890-2 ASTM C793

Coverage	2-5 m ² /kg (2 layers) subject to the porousness of the materials	
Net Content	1 kg	4 kg

Color	CRYSTAL CLEAR
-------	---------------

BUTYL

WATERPROOF TAPE

A Butyl Waterproof Tape prevents and fixes leaks on roofs, gutters, joints between walls and floors, exhaust ducts, roof flashing and roof turbines. Works well with expansion joints and on most materials

- ✓ FOR ROOF, GUTTER & FLASHING
- ✓ SEALS AND STOPS LEAKS
- ✓ 100% WATERPROOF
- ✓ LONG DURABILITY

Ideal for all types of materials including metal, cement, uPVC, fiber cement, wood, brick, and many more. A self-adhesive sealing tape that is coated with aluminium foil on its upper side. For long-lasting durability, it is recommended to apply a topcoat of paint or acrylic waterproofing.



Low VOC & Solvent Free Lead Free ASTM D903

Net Content	5 cm x 1 m	5 cm x 3 m
	10 cm x 3 m	10 cm x 10 m
	20 cm x 3 m	

Color	ALUMINIUM FOIL
-------	----------------

PU FOAM

MULTIPURPOSE

Ideal for filling gaps, cracks, cavity spaces in walls, pipe surrounds, roof structures and electrical conduits. The 360-degree expanding PU foam fills voids completely and prevents water leakage.

- ✓ SEALS, FILLS & WATERPROOFS
- ✓ 360-DEGREE EXPANSION
- ✓ NON SHRINKING

Fast drying. Can be cut to size. Topcoat with paint or acrylic waterproofing for maximum durability.



CFC & HCFC Free

Net Content	500 ml
	750 ml

Coverage	Gap dimension 40x50 mm = 5 m when apply approx. 50% of gap volume
	Gap dimension 40x50 mm = 8 m when apply approx. 50% of gap volume

Color	ROYAL BEIGE
-------	-------------

WALL PUTTY

ACRYLIC WALL PUTTY

Ideal for repairing cracks on concrete, gypsum board, and fiber cement surfaces, as well as pre-formed brick and plaster surfaces. The water based acrylic formula bridges and fills cracks smoothly, both hairline and wider cracks.

- ✓ FILLS CRACKS & GAPS
- ✓ NON SHRINKING, PAINTABLE
- ✓ ALLOWS JOINT MOVEMENT & EXPANSION
- ✓ INDOOR & OUTDOOR USE

Fast-drying and sandable.
Won't affect topcoat color.



Coverage	Gap dimension 10 x 10 mm = 7 m (1 kg Bucket)	Net Content	1 kg	4 kg
	Gap dimension 10 x 10 mm = 28 m (4 kg Bucket)	Color	POWDER WHITE	

VINYL

TILE ADHESIVE

An adhesive developed specifically for bonding vinyl, rubber flooring and hardwood directly to the subfloor.

- ✓ A STRONG BOND FOR VINYL FLOORING
- ✓ BONDS ALL TYPES OF VINYL TILE
- ✓ INDOOR USE
- ✓ NON SHRINKING, LONG LASTING

Can be applied directly onto existing floor surfaces.
Avoid placing heavy loads during the first 7 days.
Not recommended for use with porcelain tile or oil-contaminated surfaces.



Coverage	5 m ² /kg
Net Content	3 kg

100% SILICONE SEALANT

MULTI PURPOSE



A 100% silicone sealant that provides long lasting adhesion, flexibility, and waterproofing throughout its service life. For bathroom use, around bathtubs and washbasins. Can seal joints between glazing, window frames, and door frames.

- ✓ SEALS JOINTS
- ✓ 100% WATERPROOF
- ✓ NON SHRINKAGE
- ✓ ANTI-FUNGAL



UV and rain resistant.
Non-cracking.



Coverage	3m for joint 5mm x 5mm	
Net Content	75 g	
Color	TRANSPARENT	POWDER WHITE

SURFACE REPAIR

CRACK FILLER




This filler fills cracks, gaps around door frames, and voids in wall panels, ceilings and doors. Suitable for both indoor and outdoor use, it is ideal for applications where there is no structural movement.

- ✓ FILLS SMALL CRACKS & GAPS
- ✓ VARIOUS SURFACES
- ✓ NON SHRINKAGE, PAINTABLE



Sandable.



Coverage	Gap dimension 5x5mm = 3 m	
Net Content	140 g	
Color	POWDER WHITE	

NAIL POWER

POWER GRAB



A high strength Instant Grab for the secure bonding of skirting boards, wall panels, decorative elements (made of polystyrene, rigid polyurethane foam) and gypsum board.

- ✓ INSTANT GRAB
- ✓ INDOOR USE
- ✓ LOW ODOUR



Ideal for use with porous materials such as wood, brick, ceramic and MDF.



Coverage	Approx. 3 m. at 5 mm. beads	
Net Content	100 g	
Color	POWDER WHITE	

NAIL POWER

QUICK BOND



A wide range of construction materials. Fast drying. Ideal for DIY projects such as bonding signs, house numbers, picture frames, ceramic tiles, small boxes and furniture repair.

- ✓ QUICK DRY FORMULA
- ✓ BEST FOR OUTDOOR USE
- ✓ LONG DURABILITY



Ideal for both porous and non-porous materials. All weather resistant.



Coverage	Approx. 3 m. at 5 mm. beads	
Net Content	75 g	
Color	BROWN	

2K CLEAR EPOXY



A two-part epoxy adhesive that is ideal for repairing ceramics, fibreglass, wood, glass, acrylic, vinyls, laminates, furniture and home appliances.

- ✓ ALL MATERIALS
- ✓ QUICK DRY, CLEAR AS GLASS
- ✓ HIGH TEMPERATURE RESISTANCE



Once fully cured, provides long-lasting durability and can be drilled, filed or machined.



Toluene Free ASTM D1002

Net Content	15 ml x 2	Net Content	15 ml x 2
Color	CLEAR	Color	STEEL

2K STEEL EPOXY



A two-part epoxy adhesive that is ideal for repairing steel pipes, metal tanks, appliances, furniture and more.

- ✓ ALL MATERIALS
- ✓ QUICK DRY, STRONG AS STEEL
- ✓ HIGH TEMPERATURE RESISTANCE



Cured to a steel-strong bond. Durable, drillable, and machinable. Ideal for indoor & outdoor use.



Toluene Free ASTM D1002

Net Content	15 ml x 2	Net Content	15 ml x 2
Color	CLEAR	Color	STEEL

EPOXY PUTTY



A two-part epoxy adhesive that provides a quick, high strength bond. It can repair, fill and seal materials such as wood, metal, stone, ceramic, glass and gypsum.

- ✓ HIGH STRENGTH
- ✓ BONDS & FILLS. WORKS ON WET SURFACES
- ✓ 100% WATERPROOF

Indoor & Outdoor use.
It can be painted, drilled & sanded once dry.



Toluene Free ASTM D1002 ASTM D695 ASTM D2240

Net Content	50 g
-------------	------



CONTACT ADHESIVE

QUICK REPAIR

Ideal for shoe repairs, bonding materials such as wood, decorative items, leather, cork, formica, etc.

- ✓ SAFE TO USE
- ✓ STRONG ADHESION
- ✓ FLEXIBLE
- ✓ PERFECT FOR HOUSEHOLD

The adhesive is safe & Toluene Free (Toluene is a substance known to be harmful to the nervous and respiratory systems).



Safe to use & Toluene Free ASTM D1002

Net Content	15 g	40 g
-------------	------	------

**SUPER GLUE
INSTANT BOND**

Ideal for minor furniture, leather and rubber repairs. Seals shoe soles, bonds craftwork, paper, toys, balsa wood and more.

- ✓ SELF-PIERCING NO NEED
- ✓ MULTI-MATERIAL USE
- ✓ MULTIPURPOSE REPAIR
- ✓ USE UNTIL LAST DROP

It comes with an anti-clog cap for maximum reusability.



Lead & Phthalate Free RoHS2

Net Content	20 g
-------------	------