```
$ git clone https://github.com/MariaCeacFp/examenDe10.git
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 Receiving objects: 100% (3/3), done.
 3D Objects'/
 AppData/
 Configuración local'@
 Contacts/
Cookies@
 Datos de programa'@
 Desktop/
 Documents/
 Downloads
 Entorno de red'@
Favorites/
 Impresoras@
 IntelGraphicsProfiles/
 Links/
 Menú Inicio'@
 'Mis documentos'@
Music/
 NTUSER. DAT
 OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP'/
PS CS5 Español Portable'/
PS CS5 Español Portable.rar'
 Pictures/
Plantillas@
 Reciente@
 Repositortio-Farid/
Saved Games'/
Searches/
 SendTo@
 VirtualBox VMs'/
 examenDe10/
 git-clase/
lapiz.jpg
libro/
 merge-conflict/
 miProyecto/
ntuser.dat.LOG1
 ntuser.dat.LOG2
ntuser.ini
papelera.png
$ cd examenDe10/
 xzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ touch .gitignore
 xzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
```

## 2.

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ nano styles.css

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ ls

README.md index.html styles.css

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ |
```

2a he cambiado el nombre a second commit porque lo había escrito mal

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ git commit --amend -m "Second commit"
[main 5a4f629] second commit
 Date: Tue Feb 6 08:38:13 2024 +0100
 3 files changed, 2 insertions(+) create mode 100644 .gitignore create mode 100644 index.html
 create mode 100644 styles.css
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ git log
commit 5a4f62980acb83a19fd94f1d0a85a0a94ac2b419 (HEAD -> main)
Author: Maria <maria.guijarro@alu.ceacfp.com>
        Tue Feb 6 08:38:13 2024 +0100
Date:
    Second commit
commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
         Tue Feb 6 08:33:49 2024 +0100
    Initial commit
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
```

2b

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git log --graph --all

* commit 5a4f62980acb83a19fd94f1d0a85a0a94ac2b419 (HEAD -> main)

Author: Maria <maria.guijarro@alu.ceacfp.com>
    Date: Tue Feb 6 08:38:13 2024 +0100

Second commit

* commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)

Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
    Date: Tue Feb 6 08:33:49 2024 +0100

Initial commit

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$
```

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ git commit --amend -m "Second commit - Release"
[main alfd17e] Second commit - Release
Date: Tue Feb 6 08:38:13 2024 +0100
3 files changed, 2 insertions(+)
create mode 100644 .gitignore
create mode 100644 index.html
 create mode 100644 styles.css
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ git log
commit alfd17eb3c769f19012c5561eadacde13d9e59e2 (HEAD -> main)
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:38:13 2024 +0100
    Second commit - Release
commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
         Tue Feb 6 08:33:49 2024 +0100
Date:
    Initial commit
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
```

2d

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git tag v1.0.0.0

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git log
commit alfd17eb3c769f19012c5561eadacde13d9e59e2 (HEAD -> main, tag: v1.0.0.0

Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:38:13 2024 +0100

Second commit - Release

commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:33:49 2024 +0100

Initial commit

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$
```

2e

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git show alfd:
tree alfd:
.gitignore
README.md
index.html
styles.css
```

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git show alfd:README.md

# examenDe10

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git show alfd:index.html
Farid ponme un 10

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git show alfd:styles.css
Farid un 10

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ [ ]
```

3

3a

```
iaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 ((b7a0545...))
$ git checkout -b homepage
Switched to a new branch 'homepage'
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)
$ git log --graph --all
* commit b7a0545fe404d330ae117a829488ea97e3a40719 (HEAD -> homepage)
| Author: Maria <maria.guijarro@alu.ceacfp.com>
  Date: Tue Feb 6 09:01:57 2024 +0100
      Sexto commit
  * commit f6f692011f448d47b64175741f5f4baa5a5a5d0b (section)
   Author: Maria <maria.guijarro@alu.ceacfp.com>
    Date: Tue Feb 6 08:55:49 2024 +0100
        quinto commit
  commit 4e7af3291821624bfda905f5c0c0f0b13e48f358
  Author: Maria <maria.guijarro@alu.ceacfp.com>
  Date: Tue Feb 6 08:54:51 2024 +0100
      cuarto commit
  commit 786c1e0b3769f36c000820430549328e589e6724
  Author: Maria <maria.guijarro@alu.ceacfp.com>
  Date: Tue Feb 6 08:54:04 2024 +0100
      Tecer commit
  * commit alfd17eb3c769f19012c5561eadacde13d9e59e2 (tag: v1.0.0.0, main)
   Author: Maria <maria.guijarro@alu.ceacfp.com>
    Date: Tue Feb 6 08:38:13 2024 +0100
        Second commit - Release
  commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
  Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
  Date: Tue Feb 6 08:33:49 2024 +0100
      Initial commit
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)
```

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage) $ git branch -D section Deleted branch section (was f6f6920).
```

3с

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)

$ git branch -a

* homepage
main
remotes/origin/HEAD -> origin/main
remotes/origin/main

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)

$
```

4

4a comprobamos que tienen contenido diferente

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)
$ nano README.md

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (homepage)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
   (use "git push" to publish your local commits)

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$ nano README.md

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
$
```

4b

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

$ git merge homepage
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|MERGING)

$ nano README.md

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|MERGING)

$ "
```

```
eAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|MERGING)
$ git add README.md
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|MERGING)
$ git commit "Mergeado"
fatal: cannot do a partial commit during a merge.
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|MERGING)
$ git commit -m "Mergeado"
[main c519db5] Mergeado
 AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
Merge: 7f7f010 b7a0545
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 09:23:14 2024 +0100
            Mergeado
   * commit b7a0545fe404d330ae117a829488ea97e3a40719 (homepage)
| Author: Maria <maria.guijarro@alu.ceacfp.com>
| Date: Tue Feb 6 09:01:57 2024 +0100
            Sexto commit
      commit 4e7af3291821624bfda905f5c0c0f0b13e48f358
      Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:54:51 2024 +0100
            cuarto commit
      commit 786c1e0b3769f36c000820430549328e589e6724
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:54:04 2024 +0100
            Tecer commit
      commit 7f7f010829b73ba4a011d0b231335bd467341586
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 09:17:04 2024 +0100
            Guardamos los cambios
     commit a1fd17eb3c769f19012c5561eadacde13d9e59e2 (tag: v1.0.0.0)
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:38:13 2024 +0100
            Second commit - Release
   commit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
   Date: Tue Feb 6 08:33:49 2024 +0100
         Initial commit
 AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
```

```
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)

§ git checkout f6f6
Note: switching to 'f6f6'.

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using -c with the switch command. Example:

git switch -c <new-branch-name>

Or undo this operation with:

git switch -

Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at f6f6920 quinto commit

AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 ((f6f6920...))

§ git switch -c section
```

## 5b

Switched to a new branch 'section'

```
zureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|CHERRY-PICKING)
$ git add .
AzureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main|CHERRY-PICKING)

§ git commit -m "Cherry pick"
[main 4544d9a] cherry pick
Date: Tue Feb 6 08:55:49 2024 +0100
1 file changed, 1 insertion(+), 4 deletions(-)
 zureAD+MariaGuijarro-Alumno@CEACFP10381 MINGW64 ~/examenDe10 (main)
  git log --graph --all
commit 4544d9a9582bccfa7246fc44b22d8072e64539eb (HEAD -> main)
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:55:49 2024 +0100
         Cherry pick
      commit c519db5d4805897298a23c90d61093e055a589f4
Merge: 7f7f010 b7a0545
      Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 09:23:14 2024 +0100
             Mergeado
      commit b7a0545fe404d330ae117a829488ea97e3a40719 (homepage)
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 09:01:57 2024 +0100
              Sexto commit
      commit 7f7f010829b73ba4a011d0b231335bd467341586
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 09:17:04 2024 +0100
             Guardamos los cambios
      commit alfd17eb3c769f19012c5561eadacde13d9e59e2 (tag: v1.0.0.0)
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:38:13 2024 +0100
             Second commit - Release
      * commit f6f692011f448d47b64175741f5f4baa5a5a5d0b (section)
/ Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:55:49 2024 +0100
                 quinto commit
             mit 4e7af3291821624bfda905f5c0c0f0b13e48f358
      Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:54:51 2024 +0100
             cuarto commit
      commit 786c1e0b3769f36c000820430549328e589e6724
Author: Maria <maria.guijarro@alu.ceacfp.com>
Date: Tue Feb 6 08:54:04 2024 +0100
             Tecer commit
         mit 1325e968d05c27a4c804157da628bf96b1a2a34e (origin/main, origin/HEAD)
   Author: MariaCeacFp <131768838+MariaCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:33:49 2024 +0100
```