

```
user@-:~$ cat > Домашние_животные.txt << EOF
```

и

Хомяк> Собаки

Кошки

Хомяки

EOF

```
user@-:~$ cat > Вьючные_животные.txt << EOF
```

Лошади

Верблюды

Ослы

EOF

```
user@-:~$ cat Домашние_животные.txt Вьючные_животные.txt > Объединенный_файл.txt
```

```
user@-:~$ cat Объединенный_файл.txt
```

Собаки

Кошки

Хомяки

Лошади

Верблюды

Ослы

```
user@-:~$ mv Объединенный_файл.txt Друзья_человека.txt user@-:~$ mkdir Питомник
```

```
user@-:~$ mv Друзья_человека.txt Питомник/
```

```
user@-:~$ ls Питомник/
```

Друзья\_человека.txt

```
user@-:~$ wget https://dev.mysql.com/get/mysql-apt-config_0.8.34-1_all.deb --2025-08-30
08:09:50-- https://dev.mysql.com/get/mysql-apt-config_0.8.34-1_all.deb Resolving
dev.mysql.com (dev.mysql.com)... 92.123.205.252, 2001:2030:21:1a9::2e31,
2001:2030:21:19e::2e31 Connecting to dev.mysql.com
(dev.mysql.com)|92.123.205.252|:443... connected. HTTP request sent, awaiting response...
302 Moved Temporarily Location: https://repo.mysql.com//mysql-apt-config_0.8.34-1_all.deb
[following] --2025-08-30 08:09:50-- https://repo.mysql.com//mysql-apt-config_0.8.34-
1_all.deb Resolving repo.mysql.com (repo.mysql.com)... 23.210.253.96,
2a02:26f0:e80:499::1d68, 2a02:26f0:e80:481::1d68 Connecting to repo.mysql.com
(repo.mysql.com)|23.210.253.96|:443... connected. HTTP request sent, awaiting response...
200 OK Length: 18108 (18K) [application/x-debian-package] Saving to: 'mysql-apt-
config_0.8.34-1_all.deb'
```

```
mysql-apt-config_0.8.34-1_all.deb
```

```
100%[=====
==>] 17.68K --KB/s in 0.001s
```

```
2025-08-30 08:09:50 (29.3 MB/s) - 'mysql-apt-config_0.8.34-1_all.deb' saved [18108/18108]
```

```
user@-:~$ ls -la mysql-apt-config_0.8.34-1_all.deb
```

```
-rw-r--r-- 1 user user 18108 Apr 2 19:51 mysql-apt-config_0.8.34-1_all.deb
```

```
user@-:~$ sudo dpkg -i mysql-apt-config_0.8.34-1_all.deb
```

```
(Reading database ... 46254 files and directories currently installed.) Preparing to unpack
mysql-apt-config_0.8.34-1_all.deb ... Unpacking mysql-apt-config (0.8.34-1) over (0.8.28-1)
... Setting up mysql-apt-config (0.8.34-1) ...
```

```
user@-:~$ sudo apt-get update
```

```
Hit:1 https://download.docker.com/linux/ubuntu jammy InRelease
```

```
Hit:2 http://security.ubuntu.com/ubuntu jammy-security InRelease
```

```
Get:3 http://repo.mysql.com/apt/ubuntu jammy InRelease [25.1 kB]
```

```
Hit:4 http://archive.ubuntu.com/ubuntu jammy InRelease
```

```
Hit:5 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
```

```
Hit:6 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
```

```
Get:7 http://repo.mysql.com/apt/ubuntu jammy/mysql-8.0 Sources [962 B]
```

```
Get:8 http://repo.mysql.com/apt/ubuntu jammy/mysql-apt-config amd64 Packages [566 B]
```

```
Get:9 http://repo.mysql.com/apt/ubuntu jammy/mysql-8.0 amd64 Packages [12.6 kB]
```

```
Get:10 http://repo.mysql.com/apt/ubuntu jammy/mysql-tools amd64 Packages [4177 B]
```

```
Fetched 43.4 kB in 2s (24.7 kB/s) Reading package lists... Done
```

```
user@-:~$ sudo apt-get install mysql-server
```

```
Reading package lists... Done Building dependency tree... Done Reading state information...
Done The following additional packages will be installed: libaio1 libmecab2 mecab-ipadic
mecab-ipadic-utf8 mecab-utils mysql-client mysql-common mysql-community-client mysql-
community-client-core mysql-community-client-plugins mysql-community-server mysql-
community-server-core The following NEW packages will be installed: libaio1 libmecab2
mecab-ipadic mecab-ipadic-utf8 mecab-utils mysql-client mysql-common mysql-community-
client mysql-community-client-core mysql-community-client-plugins mysql-community-
server mysql-community-server-core mysql-server 0 upgraded, 13 newly installed, 0 to remove
and 0 not upgraded. Need to get 41.1 MB of archives. After this operation, 283 MB of
```

additional disk space will be used. Do you want to continue? [Y/n] Y Get:1 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libaio1 amd64 0.3.112-13build1 [7176 B]

Get:2 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-common amd64 8.0.43-1ubuntu22.04 [60.5 kB]

Get:3 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libmecab2 amd64 0.996-14build9 [199 kB]

Get:4 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-community-client-plugins amd64 8.0.43-1ubuntu22.04 [1443 kB]

Get:5 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-community-client-core amd64 8.0.43-1ubuntu22.04 [2159 kB]

Get:6 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-community-client amd64 8.0.43-1ubuntu22.04 [2148 kB]

Get:7 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 mecab-utils amd64 0.996-14build9 [4850 B]

Get:8 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 mecab-ipadic all 2.7.0-20070801+main-3 [6718 kB]

Get:9 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-client amd64 8.0.43-1ubuntu22.04 [59.3 kB]

Get:10 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-community-server-core amd64 8.0.43-1ubuntu22.04 [28.2 MB]

Get:11 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 mecab-ipadic-utf8 all 2.7.0-20070801+main-3 [4384 B]

Get:12 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-community-server amd64 8.0.43-1ubuntu22.04 [71.1 kB]

Get:13 <http://repo.mysql.com/apt/ubuntu> jammy/mysql-8.0 amd64 mysql-server amd64 8.0.43-1ubuntu22.04 [59.2 kB] Fetched 41.1 MB in 3s (14.9 MB/s)

Preconfiguring packages ... Selecting previously unselected package mysql-common. (Reading database ... 46254 files and directories currently installed.) Preparing to unpack .../00-mysql-common\_8.0.43-1ubuntu22.04\_amd64.deb ... Unpacking mysql-common (8.0.43-1ubuntu22.04) ... Selecting previously unselected package mysql-community-client-plugins. Preparing to unpack .../01-mysql-community-client-plugins\_8.0.43-1ubuntu22.04\_amd64.deb ... Unpacking mysql-community-client-plugins (8.0.43-1ubuntu22.04) ... Selecting previously unselected package mysql-community-client-core. Preparing to unpack .../02-mysql-community-client-core\_8.0.43-1ubuntu22.04\_amd64.deb ... Unpacking mysql-community-

```

client-core (8.0.43-1ubuntu22.04) ... Selecting previously unselected package mysql-
community-client. Preparing to unpack .../03-mysql-community-client_8.0.43-
1ubuntu22.04_amd64.deb ... Unpacking mysql-community-client (8.0.43-1ubuntu22.04) ...
Selecting previously unselected package mysql-client. Preparing to unpack .../04-mysql-
client_8.0.43-1ubuntu22.04_amd64.deb ... Unpacking mysql-client (8.0.43-1ubuntu22.04) ...
Selecting previously unselected package libaiol:amd64. Preparing to unpack .../05-
libaiol_0.3.112-13build1_amd64.deb ... Unpacking libaiol:amd64 (0.3.112-13build1) ...
Selecting previously unselected package libmecab2:amd64. Preparing to unpack .../06-
libmecab2_0.996-14build9_amd64.deb ... Unpacking libmecab2:amd64 (0.996-14build9) ...
Selecting previously unselected package mysql-community-server-core. Preparing to unpack
.../07-mysql-community-server-core_8.0.43-1ubuntu22.04_amd64.deb ... Unpacking mysql-
community-server-core (8.0.43-1ubuntu22.04) ... Selecting previously unselected package
mysql-community-server. Preparing to unpack .../08-mysql-community-server_8.0.43-
1ubuntu22.04_amd64.deb ... Unpacking mysql-community-server (8.0.43-1ubuntu22.04) ...
Selecting previously unselected package mecab-utils. Preparing to unpack .../09-mecab-
utils_0.996-14build9_amd64.deb ... Unpacking mecab-utils (0.996-14build9) ... Selecting
previously unselected package mecab-ipadic. Preparing to unpack .../10-mecab-ipadic_2.7.0-
20070801+main-3_all.deb ... Unpacking mecab-ipadic (2.7.0-20070801+main-3) ... Selecting
previously unselected package mecab-ipadic-utf8. Preparing to unpack .../11-mecab-ipadic-
utf8_2.7.0-20070801+main-3_all.deb ... Unpacking mecab-ipadic-utf8 (2.7.0-
20070801+main-3) ... Selecting previously unselected package mysql-server. Preparing to
unpack .../12-mysql-server_8.0.43-1ubuntu22.04_amd64.deb ... Unpacking mysql-server
(8.0.43-1ubuntu22.04) ... Setting up libmecab2:amd64 (0.996-14build9) ... Setting up mysql-
common (8.0.43-1ubuntu22.04) ... update-alternatives: using /etc/mysql/my.cnf.fallback to
provide /etc/mysql/my.cnf (my.cnf) in auto mode Setting up mecab-utils (0.996-14build9) ...
Setting up mysql-community-client-plugins (8.0.43-1ubuntu22.04) ... Setting up
libaiol:amd64 (0.3.112-13build1) ... Setting up mecab-ipadic (2.7.0-20070801+main-3) ...
Compiling IPA dictionary for Mecab. This takes long time... reading
/usr/share/mecab/dic/ipadic/unk.def ... 40 emitting double-array: 100%
|#####| /usr/share/mecab/dic/ipadic/model.def
is not found. skipped. reading /usr/share/mecab/dic/ipadic/Noun.others.csv ... 151 reading
/usr/share/mecab/dic/ipadic/Conjunction.csv ... 171 reading
/usr/share/mecab/dic/ipadic/Adverb.csv ... 3032 reading
/usr/share/mecab/dic/ipadic/Suffix.csv ... 1393 reading
/usr/share/mecab/dic/ipadic/Noun.name.csv ... 34202 reading
/usr/share/mecab/dic/ipadic/Postp-col.csv ... 91 reading
/usr/share/mecab/dic/ipadic/Noun.number.csv ... 42 reading
/usr/share/mecab/dic/ipadic/Auxil.csv ... 199 reading
/usr/share/mecab/dic/ipadic/Noun.place.csv ... 72999 reading
/usr/share/mecab/dic/ipadic/Filler.csv ... 19 reading
/usr/share/mecab/dic/ipadic/Noun.proper.csv ... 27328 reading
/usr/share/mecab/dic/ipadic/Others.csv ... 2 reading /usr/share/mecab/dic/ipadic/Noun.nai.csv
... 42 reading /usr/share/mecab/dic/ipadic/Prefix.csv ... 221 reading
/usr/share/mecab/dic/ipadic/Noun.org.csv ... 16668 reading
/usr/share/mecab/dic/ipadic/Noun.csv ... 60477 reading

```

```

/usr/share/mecab/dic/ipadic/Symbol.csv ... 208 reading /usr/share/mecab/dic/ipadic/Postp.csv
... 146 reading /usr/share/mecab/dic/ipadic/Noun.adverbal.csv ... 795 reading
/usr/share/mecab/dic/ipadic/Adnominal.csv ... 135 reading
/usr/share/mecab/dic/ipadic/Interjection.csv ... 252 reading
/usr/share/mecab/dic/ipadic/Noun.demonst.csv ... 120 reading
/usr/share/mecab/dic/ipadic/Adj.csv ... 27210 reading /usr/share/mecab/dic/ipadic/Verb.csv ...
130750 reading /usr/share/mecab/dic/ipadic/Noun.verbal.csv ... 12146 reading
/usr/share/mecab/dic/ipadic/Noun.adjv.csv ... 3328 emitting double-array: 100%
#####| reading
/usr/share/mecab/dic/ipadic/matrix.def ... 1316x1316 emitting matrix : 100%
#####|

```

done!

update-alternatives: using /var/lib/mecab/dic/ipadic to provide /var/lib/mecab/dic/debian (mecab-dictionary) in auto mode Setting up mysql-community-client-core (8.0.43-1ubuntu22.04) ... Setting up mysql-community-server-core (8.0.43-1ubuntu22.04) ... Setting up mecab-ipadic-utf8 (2.7.0-20070801+main-3) ... Compiling IPA dictionary for Mecab. This takes long time... reading /usr/share/mecab/dic/ipadic/unk.def ... 40 emitting double-array: 100%

```

#####|
/usr/share/mecab/dic/ipadic/model.def is not found. skipped. reading
/usr/share/mecab/dic/ipadic/Noun.others.csv ... 151 reading
/usr/share/mecab/dic/ipadic/Conjunction.csv ... 171 reading
/usr/share/mecab/dic/ipadic/Adverb.csv ... 3032 reading
/usr/share/mecab/dic/ipadic/Suffix.csv ... 1393 reading
/usr/share/mecab/dic/ipadic/Noun.name.csv ... 34202 reading
/usr/share/mecab/dic/ipadic/Postp-col.csv ... 91 reading
/usr/share/mecab/dic/ipadic/Noun.number.csv ... 42 reading
/usr/share/mecab/dic/ipadic/Auxil.csv ... 199 reading
/usr/share/mecab/dic/ipadic/Noun.place.csv ... 72999 reading
/usr/share/mecab/dic/ipadic/Filler.csv ... 19 reading
/usr/share/mecab/dic/ipadic/Noun.proper.csv ... 27328 reading
/usr/share/mecab/dic/ipadic/Others.csv ... 2 reading /usr/share/mecab/dic/ipadic/Noun.nai.csv
... 42 reading /usr/share/mecab/dic/ipadic/Prefix.csv ... 221 reading
/usr/share/mecab/dic/ipadic/Noun.org.csv ... 16668 reading
/usr/share/mecab/dic/ipadic/Noun.csv ... 60477 reading
/usr/share/mecab/dic/ipadic/Symbol.csv ... 208 reading /usr/share/mecab/dic/ipadic/Postp.csv
... 146 reading /usr/share/mecab/dic/ipadic/Noun.adverbal.csv ... 795 reading
/usr/share/mecab/dic/ipadic/Adnominal.csv ... 135 reading
/usr/share/mecab/dic/ipadic/Interjection.csv ... 252 reading
/usr/share/mecab/dic/ipadic/Noun.demonst.csv ... 120 reading
/usr/share/mecab/dic/ipadic/Adj.csv ... 27210 reading /usr/share/mecab/dic/ipadic/Verb.csv ...
130750 reading /usr/share/mecab/dic/ipadic/Noun.verbal.csv ... 12146 reading
/usr/share/mecab/dic/ipadic/Noun.adjv.csv ... 3328 emitting double-array: 100%
#####| reading

```

```
/usr/share/mecab/dic/ipadic/matrix.def ... 1316x1316 emitting matrix : 100%  
|#####|
```

done!

update-alternatives: using /var/lib/mecab/dic/ipadic-utf8 to provide /var/lib/mecab/dic/debian (mecab-dictionary) in auto mode Setting up mysql-community-client (8.0.43-1ubuntu22.04) ... Setting up mysql-client (8.0.43-1ubuntu22.04) ... Setting up mysql-community-server (8.0.43-1ubuntu22.04) ... update-alternatives: using /etc/mysql/mysql.cnf to provide /etc/mysql/my.cnf (my.cnf) in auto mode Created symlink /etc/systemd/system/multi-user.target.wants/mysql.service → /lib/systemd/system/mysql.service. Setting up mysql-server (8.0.43-1ubuntu22.04) ... Processing triggers for man-db (2.10.2-1) ... Processing triggers for libc-bin (2.35-0ubuntu3.10) ...

```
user@-:~$ mysql --version  
mysql Ver 8.0.43 for Linux on x86_64 (MySQL Community Server - GPL)
```

```
user@-:~$ sudo service mysql status
```

mysql: unrecognized service

```
user@-:~$ sudo mysqld_safe --skip-grant-tables &
```

```
[1] 4010
```

```
user@-:~$ 2025-08-30T05:20:49.520260Z mysqld_safe Logging to '/var/log/mysql/error.log'.
```

```
2025-08-30T05:20:49.585818Z mysqld_safe Starting mysqld daemon with databases from /var/lib/mysql  
sudo mysql -u root -p Enter password: Welcome to the MySQL monitor.  
Commands end with ; or \g. Your MySQL connection id is 7 Server version: 8.0.43 MySQL Community Server - GPL
```

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE Друзья_человека; Query OK, 1 row affected (0.01 sec)
```

```
mysql> USE Друзья_человека; Database changed  
mysql> CREATE TABLE Животные ( -> id INT PRIMARY KEY AUTO_INCREMENT, -> name VARCHAR(100) NOT NULL, -> birth_date DATE NOT NULL, -> commands TEXT -> ); Query OK, 0 rows affected (0.04 sec)
```

```
mysql> CREATE TABLE Домашние_животные ( id IN -> id INT PRIMARY KEY AUTO_INCREMENT, -> animal_id INT, -> type ENUM('Собака', 'Кошка', 'Хомяк'), ->
```

```
FOREIGN KEY (animal_id) REFERENCES Животные(id) ON DELETE CASCADE -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> CREATE TABLE Вьючные_животные ( -> id INT PRIMARY KEY
AUTO_INCREMENT, -> animal_id INT, -> type ENUM('Лошадь', 'Верблюд', 'Осел'), ->
FOREIGN KEY (animal_id) REFERENCES Животные(id) ON DELETE CASCADE -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> INSERT INTO Животные (name, birth_date, commands) VALUES -> ('Бобик',
'2020-05-15', 'Сидеть, Лежать, Голос'), -> ('Мурка', '2021-02-20', 'Кушать, Спать'), ->
('Хома', '2022-01-10', 'Бегать в колесе'), -> ('Буцефал', '2019-03-25', 'Бегать, Прыгать'), ->
('Саид', '2018-07-12', 'Переносить грузы'), -> 2020-11-('Иа', '2020-11-05', 'Ташить воз'), ->
('Шарик', '2021-08-15', 'Охранять, Фас'), -> ('Барсик', '2022-03-10', 'Ловить мышей'), ->
('Гиза', '2020-12-01', 'Бегать, Прятаться'); Query OK, 9 rows affected (0.03 sec) Records: 9
Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Домашние_животные (animal_id, type) VALUES -> (1, 'Собака'),
(2, 'Кошка'), (3, 'Хомяк'), (7, 'Собака'), (8, 'Кошка'), (9, 'Хомяк'); Query OK, 6 rows affected
(0.01 sec) Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Вьючные_животные (animal_id, type) VALUES -> (4, 'Лошадь'),
(5, 'Верблюд'), (6, 'Осел'); Query OK, 3 rows affected (0.01 sec) Records: 3 Duplicates: 0
Warnings: 0
```

```
mysql> DELETE FROM Вьючные_животные WHERE type = 'Верблюд'; Query OK, 1 row
affected (0.01 sec)
```

```
mysql> CREATE TABLE Лошади_и_ослы AS -> SELECT a.*, v.type -> FROM Животные
a -> JOIN Вьючные_животные v ON a.id = v.animal_id -> WHERE v.type IN ('Лошадь',
'Осел'); Query OK, 2 rows affected (0.05 sec) Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> CREATE TABLE молодые_животные AS -> ELECSELECT *, ->
TIMESTAMPDIFF(MONTH, birth_date, CURDATE()) AS age_months -> FROM
Животные -> WHERE TIMESTAMPDIFF(YEAR, birth_date, CURDATE()) BETWEEN 1
AND 3; Query OK, 2 rows affected (0.05 sec) Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> CREATE TABLE все_животные AS -> SELECT a., 'Домашнее' as category, d.type
as animal_type -> FROM Животные a -> ДомашнJOIN Домашние_животные d ON a.id
= d.animal_id -> UNION ALL -> SELECT a., 'Вьючное' as category, v.type as animal_type -
> FROM Животные a -> JOIN Вьючные_животные v ON a.id = v.animal_id; Query OK, 8
rows affected (0.05 sec) Records: 8 Duplicates: 0 Warnings: 0
```

```
mysql> SHOW TABLES; +-----+
Tables_in_Друзья_человека | +-----+ | Вьючные_животные | |
Домашние_животные | | Животные | | Лошади_и_ослы | | все_животные | |
молодые_животные | +-----+ 6 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM Животные;
```

- FRO+----+-----+-----+-----+ М Дома| id |  
name | birth\_date | commands |

```
+----+-----+-----+-----+ | 1 | Бобик | 2020-05-15 |  
Сидеть, Лежать, Голос || 2 | Мурка | 2021-02-20 | Кушать, Спать || 3 | Хома | 2022-01-10 |  
Бегать в колесе || 4 | Буцефал | 2019-03-25 | Бегать, Прыгать || 5 | Саид | 2018-07-12 |  
Переносить грузы || 6 | Иа | 2020-11-05 | Тащить воз || 7 | Шарик | 2021-08-15 | Охранять,  
Фас || 8 | Барсик | 2022-03-10 | Ловить мышей || 9 | Гиза | 2020-12-01 | Бегать, Прятаться  
| +----+-----+-----+-----+ 9 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Домашние_животные; +----+-----+-----+ | id |  
animal_id | type | +----+-----+-----+ | 1 | 1 | Собака || 2 | 2 | Кошка || 3 | 3 | Хомяк  
|| 4 | 7 | Собака || 5 | 8 | Кошка || 6 | 9 | Хомяк | +----+-----+-----+ 6 rows in set  
(0.00 sec)
```

```
mysql> SELECT * FROM Вьючные_животные; LECT * FR+----+-----+-----+ |  
id | animal_id | type | +----+-----+-----+ | 1 | 4 | Лошадь || 3 | 6 | Осел | +----+-----+  
-----+-----+ 2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM молодые_животные; СТ * +----+-----+-----+-----+  
-----+-----+ | id | name | birth_date | commands | age_months | +----+-----+  
-----+-----+ | 3 | Хома | 2022-01-10 | Бегать в  
колесе | 43 || 8 | Барсик | 2022-03-10 | Ловить мышей | 41 | +----+-----+-----+-----+  
-----+-----+ 2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM все_животные; +----+-----+-----+-----+  
-----+-----+ | id | name | birth_date | commands | category |  
animal_type | +----+-----+-----+-----+-----+  
---+-----+ | 1 | Бобик | 2020-05-15 | Сидеть, Лежать, Голос | Домашнее | Собака || 2  
| Мурка | 2021-02-20 | Кушать, Спать | Домашнее | Кошка || 3 | Хома | 2022-01-10 | Бегать  
в колесе | Домашнее | Хомяк || 7 | Шарик | 2021-08-15 | Охранять, Фас | Домашнее | Собака  
|| 8 | Барсик | 2022-03-10 | Ловить мышей | Домашнее | Кошка || 9 | Гиза | 2020-12-01 |  
Бегать, Прятаться | Домашнее | Хомяк || 4 | Буцефал | 2019-03-25 | Бегать, Прыгать |  
Вьючное | Лошадь || 6 | Иа | 2020-11-05 | Тащить воз | Вьючное | Осел | +----+-----+  
--+-----+-----+-----+-----+ 8 rows in set  
(0.00 sec)
```

```
mysql> EXIT; Bye
```

```
user@-:~$ cat > create_database.sql << 'EOF'
```

```
-- Все SQL команды из пунктов 2-7 OF> EOF
```



