### Location (DTO)

- -locId:int
- -locName:String -locDescription:String
- -locAddress:String
- -locCity:String -locState:String

- -locZip:String
- -locInd:boolean
- -locLat: BigDecimal
- -locLong: BigDecimal
- Getters/setters Equals/Hash Default constructor

## Pet (DTO)

-petId:int -petName:String

# LocDao

- +createLoc(Loc):Loc
- +editLoc( Loc):Loc
- +deleteLoc(locId):void
- +retrieveLocByLocId(int): LocId +retrieveAllLocs():List<Loc>
- +retrieveLocByPet:List<Loc>

PetDao

croateDot(Dot):Dot

PetComeHome Service Layer

+createLoc(Loc):Loc

+editLoc( Loc):Loc

+deleteLoc(locId):void +retrieveLocByLocId(int): Loc

+retrieveAllLocs():List<Loc>

+saveLoc():Void

+createPet(Pet):Pet

+editPet(Pet):Pet +deletePet(PetID):void

+retrievePetByPetID(int):petId

+retrieveAllPets():List<Pet>

+savePet():Void

+createUser(User):User +editUser(User):User

+deleteUser(UserId):void

+ retreive User By Id (): user Id+retrieveAllUsers():List<User>

+saveUser():Void