

# N-body simulations with Gadget-2

Visualisation of collision of galaxies and installation of  
initial conditions

## SECOND REPORT

Pálfi Mária

Physics MSc 2. semester

February 22, 2020



SCIENTIFIC MODELLING COMPUTER LAB

# 1 Introduction

Gadget-2 is a freely available code for cosmological simulations [1]. I have read this name several times in scientific papers, and it is marginally connected to my research, so I would like to understand it and see how it works. I hope, this will help me when I use similar codes and packages.

I have already installed the Gadget-2 during the previous week (the details can be read in the first report). In this report I describe the progress of this week. Section 2 discusses the collision of galaxies and how I visualised them. In section 3 I detail the installation of the initial conditions to my laptop. Section 4 I describe the first steps towards using the supercomputer of ELTE, the Atlasz. I summarize in section 5.

## 2 Collision of two galaxies

Collision of galaxies is an important question of evolution of galaxies [2]. The future collision of the Milky Way and the Andromeda is a well-known phenomena and we can search on the net for beautiful Hubble Space Telescope Images of colliding galaxies but even in the last few years some articles were born on this topic like [3] and [4]. [5] used GADGET code to simulate three merging disk galaxies.

The test program for Gadget-2 is collision of two galaxies. In the first report I showed I could run the command and I got some snapshots, but I could not look into these. The progress of this week was that I installed Gadget File Viewer [6]. To do this I had to have GTK+ 2.0 GUI library, I installed it with the

```
sudo apt-get install gtk+2.0
```

command. I downloaded the compressed gadgetviewer file from [7], then I tried to install it according to [8], but it did not work. So I solved the problem by following the steps of the installation guide of mpich [9] which I used in the previous week. I can open the program with the 'gadgetviewer' command in terminal.

To see the snapshots I choose the Read Gadget snapshot... from File menu and browse the files. I can choose the orientation by pushing its button and make a video by choosing Options/Make a movie... (see Figure 1). The gadgetviewer converted the snapshots to png, these are shown in Figure 2, 3 and 4. I made three .gif videos from three different orientations with the help of an online video maker [10].




Figure 1: The Gadget File Viewer program and Make a movie panel.

### 3 Initial conditions for cosmological simulations

In the next weeks I would like to simulate the formation of the large scale structure of Universe, therefore I need to have programs generating appropriate initial conditions.

#### 3.1 First-order initial conditions

I installed **N-GenIC** which based on the first order Zeldovich approximation, and gives the initial conditions in a format directly compatible with Gadget [11]. I could not download the compressed file from the given website [12], but I found it on [1]. I read the README, and gave the directory pathes in the Makefile. I commanded `make` to install it, but I got the next error message:

```
main.c:3:10: fatal error: drfftw_mpi.h: Nincs ilyen fájl vagy könyvtár
#include <drfftw_mpi.h>
```

So I started to look for what is this file and found on [13] that I have to install FFTW in both single and double precision, therefore I done it according to this webpage.

I tested my installation with the

```
mpiexec -np 8 ./N-GenIC ics.param --mca orte_base_help_aggregate 0 ...
```

command, after I made the necessary ICs directory, it ran properly (Figure 5).




Figure 2: xy projection of the collision of two galaxies visualised by gadgetviewer.




Figure 3: xz projection of the collision of two galaxies visualised by gadgetviewer.




Figure 4: yz projection of the collision of two galaxies visualised by gadgetviewer.

```

marika@Otletesgep: ~/Gadget/N-GenIC
Fájl Szerkesztés Nézet Keresés Terminál Súgó
marika@Otletesgep:~/Gadget/N-GenIC$ mpirun -np 8 ./N-GenIC ics.param --mca orte_base_help_aggregate 0 ...
Task=0 Local_nx=16
Task=1 Local_nx=16
Task=2 Local_nx=16
Task=3 Local_nx=16
Task=4 Local_nx=16
Task=5 Local_nx=16
Task=6 Local_nx=16
Task=7 Local_nx=16

allocated 4.18945 Mbyte on Task 0 for FFT's

reading Lagrangian glass file...
reading 'dummy_glass.dat' with 4096 particles

Nglass= 4096

262144 particles on task=0 (slabs=16)
262144 particles on task=1 (slabs=16)
262144 particles on task=2 (slabs=16)
262144 particles on task=3 (slabs=16)
262144 particles on task=4 (slabs=16)
262144 particles on task=5 (slabs=16)

marika@Otletesgep:~/Gadget/N-GenIC$

marika@Otletesgep: ~/Gadget/N-GenIC
Fájl Szerkesztés Nézet Keresés Terminál Súgó
262144 particles on task=7 (slabs=16)

Total number of particles = 0002097152

start computing displacement fields...
vel_prefac= 3.50542 hubble_a=28.0435 fom=0.999995

starting axes=0...
starting axes=1...
starting axes=2...

Maximum displacement: 502.569 kpc/h, in units of the part-spacing= 0.428859

writing initial conditions...
done with writing initial conditions.

IC's generated.

Initial scale factor = 0.015625

marika@Otletesgep:~/Gadget/N-GenIC$

```

Figure 5: Testing the installation of N-GenIC.

### 3.2 Second-order initial conditions

Sometimes we use second-order initial conditions [14], therefore I installed MPI-parallel version of **2LPTic** based second-order Lagrangian Perturbation Theory. I downloaded the version for Gaussian initial conditions from [15]. I did the installation with editing the Makefile in a similar way as the case of the N-GenIC.

I tested the installation with the example of [15]. Here I had to also give the proper directory pathes, then I could run the command, but I do not have enough memory, thus my computer died (Figure 6).

```

marika@Otletesgep: ~/Gadget/2LPTic
Fájl Szerkesztés Nézet Keresés Terminál Súgó
marika@Otletesgep:~/Gadget/2LPTic$ mpirun -np 8 ./2LPTic ./run_example/2lpt_C
armen.param --mca orte_base_help_aggregate 0 ...
found 401 pairs of values in input spectrum table

Normalization of spectrum in file: Sigma8 = 33.1892
Normalization adjusted to Sigma8=0.8 (Normfac=0.000581014)

Task=0 Local_nx=140
Task=1 Local_nx=140
Task=2 Local_nx=140
Task=3 Local_nx=140
Task=4 Local_nx=140
Task=5 Local_nx=140
Task=6 Local_nx=140
Task=7 Local_nx=140

allocated 1342.24 Mbyte on Task 0

reading Lagrangian glass file...
reading '/home/marika/Gadget/2LPTic/run_example/glass1_le' with 1 particles

Nglass= 1

175616000 particles on task=0 (slabs=140)

marika@Otletesgep:~/Gadget/2LPTic$

marika@Otletesgep: ~/Gadget/2LPTic
Fájl Szerkesztés Nézet Keresés Terminál Súgó
allocated 1342.24 Mbyte on Task 0

reading Lagrangian glass file...
reading '/home/marika/Gadget/2LPTic/run_example/glass1_le' with 1 particles

Nglass= 1

175616000 particles on task=0 (slabs=140)
175616000 particles on task=1 (slabs=140)
175616000 particles on task=2 (slabs=140)
175616000 particles on task=3 (slabs=140)
175616000 particles on task=4 (slabs=140)
175616000 particles on task=5 (slabs=140)
175616000 particles on task=6 (slabs=140)
175616000 particles on task=7 (slabs=140)

Total number of particles = 1404928000

.....
mpirun noticed that process rank 0 with PID 0 on node Otletesgep exited on signal 9 (Killed).
.....

marika@Otletesgep:~/Gadget/2LPTic$

```

Figure 6: Testing the installation of 2LPT.

## 4 Atlasz

To avoid the memory problem it is common to use supercomputers. I submitted the application form for the hpc (high-performance computing) [16] in the office of IIG. Now I can login using `ssh` to the Atlasz server of ELTE. My next task is installing all the packages I installed to my laptop to the Atlasz server.

## 5 Discussion, following steps

In this week I successfully installed gadgetviewer and made videos about the collision of galaxies. I could also installed the initial condition packages for large-scale structure simulations to my laptop. I could submit for the hpc only on Thursday, so I did not installed the packages to the Atlasz server, I am going to do this in the next week.



## References

- [1] <https://wwwmpa.mpa-garching.mpg.de/gadget/>
- [2] [https://en.wikipedia.org/wiki/Interacting\\_galaxy#Galaxy\\_collision](https://en.wikipedia.org/wiki/Interacting_galaxy#Galaxy_collision)
- [3] Calabrò, A., Daddi, E., Fensch, J., Bournaud, F., et al. 2019, A&A 632, A98
- [4] Chen, Guangwen; Wu, Xufen; Kong, Xu; Liu, Wen-Juan; Zhao, HongSheng, 2018, ApJ, 864, 1
- [5] Kotarba, H., Lesch, H., Dolag, K., Naab, T., et al. 2011, MNRAS, 415, 3189
- [6] <http://astro.dur.ac.uk/~jch/gadgetviewer/index.html>
- [7] <https://github.com/jchelly/gadgetviewer/releases>
- [8] <https://github.com/jchelly/gadgetviewer/blob/master/README.md>
- [9] <https://www.mpich.org/static/downloads/3.3.2/mpich-3.3.2-installguide.pdf>
- [10] <https://deparkes.co.uk/2018/01/05/create-video-images-ffmpeg/>
- [11] Springel, V., White, S. D. M., Jenkins, A., Frenk, C. S., et al. 2005, Nature 435, 629–636
- [12] <https://www.h-its.org/2014/11/05/ngenic-code/>
- [13] [http://www.fftw.org/fftw2\\_doc/fftw\\_6.html](http://www.fftw.org/fftw2_doc/fftw_6.html)
- [14] Crocce, M., Pueblas, S., Scoccimarro R., 2006, MNRAS 373, 369–381
- [15] <https://cosmo.nyu.edu/roman/2LPT/>
- [16] <https://hpc.iig.elte.hu/dokuwiki/doku.php>