

Beyond the Screen

YOU ARE NOT USING SOCIAL MEDIA
SOCAIL MEDIA IS USING YOU



Agenda

1

Project overview

2

Metadata
Exploration

3

Python Workflow

4

SQL Analysis

5

Dashboard 1

6

Dashboard 2

7

Dashbord 3

8

Insights

9

Conclusion

Project Overview

Project overview

This project analyzes how social media usage affects users' productivity, focus, sleep, and digital wellbeing.

Using data about social media habits, productivity and cognition, sleep patterns, mental wellbeing, and demographic characteristics, the project aims to identify important patterns and relationships between digital behavior and daily performance.

Main Objectives

- Analyze social media usage patterns.
- Explore its impact on productivity and focus.
- Examine the relationship with sleep and wellbeing.
- Identify demographic differences in digital wellbeing and addiction risk.

Tools Used

- SQL — Data analysis and answering business questions.
- Python — Data cleaning, preprocessing, and exploratory analysis.
- Power BI — Interactive dashboards, KPIs, and data visualization.
- Excel-- Interactive dashboards.

Project Structure

The analysis is divided into four main topics:

- Social Media Usage & Habits
- Social Media & Productivity
- Social Media, Sleep & Mental Wellbeing
- Digital Wellbeing & User Profile

Metadata Exploration

Dataset

Social Media,
Productivity & Digital
Wellbeing

Records

300
Participants

This dataset explores the relationship between social media usage and its potential impact on productivity and cognitive performance. It contains information about users' social media habits, daily screen time, work/study patterns, attention span, deep-work duration, task completion, and productivity-related behaviors. The dataset also includes demographic and behavioral attributes that provide additional context for analyzing productivity patterns.

Python Workflow

1.Data Loading

Loaded the raw dataset using Pandas.

2.Data Exploration

Checked the dataset shape, columns, data types, missing values, duplicates, and statistics..

3.Data Cleaning

Handled data quality issues and removed unnecessary columns.

4.Data Validation

Checked unique values, invalid values, and potential outliers.

Python Workflow

5.Data Modeling Preparation

Split the cleaned dataset into 5 related tables for analysis and Power BI.


6.Feature Engineering

Created meaningful features such as:

- Social Media Usage Level
- Addiction Risk Level
- Sleep Level
- Non-Social Screen Time
- Reward Seeking Level

7.Data Export

Saved the cleaned tables as CSV files for use in Power BI.



SQL Analysis

Social Media Usage & Habits

--1. Average daily social media usage by age group

```
SELECT
  p.age_group,
  AVG(m.avg_daily_sm_hours) AS
avg_daily_social_media_hours
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.age_group
ORDER BY avg_daily_social_media_hours DESC;
```

age_group	avg_daily_social_media_hours
13-17	7.44
18-22	6.49
23-27	4.93
28-35	3.75
36-49	3.26
50-59	1.93
60+	1.17

--2. Which social media platform is the most preferred?

```
SELECT
  primary_platform,
  COUNT(*) AS number_of_users
FROM SocialMedia_Habits
GROUP BY primary_platform
ORDER BY number_of_users DESC;
```

primary_platform	number_of_users
Instagram	95
Facebook	89
YouTube	50
LinkedIn	26
TikTok	26
WeChat	26
Twitter/X	5
Reddit	1
Douyin/TikTok	1

3. How frequently do users check social media across different primary platforms?

```
SELECT primary_platform,
  daily_check_frequency,
  COUNT(*) AS number_of_participants
FROM SocialMedia_Habits
GROUP BY primary_platform, daily_check_frequency
ORDER BY primary_platform,number_of_participants DESC;
```

primary_platform	daily_check_frequency	number_of_participants
Douyin/TikTok	Constantly	1
Facebook	2-3 times a day	48
Facebook	Once a day	23
Facebook	Every few hours	13
Facebook	Once a week	3
Facebook	Constantly	2

Social Media Usage & Habits

--4. How does first-check-of-day behavior vary by age group?

```
SELECT
  p.age_group,
  AVG(m.avg_daily_sm_hours) AS
avg_daily_social_media_hours
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.age_group
ORDER BY avg_daily_social_media_hours DESC;
```

age_group	first_check_of_day	number_of_participants
13-17	Within 5 mins of waking	16
13-17	Within 30 mins	2
18-22	Within 5 mins of waking	27
18-22	Within 30 mins	23
23-27	Within 30 mins	41
23-27	Within 5 mins of waking	2
28-35	Within 30 mins	40

late_night_scrolling	number_of_participants	percentage
Sometimes	86	28.67%
Rarely	83	27.67%
Daily	72	24.00%
Often	30	10.00%
Never	29	9.67%

--5. How common is late-night scrolling across participants?

```
SELECT late_night_scrolling,
  COUNT(*) AS number_of_participants,
  CONCAT(
    CAST(
      COUNT(*) * 100.0 / SUM(COUNT(*)) OVER()
      AS DECIMAL(5,2) ), '%' ) AS percentage
FROM SocialMedia_Habits
GROUP BY late_night_scrolling
ORDER BY number_of_participants DESC;
```

Social Media Usage & Habits

content_type_consumed	number_of_participant
Short video/Reels	33
Tech/Professional	20
Lifestyle/Fashion	15
Gaming/Tech content	12
Family/Religious	11
Educational/Parenting	9

--6. Which content types are consumed most frequently?

```
SELECT TOP(10)
  content_type_consumed,
  COUNT(*) AS number_of_participants
FROM SocialMedia_Habits
GROUP BY content_type_consumed
ORDER BY number_of_participants DESC;
```

--7. How frequently do people scroll without a specific purpose?

```
SELECT
  scroll_without_purpose,
  COUNT(*) AS number_of_participants,
  CAST(
    COUNT(*) * 100.0 / SUM(COUNT(*)) OVER()
    AS DECIMAL(5,2)
  ) AS percentage
FROM SocialMedia_Habits
GROUP BY scroll_without_purpose
ORDER BY number_of_participants DESC;
```

scroll_without_purpose	number_of_participants	percentage
Rarely	108	36
Yes	104	34.67
Sometimes	48	16
Never	40	13.33

Social Media Usage & Habits

Total Participants

300

count Of primary
platforms

9

count of content
Types

76

gender

Female

Male

Non-binary

age_group

13-17


18-22

23-27


28-35

36-49


Average daily social media hoursper age group




Percentages of late night scrolling




Most used primary platform




Percentages of On/Off notifications



Average Of Participants' detox days



Top 5 content types



Social Media & Productivity


Does higher daily social media usage relate to lower productivity?

```
SELECT
CASE
  WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
  WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
  ELSE 'High Usage'
END AS social_media_usage_level,

ROUND( AVG(CAST(productivity_self_rating AS FLOAT)),2)
AS avg_productivity_rating

FROM Fact_User_Metrics

GROUP BY
CASE
  WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
  WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
  ELSE 'High Usage'
END
ORDER BY avg_productivity_rating DESC;
```



social_media_usage_level	avg_productivity_rating
Low Usage	9.05
Medium Usage	5.78
High Usage	3.44

Social Media & Productivity

2 How does average screen time vary across productivity decline levels?

```
SELECT
  productivity_self_rating,
  ROUND(AVG(avg_daily_screen_time_hours), 2) AS
  avg_screen_time
FROM Fact_User_Metrics
GROUP BY productivity_self_rating
ORDER BY avg_screen_time DESC;
```

productivity_self_rating	avg_screen_time
--------------------------	-----------------

2	12.75
---	-------

3	11.5
---	------

4	10.27
---	-------

5	8.84
---	------

6	7.79
---	------

7	7.27
---	------

8	6.5
---	-----

9	5.46
---	------

10	3.8
----	-----

sm_during_work_study	productivity_decline_sc	participants
----------------------	-------------------------	--------------

Always	Critical	35
--------	----------	----

Always	Severe	2
--------	--------	---

Never	None/Minimal	28
-------	--------------	----

Often	Severe	27
-------	--------	----

Often	Moderate	26
-------	----------	----

Often	Early	14
-------	-------	----

Rarely	None/Minimal	68
--------	--------------	----

Sometimes	None/Minimal	58
-----------	--------------	----

Sometimes	Early	39
-----------	-------	----

Sometimes	Moderate	3
-----------	----------	---

3 Is social media use during work/study associated with productivity decline?

```
SELECT
  sm_during_work_study, productivity_decline_score,
  COUNT(*) AS participants
FROM SocialMedia_Habits s
JOIN Productivity_Cognition p
ON s.participant_id = p.participant_id
GROUP BY
  sm_during_work_study, productivity_decline_score
ORDER BY sm_during_work_study, participants DESC;
```

Social Media & Productivity

4 Does higher task-switching frequency relate to greater productivity decline?

```
SELECT
  task_switching_frequency,
  productivity_decline_score,COUNT(*) AS participants
FROM Productivity_Cognition
GROUP BY
  task_switching_frequency,
  productivity_decline_score
ORDER BY task_switching_frequency;
```

task_switching_frequ	productivity_decline_	participants
High	Critical	35
High	Moderate	2
High	Severe	28
Low	Early	7
Low	None/Minimal	153
Moderate	Early	46
Moderate	Moderate	27
Moderate	None/Minimal	1
Moderate	Severe	1

usage_level	difficulty_maintaining_fo cus	participants
Low	Never	15
Low	Rarely	86
Medium	Rarely	6
High	Sometimes	9
Low	Sometimes	53
Medium	Sometimes	44
High	Yes	28
Medium	Yes	8
Very High	Yes	51

5 How does difficulty maintaining focus vary with social media usage?

```
SELECT CASE
  WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END AS usage_level,
  difficulty_maintaining_focus,
  COUNT(*) AS participants
FROM Fact_User_Metrics fOIN Productivity_Cognition p
ON f.participant_id = p.participant_id GROUP BY CASE
  WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END, difficulty_maintaining_focus;
```

Social Media & Productivity

6 Does deep-work duration decrease as social media usage increases?

```
SELECT
CASE
  WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END AS usage_level,
ROUND(AVG(deep_work_duration_minutes), 2) AS
avg_deep_work
FROM Fact_User_Metrics GROUP BY CASE
  WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END
ORDER BY avg_deep_work DESC;
```

usage_level

avg_deep_work

Low

97

Medium

46

High

32

Very High

18

How does attention span vary across different social media usage levels?

```
SELECT CASE WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END AS usage_level,
ROUND(AVG(attention_span_minutes), 2) AS avg_attention_span
FROM Fact_User_Metrics
GROUP BY CASE WHEN avg_daily_sm_hours < 4 THEN 'Low'
  WHEN avg_daily_sm_hours < 5.5 THEN 'Medium'
  WHEN avg_daily_sm_hours < 6.5 THEN 'High'
  ELSE 'Very High' END
ORDER BY avg_attention_span DESC;
```

usage_level

avg_attention_span

Low

40

Medium

19

High

14

Very High

8


Social Media & productivity

Average Of productivity
6.37


Average Of Deep Work mins
66.20

Average Of productivity
5.78


Attention Span vs Social Media Usage



Productivity Decline by Social Media Use During Work/Study




Attention Span vs Social Media Usage



Attention Span vs Social Media Usage



Social media usage level Vs Avg of productivity



Social Media Usage Level

- High
- Low
- Medium

SOCIAL MEDIA USAGE & PRODUCTIVITY ANALYSIS



2020

2021

2022

2023

Reset

MAX PARTICIPANT AGE

10


TOTAL ACTUAL PRODUCTIVITY

1624


TOTAL SOCIAL MEDIA TIME (HRS)

2130


DOPAMINE DYSREGULATION VS RESTLESSNESS




Average Productivity vs Social Media Hours




AVG SLEEP HOURS VS ANXIETY



Productivity by Social Media Detox



BUSINESS OVERVIEW BY REGIONS



RESTLESSNESS SCORE BY PHONE ANXIETY LEVEL



Social Media, Sleep & Mental Wellbeing

-- 1. How does average sleep duration vary with daily social media usage?

```
SELECT
CASE WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
ELSE 'High Usage' END AS social_media_usage_level,
ROUND(AVG(avg_sleep_hours), 2) AS avg_sleep_hours

FROM Fact_User_Metrics

GROUP BY CASE WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
ELSE 'High Usage' END
ORDER BY avg_sleep_hours DESC;
```

late_night_scrolling	sleep_quality	number_of_participants
Daily	Poor	43
Daily	Fair	19
Daily	Very poor	10
Never	Very good	22
Never	Good	7

social_media_usage_level	avg_sleep_hours
Low Usage	8.34
Medium Usage	7.33
High Usage	5.71

2. Is late-night scrolling associated with lower sleep quality?

```
SELECT
s.late_night_scrolling,
m.sleep_quality,
COUNT(*) AS number_of_participants
FROM SocialMedia_Habits s
JOIN Mental_Detox m
ON s.participant_id = m.participant_id
GROUP BY
s.late_night_scrolling,
m.sleep_quality
ORDER BY
s.late_night_scrolling,
number_of_participants DESC;
```

Social Media, Sleep & Mental Wellbeing



sleep_quality	avg_screen_time_ hours
Very poor	12.45
Poor	10.97
Fair	9.08
Good	6.6
Very good	4.19

3. Does screen time vary across sleep-quality levels?

```
SELECT
  md.sleep_quality,
  ROUND(AVG(m.avg_daily_screen_time_hours), 2)
    AS avg_screen_time_hours
FROM Mental_Detox md
JOIN Fact_User_Metrics m
  ON md.participant_id = m.participant_id
GROUP BY md.sleep_quality
ORDER BY avg_screen_time_hours DESC;
```

social_media_usage_level	mental_fog_frequency	number_of_participants
High Usage	Daily	60
High Usage	Often	3
Low Usage	Never	85
Low Usage	Rarely	14
Medium Usage	Rarely	62
Medium Usage	Often	52

4. Is mental fog more frequent among people with higher social media usage?

```
SELECT
  CASE
    WHEN m.avg_daily_sm_hours < 3 THEN 'Low Usage'
    WHEN m.avg_daily_sm_hours < 6 THEN 'Medium Usage'
    ELSE 'High Usage'
  END AS social_media_usage_level,
  md.mental_fog_frequency,
  COUNT(*) AS number_of_participants
FROM Fact_User_Metrics m
JOIN Mental_Detox md
  ON m.participant_id = md.participant_id
GROUP BY CASE
  WHEN m.avg_daily_sm_hours < 3 THEN 'Low Usage'
  WHEN m.avg_daily_sm_hours < 6 THEN 'Medium Usage'
  ELSE 'High Usage' END, md.mental_fog_frequency
ORDER BY social_media_usage_level, number_of_participants DESC;
```



Social Media, Sleep & Mental Wellbeing

5. Is irritability when offline associated with social media addiction risk?

```
SELECT
  md.irritability_when_offline,
  ROUND(AVG(m.sm_addiction_risk_score), 2) AS
  avg_addiction_risk
FROM Fact_User_Metrics m
JOIN Mental_Detox md
  ON m.participant_id = md.participant_id
GROUP BY md.irritability_when_offline
ORDER BY avg_addiction_risk DESC;
```

irritability_when_offline	avg_addiction_risk
Never	9.69
Rarely	8.07
Sometimes	5.31
Yes	2.94

6. Is boredom-to-phone reflex associated with addiction risk?

```
SELECT
  md.boredom_to_phone_reflex,
  ROUND(AVG(m.sm_addiction_risk_score), 2) AS
  avg_addiction_risk
FROM Fact_User_Metrics m
JOIN Mental_Detox md
  ON m.participant_id = md.participant_id
GROUP BY md.boredom_to_phone_reflex
ORDER BY avg_addiction_risk DESC;
```

boredom_to_phone_reflex	avg_addiction_risk
Never	9.76
Rarely	8.98
Sometimes	6.39
Yes	3.32

Social Media, Sleep & Mental Wellbeing

```
-- 7. How does digital wellbeing score vary across social media usage
      levels?


SELECT
  CASE
    WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
    WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
    ELSE 'High Usage'
  END AS social_media_usage_level,

  ROUND(AVG(digital_wellbeing_score), 2) AS avg_digital_wellbeing_score

FROM Fact_User_Metrics

GROUP BY
  CASE
    WHEN avg_daily_sm_hours < 3 THEN 'Low Usage'
    WHEN avg_daily_sm_hours < 6 THEN 'Medium Usage'
    ELSE 'High Usage'
  END

ORDER BY avg_digital_wellbeing_score DESC;
```



social_media_usage_level	avg_digital_wellbeing_score
High Usage	8.87
Medium Usage	5.13
Low Usage	1.92

Social Media , Sleep & Mental well being

Average of sleep
Hours
7.33


Average of Addiction
6.17

Average of Digital
Wellbeing
4.85

Sleep level



Social Media Usage & Digital Wellbeing




Sleep Level

- ☐ Adequate Sleep
- ☐ High Sleep
- ☐ Low Sleep


Addiction Risk Level

- ☐ High Risk
- ☐ Low Risk
- ☐ Medium Risk


Late-Night Scrolling & Sleep Quality



Late-Night Scrolling & Sleep Quality



Sleep level



22

Digital Wellbeing & User Profile

--1. How does social media addiction risk vary by age group?

```
SELECT
  p.age_group,
  AVG(m.sm_addiction_risk_score) AS avg_addiction_risk
FROM Participant p
JOIN Fact_User_Metrics M
  ON p.participant_id = m.participant_id
GROUP BY p.age_group
ORDER BY avg_addiction_risk DESC;
```



age_group	avg_addiction_risk
60+	9.77
50-59	9.17
36-49	7.23
28-35	6.44
23-27	4.85
18-22	2.9
13-17	2.03

--2. How does digital wellbeing score vary by age group?

```
SELECT
  p.age_group,
  AVG(m.digital_wellbeing_score) AS avg_digital_wellbeing_score
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.age_group
ORDER BY avg_digital_wellbeing_score DESC;
```



age_group	avg_digital_wellbeing_score
13-17	9.29
18-22	8.26
23-27	6.04
28-35	4.46
36-49	3.72
50-59	2.01
60+	1.27

Digital Wellbeing & User Profile

3. Does gender show differences in social media addiction risk?

```
SELECT
  p.gender,
  AVG(m.sm_addiction_risk_score) AS avg_addiction_risk
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.gender
ORDER BY avg_addiction_risk DESC;
```

gender	avg_addiction_risk
Male	6.51
Female	5.91
Non-binary	4.44

education_level	avg_digital_wellbeing_score
High school	8.92
Undergraduate	4.9
Postgraduate	3.36


--4. How does digital wellbeing vary by education level?

```
SELECT
  p.education_level,
  AVG(m.digital_wellbeing_score) AS avg_digital_wellbeing_score
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.education_level
ORDER BY avg_digital_wellbeing_score DESC;
```

Digital Wellbeing & User Profile

5. Which occupation categories have the highest average screen time?


```
SELECT
  p.occupation_category,
  AVG(m.avg_daily_screen_time_hours) AS
  avg_screen_time_hours
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.occupation_category
ORDER BY avg_screen_time_hours DESC;
```



occupation_category	avg_screen_time_hours
Education	9.73
Creative	9.25
Marketing	8.57
Hospitality	8.5
Retail	7.96
Technology	7.72

6 Does relationship status relate to social media usage?

```
SELECT
  p.relationship_status,
  AVG(m.avg_daily_sm_hours) AS avg_social_media_hours
FROM Participant p
JOIN Fact_User_Metrics m
  ON p.participant_id = m.participant_id
GROUP BY p.relationship_status
ORDER BY avg_social_media_hours DESC;
```




relationship_status	avg_social_media_hours
Single	6.08
Divorced	5.75
In a relationship	4.43
Married	2.43

Digital Wellbeing & User Profile

7. How does mental fog frequency vary across age groups?

```
SELECT
  p.age_group,
  md.mental_fog_frequency,
  COUNT(*) AS number_of_participants
FROM Participant p
JOIN Mental_Detox md
  ON p.participant_id = md.participant_id
GROUP BY
  p.age_group,
  md.mental_fog_frequency
ORDER BY
  p.age_group,
  number_of_participants DESC;
```




age group	mental fog freq	number of parti
13-17	Daily	18
18-22	Daily	38
18-22	Often	12
23-27	Often	28
23-27	Rarely	7
23-27	Daily	5
23-27	Sometimes	3
28-35	Rarely	26
28-35	Often	10
28-35	Sometimes	10
28-35	Never	5
28-35	Daily	2
36-49	Rarely	41
36-49	Never	21
36-49	Sometimes	6
36-49	Often	4
36-49	Daily	2
50-59	Never	32
50-59	Rarely	2
50-59	Often	1
60+	Never	27

Digital wellbeing & User profile


Average Daily
screen time
7.83

Average digital
wellbeing
4.85


Avg digital wellbeing score per age group




Social Media Usage & Digital Wellbeing



Average digital wellbeing score per educational level



Social Media Usage & Digital Wellbeing



age_group

- ☐ 13-17
- ☐ 18-22
- ☐ 23-27
- ☐ 28-35
- ☐ 36-49
- ☐ 50-59
- ☐ 60+

education_level

- ☐ High school
- ☐ Postgraduate
- ☐ Undergraduate

INSIGHTS

1. Social Media Usage & Habits

Higher social media usage can be compared with differences in screen time and productivity.
Frequent checking and purposeless scrolling highlight different patterns of social media use.
Late-night scrolling can be examined in relation to sleep duration and sleep quality.

2. Productivity & Cognition

Social media usage levels can be compared with productivity and tasks completed per day.
Attention span and deep-work duration can be analyzed across different usage levels.
Task switching and mind wandering provide additional indicators of focus and productivity patterns

3. Sleep & Digital Wellbeing

Sleep patterns can be compared across different levels of social media usage.
Sleep quality can be examined alongside addiction risk.
Digital wellbeing can be compared with social media usage and behavioral patterns.


4. Addiction Risk

Users can be categorized into Low, Medium, and High Addiction Risk.
Addiction risk can be analyzed in relation to social media usage intensity.
Reward-seeking behavior, boredom-to-phone reflex, and mood dependency can provide additional behavioral context.

5. Demographic Patterns

Social media habits can be compared across age groups, education levels, and employment status.
Productivity and addiction risk can also be explored across different demographic groups.

Overall Insight



Conclusion

. This analysis provides a clearer understanding of how social media habits may relate to productivity, cognitive performance, sleep, and digital wellbeing. By examining usage patterns, behavioral factors, and demographic characteristics, the project highlights key factors that can be used to understand social media engagement and addiction risk.

.Overall, the analysis can help identify behavioral patterns and support better digital habits, healthier screen-time management, and improved productivity.

Prepared by

Mariam Moheer Ebrahim

Roaa Ahmed Mohamed

Aml Razk Hosni

Hasnaa Ahmed Mahmoud

Poula Gerges



THANK YOU