ecommerce-cdc-events (eh-ecommerce-streaming-2026/ecommerce-cdc-events) | Data Explorer

Event Hubs Instance

Search
Overview
Access control (IAM)
Diagnose and solve problems
Data Explorer
Explore in Microsoft Fabric
Resource visualizer
Settings
Entities
Features
Automation
Help

Event Hub

ecommerce-cdc-events

Transmit prepared or custom data

Send events

Inspect your data with following properties

Partition ID *

All partition IDs

Consumer group *

$Default

Create a new consumer group

Event position

- Oldest position
- Custom position
- Newest position

Advanced properties

View events

Clear all | Auth settings | Learn more | Give feedback

Total received events : 1622 | View next events | Export events

Sequence Nu...	Offset	Partition ID	Enqueued Time	Content Type	Message ID	Event Body
0	0	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
1	3600	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
2	7192	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
3	10792	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
4	14392	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
5	17992	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
6	21584	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
7	25184	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
8	28784	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type
9	32376	0	Sun, Oct 25, 26, 06:57:54 PM GM...			{"schema":{"type

Event body | Event properties

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more

Data Factory | Validate all | Publish all

General
- Connector upgrade advis...
- Factory settings

Connections
- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control
- Git configuration
- ARM template

Author
- Triggers
- Global parameters
- Data flow libraries

Security
- Credentials

Linked services

Linked service defines the connection information to a data store or compute. Learn more

+ New

Filter by name | Annotations : **Any**

Showing 1 - 2 of 2 items

Name	Type
LS_ADLS_LandingZone	Azure Data Lake Sto
LS_PostgreSQL_Ecommerce	PostgreSQL

Edit linked service

PostgreSQL Learn more

Name *
LS_PostgreSQL_Ecommerce

Description

Connect via integration runtime *
LocalPostgresIR

Server name *
localhost

Port
15432

Database name *
ecommerce_db

User name *
ecommerce_user

Password | Azure Key Vault

Password *
••••••••••

Save | Cancel | Test connection

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more

Data Factory | Validate all | Publish all

General
- Connector upgrade advis...
- Factory settings

Connections
- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control
- Git configuration
- ARM template

Author
- Triggers
- Global parameters
- Data flow libraries

Security
- Credentials

Linked services

Linked service defines the connection information to a data store or compute. Learn more

+ New

Filter by name | Annotations : **Any**

Showing 1 - 2 of 2 items

Name	Type
LS_ADLS_LandingZone	Azure Data Lake Sto
LS_PostgreSQL_Ecommerce	PostgreSQL

Edit linked service

Azure Data Lake Storage Gen2 Learn more

Name *
LS_ADLS_LandingZone

Description

Connect via integration runtime *
AutoResolveIntegrationRuntime

Authentication type
Account key

Account selection method
- From Azure subscription
- Enter manually

URL *
https://sicclickstream.dfs.core.windows.net/

Storage account key | Azure Key Vault

Storage account key *
••••••••••

Test connection
- To linked service
- To file path

Save | Cancel | Test connection

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more
View in Fabric (Preview)

Data Factory | Validate all | Publish all

Factory Resources

Filter resources by name

- Pipelines 1
  - PL_PostgreSQL_To_ADLS_Batch
- Change Data Capture (preview) 0
- Datasets 2
- Data flows 0
- Power Query 0


PL_PostgreSQL_To_...

Activities

Search activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Validate | Validate copy runtime | Debug | Trigger (1)



General | Source | Sink | Mapping | Settings | User properties

Name * Copy_PostgreSQL_To_ADLS - Learn more

Description

Activity state ⓘ Activated Deactivated

Timeout ⓘ 0.12:00:00

Retry ⓘ 0

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more

Data Factory | Validate all | Publish all

General
- Connector upgrade advis...
- Factory settings

Connections
- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control
- Git configuration
- ARM template

Author
- Triggers
- Global parameters
- Data flow libraries

Security
- Credentials

Integration runtimes

The integration runtime (IR) is the compute infrastructure to provide the following data integration capabiliti

New | Refresh

Filter by name

Showing 1 - 3 of 3 items

Name	Type	Sub-type
AutoResolveIntegrationRuntime	Azure	Public
LocalPostgresIR	Self-Hosted	---
SHIR-Local	Self-Hosted	---

Edit integration runtime

Settings | Nodes | Auto update | Sharing | Links

Install integration runtime on Windows machine or add further nodes using the Authentication Key.

Name
LocalPostgresIR

Description

Self-contained interactive authoring
(•) Disable ( ) Enable

Option 1: Express setup

Click here to launch the express setup for this computer

Option 2: Manual setup

Step 1: Download and install integration runtime

Step 2: Use this key to register your integration runtime

Name	Authentication key
Key1	IR@9cacae12-427e-4d64-bd0f-c3d5f48e84cf@ecommerce-adf-sic@Se
Key2	IR@9cacae12-427e-4d64-bd0f-c3d5f48e84cf@ecommerce-adf-sic@Se

Apply | Cancel

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more
View in Fabric (Preview)

Data Factory | Validate all | Publish all

Factory Resources

Filter resources by name

- Pipelines 1
- Change Data Capture (preview) 0
- Datasets 2
  - DS_ADLS_LandingZone_Ecom...
  - DS_Postgres_EcommerceEvents
- Data flows 0
- Power Query 0

PL_PostgreSQL_To_... | DS_ADLS_LandingZ...



DelimitedText

DS_ADLS_LandingZone_EcommerceEvents

Connection | Schema | Parameters

Linked service *	LS_ADLS_LandingZone — Test connection — Edit — New — Learn more
File path	landing-zone / Directory / File name — Browse — Preview data
Compression type	gzip (.gz)
Compression level	
Column delimiter	Comma (,)
Row delimiter	Default (\r,\n, or \r\n)
Encoding	Default(UTF-8)

Upgrade your Azure Data Factory to the native **Microsoft Fabric Data Factory** experience. Learn more
View in Fabric (Preview)

Data Factory | Validate all | Publish all

Factory Resources

Filter resources by name

- Pipelines 1
- Change Data Capture (preview) 0
- Datasets 2
  - DS_ADLS_LandingZone_Ecommerce...
  - DS_Postgres_EcommerceEvents
- Data flows 0
- Power Query 0

PL_PostgreSQL_To_... | DS_ADLS_LandingZo... | DS_Postgres_Ecom...

PostgreSQL

DS_Postgres_EcommerceEvents

Connection | Parameters

Linked service * LS_PostgreSQL_Ecommerce — Test connection | Edit | New | Learn more

Integration runtime * LocalPostgresIR — Edit

Table batch/ecommerce_events — Refresh | Preview data

Enter manually

landing-zone

Container

0

Add Directory | Upload | Refresh | Delete | Copy | Paste | Rename | Acquire lease | Break lease | Edit columns

landing-zone

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 11 items

Name	Last modified	Access tier	Blob type	Size	Lease state
"batch"."ecommerce_events"_00000.csv.gz	10/29/2026, 5:33:53 PM	Hot (Inferred)	Block blob	43.45 MiB	Available
"batch"."ecommerce_events"_00001.csv.gz	10/29/2026, 5:37:08 PM	Hot (Inferred)	Block blob	43.02 MiB	Available
"batch"."ecommerce_events"_00002.csv.gz	10/29/2026, 5:40:23 PM	Hot (Inferred)	Block blob	42.52 MiB	Available
"batch"."ecommerce_events"_00004.csv.gz	10/26/2026, 8:23:57 AM	Hot (Inferred)	Block blob	42.71 MiB	Available
"batch"."ecommerce_events"_00005.csv.gz	10/26/2026, 8:27:13 AM	Hot (Inferred)	Block blob	43.2 MiB	Available
"batch"."ecommerce_events"_00006.csv.gz	10/26/2026, 8:30:27 AM	Hot (Inferred)	Block blob	42.17 MiB	Available
"batch"."ecommerce_events"_00007.csv.gz	10/26/2026, 8:33:40 AM	Hot (Inferred)	Block blob	42.64 MiB	Available
"batch"."ecommerce_events"_00008.csv.gz	10/26/2026, 8:36:56 AM	Hot (Inferred)	Block blob	42.96 MiB	Available
"batch"."ecommerce_events"_00009.csv.gz	10/26/2026, 8:37:46 AM	Hot (Inferred)	Block blob	10.88 MiB	Available
data_7ab71a04-b4f7-4f2d-9ae4-4926fe7b2c94_9f8e596b-326...	10/29/2026, 7:24:14 PM	Hot (Inferred)	Block blob	43.94 MiB	Available
data_d8958684-7f48-4e7a-9608-e6d430264c1f_d7054d27-32...	10/30/2026, 12:03:48 AM	Hot (Inferred)	Block blob	43.94 MiB	Available