

# Eurostat $\text{\LaTeX}$ Style Sheet

AUTHOR ONE, AUTHOR TWO, AUTHOR THREE

2020 edition

Graphical style guide

A PRACTICAL LAYOUT GUIDE  
FOR EUROSTAT PUBLICATIONS

2016 edition

$\text{\LaTeX}$

STATISTICAL  
BOOKS

eurostat 

STATISTICAL  
WORKING PAPERS

eurostat 



# Eurostat $\text{\LaTeX}$ Style Sheet

AUTHOR ONE, AUTHOR TWO, AUTHOR THREE

2020 edition

Printed by [Xxx] in [Country]

Manuscript completed in [Month] [Year]

[Revised/Corrected/nth] edition [if needed]

The European Commission is not liable for any consequence stemming from the reuse of this publication.

Luxembourg: Publications Office of the European Union, [Year]

© European Union, [Year]



The reuse policy of European Commission documents is implemented based on Commission Decision 2011/833/EU of 12 December 2011 on the reuse of Commission documents (OJ L 330, 14.12.2011, p. 39). Except otherwise noted, the reuse of this document is authorised under a Creative Commons Attribution 4.0 International (CC-BY 4.0) licence (<https://creativecommons.org/licenses/by/4.0/>). This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of elements that are not owned by the European Union, permission may need to be sought directly from the respective rightholders.

[or]

For any use or reproduction of elements that are not owned by the European Union, permission may need to be sought directly from the respective rightholders. The European Union does not own the copyright in relation to the following elements: [cover], [element concerned], [source: e.g. Fotolia.com]; [page XX], [element by XX] [source: e.g. Unsplash.com].

Theme:

Collection:

Print ISBN xxx-xx-xx-xxxxx-x ISSN xxxx-xxxx doi:10.xxxx/xx...x xx-xx-xx-xxx-xx-x PDF ISBN xxx-xx-xx-xxxxx-x ISSN xxxx-xxxx doi:10.xxxx/xx...x xx-xx-xx-xxx-xx-x

Print	ISBN xxx-xx-xx-xxxxx-x	ISSN xxxx-xxxx	doi:10.xxxx/xx...x	xx-xx-xx-xxx-xx-x
PDF	ISBN xxx-xx-xx-xxxxx-x	ISSN xxxx-xxxx	doi:10.xxxx/xx...x	xx-xx-xx-xxx-xx-x

# Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

**Keywords:** Keyword one, Keyword two, Keyword three, Keyword four.

**Authors:** Author one <sup>(1)</sup>, Author two <sup>(2)</sup>, Author three <sup>(3)</sup>.

**Acknowledgement:** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

---

<sup>(1)</sup> footnote information about author one : affiliation, author.one@email.com

<sup>(2)</sup> footnote information about author two : affiliation, author.two@email.com

<sup>(3)</sup> footnote information about author three : affiliation, author.three@email.com

# Table of contents

<b>Abstract.....</b>	<b>3</b>
<b>1 How to use this template .....</b>	<b>6</b>
<b>1.1 About eurostat class .....</b>	<b>6</b>
1.1.1 Packages used by Eurostat class.....	6
1.1.2 XeLatex .....	7
<b>1.2 Choosing the theme .....</b>	<b>7</b>
<b>1.3 Editing cover image and co-editions logo .....</b>	<b>8</b>
1.3.1 Cover picture.....	9
1.3.2 co-editors logo.....	9
<b>1.4 Defining the title, the year and the authors list .....</b>	<b>12</b>
<b>1.5 The copyright page .....</b>	<b>12</b>
<b>1.6 Numbered and unnumbered sections .....</b>	<b>12</b>
<b>1.7 The template material folder .....</b>	<b>12</b>
<b>2 Numbered sections and subsections titles .....</b>	<b>13</b>
<b>2.1 H1 Sub section title .....</b>	<b>13</b>
2.1.1 H2 Sub sub section title.....	13
<b>3 Section and subsection title with lorem .....</b>	<b>15</b>
<b>3.1 H1 Sub section title H1 .....</b>	<b>15</b>
3.1.1 H2 The sub sub section title H2 .....	15
<b>4 Unordered lists and ordered lists .....</b>	<b>17</b>
<b>4.1 Unordered lists .....</b>	<b>17</b>
<b>4.2 Ordered lists .....</b>	<b>17</b>
<b>5 Hyperlinks .....</b>	<b>18</b>
<b>6 Boxes .....</b>	<b>19</b>
<b>7 Figures.....</b>	<b>20</b>
<b>7.1 Left aligned figure.....</b>	<b>20</b>
<b>7.2 Centered figure.....</b>	<b>21</b>
<b>7.3 Subfigures .....</b>	<b>22</b>
<b>8 Footnotes .....</b>	<b>23</b>
<b>9 Equations.....</b>	<b>24</b>
<b>10 Tables .....</b>	<b>26</b>
<b>10.1 Creating a simple table .....</b>	<b>26</b>
<b>10.2 Combining rows and columns .....</b>	<b>26</b>

10.3 Large table in a landscape page .....	27
10.4 Table with footnotes .....	29
10.5 Table display .....	29
11 Add references .....	30
References .....	31
Annex .....	32

# 1

## How to use this template

This template provides examples for the basic functionalities needed in article writing. The examples provided in the next sections can be copied and modified as needed.

### 1.1 About eurostat class

The eurostat class is a custom class created to help Eurostat researchers to easily edit their articles with LaTeX and follow Eurostat graphical guidelines.

#### 1.1.1 Packages used by Eurostat class

The eurostat class is based on the article class. The list of the packages used by eurostat class is as follow:

```
\RequirePackage[a4paper]{geometry}
\RequirePackage[table,xcdraw]{xcolor}
\RequirePackage[explicit]{titlesec} % Required for the titles formatting
\RequirePackage{fancyhdr} % require for header and footer
\RequirePackage{marvosym} % required for the symbols
\RequirePackage{xparse} % required for unnumbered section names in header
\RequirePackage{graphicx} % Required for including pictures
\RequirePackage{caption} % Required for caption format
\RequirePackage[subcaption} % Required for caption in multi plots
\RequirePackage[hang,flushmargin]{footmisc} % Required for footnotes (kill the indentation)
\RequirePackage{pdflscape} % Required for landscape pages
\RequirePackage{multirow} % Required for tables
\RequirePackage{fontspec} % fonts
\RequirePackage{minted} % display code chunk
\RequirePackage{lipsum} % just to generate text for the example
\RequirePackage{tikz} % Required to draw
\RequirePackage[many]{tcolorbox} % Required for boxes
\RequirePackage[titles]{tocloft} % Required for the table of contents
\RequirePackage{natbib} % Required for quotes style
\RequirePackage{multicol,multirow}
\RequirePackage{amsmath,amssymb,amsfonts}
\RequirePackage{mathrsfs}
\RequirePackage{amsthm}
\RequirePackage{rotating}
\RequirePackage{appendix}
```

If you want to use any other packages, you can add them in the preamble of the main.tex file.



## 1.1.2 XeLatex

The eurostat class will only work with XeLatex. Due to the font used, Myriad Pro, we have to use the fontspec package which only works with XeLatex and lualatex. Eurostat class may work with lualatex but it is not tested.

## 1.2 Choosing the theme

Eurostat statistics cover a wide range of topics. These topics are organised in nine different themes reflecting a statistical category. Each publication refers to one of these themes shown in Figure 1.

**Figure 1: List of themes**

	German	English	French
Theme 1	Allgemeine und Regionalstatistiken	General and regional statistics	Statistiques générales et régionales
Theme 2	Wirtschaft und Finanzen	Economy and finance	Economie et finances
Theme 3	Bevölkerung und soziale Bedingungen	Population and social conditions	Population et conditions sociales
Theme 4	Industrie, Handel und Dienstleistungen	Industry, trade and services	Industrie, commerce et services
Theme 5	Landwirtschaft und Fischerei	Agriculture and fisheries	Agriculture et pêche
Theme 6	Internationaler Handel	International trade	Commerce international
Theme 7	Verkehr	Transport	Transports
Theme 8	Umwelt und Energie	Environment and energy	Environnement et énergie
Theme 9	Wissenschaft und Technologie	Science and technology	Science et technologie

Each Eurostat theme is distinguished by a different colour. The colours chosen for the themes are all medium tones, so that black text as well as white text, when used with these colours, remains readable. The use of these colours on the cover pages, in the layout and for data visualisation strongly contributes to the identification of Eurostat's publications. They are founding elements of the graphical charter (Figure 2 and Figure 3).

**Figure 2: Theme colours**

	C	M	Y	K	R	G	B	Hexadecimal
Theme 1	85	55	0	0	70	110	180	#466eb4
Theme 2	20	85	5	0	175	75	145	#af4b91
Theme 3	0	40	100	0	230	165	50	#e6a532
Theme 4	95	10	0	0	0	160	225	#00a0e1
Theme 5	65	0	100	5	125	175	75	#7daf4b
Theme 6	0	90	70	10	185	60	70	#b93c46
Theme 7	20	0	100	15	185	195	55	#961e2d
Theme 8	90	0	40	0	65	175	170	#41afaa
Theme 9	0	75	100	0	215	100	45	#d7642d

**Figure 3: Colours palette**

1	General and regional statistics				
2	Economy and finance				
3	Population and social conditions				
4	Industry, trade and services				
5	Agriculture and fisheries				
6	International trade				
7	Transport				
8	Environment and energy				
9	Science and technology				

The colors of this template can be modified to correspond to one of the 9 themes with a simple modification. To select the topic corresponding to your article, please find the command `\documentclass [] {}` at the beginning of the main.tex file. Then you need to change the option. Available options are:

**Table 1: Class eurostat options**

Option	Topic
Theme1	General and regional statistics
Theme2	Economy and finance
Theme3	Population and social conditions
Theme4	Industry, trade and services
Theme5	Agriculture and fisheries
Theme6	International trade
Theme7	Transport
Theme8	Environment and energy
Theme9	Science and technology

For instance, if you want to use Theme 8, the `\documentclass [] {}` command should be :

```
\documentclass[Theme8]{template_material/eurostat}
```

## 1.3 Editing cover image and co-editions logo

To edit any of the graphical elements of the cover, go to the cover.tex file in the template\_material folder. You will find a section delimited by a comment called "editable graphical elements".

The graphicals elements are defined by `\includegraphics [] {}` commands. Each of the `\includegraphics [] {}` commands are included in a `\draw` command.

```
%----- editable graphical elements -----

% cover picture
\draw (current page.north) ++ (0mm,-79mm) node[name=cover_picture,below]{%
    \includegraphics[width=21cm,height=19cm]{%
        template_material/PicturesFiles/coverpage_photo.PNG}
    };

% co edition logo 1/1
% \draw (current page.south west) ++ (38mm,12mm) node[name=coeditorlogo1, right]{%
%     \includegraphics[height=23mm]{template_material/PicturesFiles/co-edition-logo-1.jpg}
% };

% co edition logo 1/2
\draw (current page.south west) ++ (10mm,12mm) node[name=coeditorlogoA, right]{%
    \includegraphics[height=23mm]{%
        template_material/PicturesFiles/co-edition-logo-1.jpg}
    };

% co edition logo 2/2
\draw (current page.south west) ++ (65mm,12mm) node[name=coeditorlogoB, right]{%
    \includegraphics[height=18mm]{%
        template_material/PicturesFiles/co-edition-logo-2.png}
    };

%----- end of the editable graphical elements -----
```

Also, you can easily create your own cover page by copying and editing the cover.tex file. After renaming your copy, and can put it in another folder, to include it in your article, go to the main.tex file, find and edit the following command to adjust the path of the cover file :

```
\include{template_material/cover}
```

### 1.3.1 Cover picture

To edit the cover picture, find the `\includegraphics[]{}{}` commands below the comment “% cover picture”, then edit the picture path as desired.

To be displayed correctly, the picture must be 210 mm width and 190 mm height.

### 1.3.2 co-editors logo

You can choose between the following three situations:

1. There is no co-editor
2. There is one co-editor
3. There is two co-editors

### 1.3.2.1 NO CO-EDITOR

In the first case, no co-editor, you must edit the cover.tex file to comment all of the co-editors logo pictures as in the following example:

```
%----- editable graphical elements -----

% cover picture
\draw (current page.north) ++ (0mm,-79mm) node[name=cover_picture,below]{%
    \includegraphics[width=21cm,height=19cm]{%
        template_material/PicturesFiles/coverpage_photo.PNG}
    };

% co edition logo 1/1
% \draw (current page.south west) ++ (38mm,12mm) node[name=coeditorlogo1, right]{%
%     \includegraphics[height=23mm]{template_material/PicturesFiles/co-edition-logo-1.jpg}
% };

% co edition logo 1/2
% \draw (current page.south west) ++ (10mm,12mm) node[name=coeditorlogoA, right]{%
%     \includegraphics[height=23mm]{%
%         template_material/PicturesFiles/co-edition-logo-1.jpg}
% };

% co edition logo 2/2
% \draw (current page.south west) ++ (65mm,12mm) node[name=coeditorlogoB, right]{%
%     \includegraphics[height=18mm]{%
%         template_material/PicturesFiles/co-edition-logo-2.png}
% };

%----- end of the editable graphical elements -----
```

### 1.3.2.2 ONE CO-EDITOR

In the second case, only one co-editor, you must edit the cover.tex file to comment the co-editors logo pictures 1/2 and 2/2 as in the following example. Then, you must edit the co-editor logo path in the `\includegraphics[]{}{}` command.

```
%----- editable graphical elements -----

% cover picture
\draw (current page.north) ++ (0mm,-79mm) node[name=cover_picture,below]{%
    \includegraphics[width=21cm,height=19cm]{%
        template_material/PicturesFiles/coverpage_photo.PNG}
    };

% co edition logo 1/1
\draw (current page.south west) ++ (38mm,12mm) node[name=coeditorlogo1, right]{%
    \includegraphics[height=23mm]{template_material/PicturesFiles/co-edition-logo-1.jpg}
};

% co edition logo 1/2
% \draw (current page.south west) ++ (10mm,12mm) node[name=coeditorlogoA, right]{%
%     \includegraphics[height=23mm]{%
%         template_material/PicturesFiles/co-edition-logo-1.jpg}
% };

% co edition logo 2/2
% \draw (current page.south west) ++ (65mm,12mm) node[name=coeditorlogoB, right]{%
%     \includegraphics[height=18mm]{%
%         template_material/PicturesFiles/co-edition-logo-2.png}
% };
```

```
% co edition logo 2/2
% \draw (current page.south west) ++ (65mm,12mm) node[name=coeditorlogoB, right]{%
%   \includegraphics[height=18mm]{%
%     template_material/PicturesFiles/co-edition-logo-2.png}
%   };

%----- end of the editable graphical elements -----
```

### 1.3.2.3 TWO CO-EDITORS

In the third case, two co-editors, you must edit the cover.tex file to comment the co-editor logo pictures 1/1 as in the following example. Then, you must edit the co-editors logo paths in the `\includegraphics[]{}{}` commands.

```
%----- editable graphical elements -----
% cover picture
\draw (current page.north) ++ (0mm,-79mm) node[name=cover_picture,below]{%
  \includegraphics[width=21cm,height=19cm]{%
    template_material/PicturesFiles/coverpage_photo.PNG}
  };

% co edition logo 1/1
% \draw (current page.south west) ++ (38mm,12mm) node[name=coeditorlogo1, right]{%
%   \includegraphics[height=23mm]{template_material/PicturesFiles/co-edition-logo-1.jpg}
%   };

% co edition logo 1/2
\draw (current page.south west) ++ (10mm,12mm) node[name=coeditorlogoA, right]{%
  \includegraphics[height=23mm]{%
    template_material/PicturesFiles/co-edition-logo-1.jpg}
  };

% co edition logo 2/2
\draw (current page.south west) ++ (65mm,12mm) node[name=coeditorlogoB, right]{%
  \includegraphics[height=18mm]{%
    template_material/PicturesFiles/co-edition-logo-2.png}
  };

%----- end of the editable graphical elements -----
```

### 1.3.2.4 ADJUSTING LOGO SIZE

The displayed size of the co-editors logo could be adjusted using the height option of the `\includegraphics[]{}{}` command.

## 1.4 Defining the title, the year and the authors list

In the preamble of the main.tex file you will find a section called "document variables". Here you can edit the year, the title and the authors list of your article.

```
%----- Document variables -----
% The 3 commands below have to be specified by user.
% They define variables that are displayed in different places in the document.
% These locations are indicated in comments for each variable

\newcommand{\Articleedition}{2019 edition} % Cover, title
\newcommand{\Articleauthors}{Author One, Author Two, Author Three} % Cover, title
\newcommand{\Articletitle}{Eurostat Style Sheet} % Cover, title, footer
```

## 1.5 The copyright page

Like the cover page, the copyright page is defined by a separate .tex file. You can find it in the template\_material folder and include it in the main.tex file with the following command.

```
\include{template_material/copyright_page}
```

You can copy and edit your own version of the copyright page, and edit the path in the corresponding \include{} command in the main.tex file.

## 1.6 Numbered and unnumbered sections

The unnumbered sections should not be used after the first numbered section and before the last numbered section. The Header show the name and the number of the section. If an unnumbered section is used the header will not display the section number. The other unnumbered levels can be used anywhere in the document.

### Section numbering in headers

**It is necessary to use the \newpage commande before the \section{} command. If the \newpage command is missing, you will notice section numbering errors in the headers.**

## 1.7 The template material folder

The template\_material folder contains all the necessary files to use the style sheet and should not be edited.

You can copy the elements that you need to modify and then change the paths to these elements in the main.tex file.

The main\_copy.tex file is a backup of the main.tex file. If you change something by accident in the process of writing your article, you can use the main\_copy.tex file to fix it.

# 2

## Numbered sections and sub-sections titles

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

### 2.1 H1 Sub section title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

#### 2.1.1 H2 Sub sub section title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

##### 2.1.1.1 H3 PARAGRAPH TITLE

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

##### 2.1.1.1.1 H4 Sub paragraph title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

# H1 Unnumbered sections and subsections titles

The unnumbered section should not be used after the first numbered section and before the last numbered section. The Header show the name and the number of the section. If an unnumbered section is used the header will not show the number.

## H2 Sub section title unnumbered

The other levels could be use anywhere in the document.

### H3 SUB SUB SECTION TITLE UNNUMBERED

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

#### H4 Paragraph title unnumbered

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

##### H5 Sub paragraph title unnumbered

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.

##### *H6 Sub sub paragraph title unnumbered*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque.



# 3

## Section and subsection title with lorem

### 3.1 H1 Sub section title H1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

#### 3.1.1 H2 The sub sub section title H2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

##### 3.1.1.1 H3 THE SUB SUB SUB SECTION TITLE H3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

##### 3.1.1.1.1 H4 sub paragraph H4

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla

et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

# 4

## Unordered lists and ordered lists

### 4.1 Unordered lists

- First Level
  - Second Level
    - Third Level
      - Fourth Level

### 4.2 Ordered lists

1. First level item
2. First level item
  - a. Second level item
  - b. Second level item
    - i. Third level item
    - ii. Third level item
      1. Fourth level item
      2. Fourth level item

# 5

## Hyperlinks

Here is an hyperlink to Eurostat main page : [Eurostat](#)

Here is an example for a simple url display : <https://ec.europa.eu/eurostat/fr/home>

# 6

## Boxes

---

### Box title

This is the text formatted by the boxed environment

- Body bullet list
- 

### Box title

Body text

**Body theme colour bold (you can also put some coloured text inside)**

Background = theme colour 20

### Box title white

**Body white bold**

**Background = theme colour**

**This kind of box should be avoided for content with more than 15 lines**

# 7


## Figures

### 7.1 Left aligned figure

Here is an example for inserting a figure with caption and reference : You can cite your figure in your text like this : figure 4

Please be carefull to keep the `\caption{}` command at the begening of the figure environment. Accordind to the Eurostat graphical guidelines, the caption have to be always placed above the figure.

**Figure 4:** a nice plot




## 7.2 Centered figure

Here is an example of a centered figure. You have to use the `\centering` command just before the `\includegraphics` command. As you can see, the caption is always aligned left with the left margin even if the figure is centered.

Please be careful to keep the `\caption{}` command at the beginning of the figure environment. According to the Eurostat graphical guidelines, the caption has to be always placed above the figure.

**Figure 5: a centered figure**




## 7.3 Subfigures

Here is an exemple of how to insert subfigures.

Please be carefull to keep the `\caption{}` command at the begening of the figure environment. Accordind to the Eurostat graphical guidelines, the caption have to be always placed above the figure.

**Figure 6:** Three simple graphs





# 8

## Footnotes

Here is an example for how to insert footnotes. <sup>(4)</sup>

---

<sup>(4)</sup> footnotes working fine

# 9

## Equations

Equations in  $\text{\LaTeX}$  can either be inline or on-a-line by itself. For inline equations use the  $\$ \dots \$$  commands. Eg: The equation  $H\psi = E\psi$  is written via the command  $H\psi = E\psi$ .

For on-a-line by itself equations (with auto generated equation numbers) one can use the `equation` or `eqnarray` environments  $D$ .

$$\mathcal{L} = i\bar{\psi}\gamma^\mu D_\mu\psi - \frac{1}{4}F_{\mu\nu}^a F^{a\mu\nu} - m\bar{\psi}\psi \quad (1)$$

where,

$$\begin{aligned} D_\mu &= \partial_\mu - ig\frac{\lambda^a}{2}A_\mu^a \\ F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc}A_\mu^b A_\nu^c \end{aligned} \quad (2)$$

Notice the use of `\nonumber` in the `align` environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an `align` environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3\ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \quad (3)$$

The class file also supports the use of `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces  $\mathbb{R}$ ,  $\mathscr{R}$  and  $\mathcal{R}$  respectively.

An example with sub-equations:

$$\min_{a,b,c} \frac{1}{2} \mathbf{w}^T \mathbf{w} + C \sum_{i=1}^l \xi_i \quad (4a)$$

$$y_i (\mathbf{w}^T \phi(x_i) + b) \quad (4b)$$

Here is an example for a very large multiline equation:

$$\begin{aligned} \begin{bmatrix} y_{1,1t} \\ y_{1,2t} \\ y_{2,1t} \\ y_{2,2t} \end{bmatrix} &= \begin{bmatrix} \mu_{1,1t} \\ \mu_{1,2t} \\ \mu_{2,1t} \\ \mu_{2,2t} \end{bmatrix} + \begin{bmatrix} A_{11,11,t} & A_{11,12,t} & A_{11,21,t} & A_{11,22,t} \\ A_{12,11,t} & A_{12,12,t} & A_{12,21,t} & A_{12,22,t} \\ A_{21,11,t} & A_{21,12,t} & A_{21,21,t} & A_{21,22,t} \\ A_{22,11,t} & A_{22,12,t} & A_{22,21,t} & A_{22,22,t} \end{bmatrix} \begin{bmatrix} y_{1,1t-1} \\ y_{1,2t-1} \\ y_{2,1t-1} \\ y_{2,2t-1} \end{bmatrix} \\ &+ \begin{bmatrix} B_{11,1t} \\ B_{12,1t} \\ B_{21,1t} \\ B_{22,1t} \end{bmatrix} x_{1,t} + \begin{bmatrix} \varepsilon_{1,1t} \\ \varepsilon_{1,2t} \\ \varepsilon_{2,1t} \\ \varepsilon_{2,2t} \end{bmatrix}, \quad (5) \end{aligned}$$

with

$$\Sigma_{\varepsilon t} = \begin{bmatrix} \sigma_{11,11,t} & \sigma_{11,12,t} & \sigma_{12,11,t} & \sigma_{12,12,t} \\ \sigma_{11,21,t} & \sigma_{11,22,t} & \sigma_{12,21,t} & \sigma_{12,22,t} \\ \sigma_{21,11,t} & \sigma_{21,12,t} & \sigma_{22,11,t} & \sigma_{22,12,t} \\ \sigma_{21,21,t} & \sigma_{21,22,t} & \sigma_{22,21,t} & \sigma_{22,22,t} \end{bmatrix}.$$

# 10

## Tables

### 10.1 Creating a simple table

The tabular environment is flexible, you can put separator lines in between each column.

**Table 2:** Caption text.

column 1	column 2	column 3	column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5	data 6
row 3	data 7	data 8	data 9

**Table 3:** Simple table

cell1	cell2	cell3
cell4	cell5	cell6
cell7	cell8	cell9

### 10.2 Combining rows and columns

Rows and columns can be combined in a bigger cell. The example below is an example of the multicolumn command to combine columns. To cite a table you can use the command `ref{}`, for example here is a reference to table 4

**Table 4:** Table with combined rows and columns

Country List				
Country	Name or Area Name	ISO ALPHA 2 Code	ISO ALPHA 3 Code	ISO numeric Code
Belgium		BE	BEL	056
Austria		AT	AUT	040
Croatia		HR	HRV	191
Germany		DE	DEU	276
Denmark		DK	DNK	208
Hungary		HU	HUN	348
Poland		PL	POL	616

## 10.3 Large table in a landscape page

Complex tables could be generated with online tools like <https://www.tablesgenerator.com/>

**Table 5:** Table generated with [tablesgenerator.com](https://www.tablesgenerator.com/)

column 1	column 2	column 3	column 4	column 5	column 6	column 7	column 8	column 9	column 10	
row 1	cell	cell	cell	cell	cell	cell	cell	cell	cell	cell
row 2	cell	cell	cell	vertical merged cell	cell	cell	cell	cell	cell	cell
row 3	cell	cell	cell		cell	cell	cell	cell	cell	cell

**Table 6:** Averages of relative MAE/RMSFE across forecasting horizons.

	GDP								IP							
	DE		FR		IT		UK		DE		FR		IT		UK	
	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE	MAE	RMSFE
Naive	<b>0.992</b>	<b>0.990</b>	1.220	1.195	1.027	1.076	1.474	1.402	1.384	1.302	1.443	1.407	1.394	1.385	1.405	1.384
AR(1)	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
LR-MF-T1	<b>0.965</b>	<b>0.945</b>	<b>0.962</b>	<b>0.919</b>	<b>0.994</b>	1.076	1.028	1.020	1.007	1.023	1.016	1.026	1.008	<b>0.999</b>	1.011	1.012
LR-G-T1	1.065	1.112	<b>0.950</b>	<b>0.903</b>	1.049	1.064	1.053	1.052	<b>0.995</b>	<b>0.989</b>	1.002	<b>0.999</b>	1.001	<b>0.993</b>	1.002	1.005
LR-MFGR-T1	1.013	1.046	<b>0.993</b>	<b>0.944</b>	1.058	1.143	1.106	1.091	1.048	1.070	1.035	1.046	1.013	1.001	1.019	1.019
LR-MF-T2	1.121	1.085	1.335	1.361	1.526	2.344	1.120	1.078	1.054	1.073	1.033	1.063	1.034	1.033	1.058	1.058
LR-G-T2	1.072	1.103	1.128	1.096	1.205	1.213	1.158	1.136	1.024	1.011	1.039	1.032	1.038	1.028	1.028	1.043
LR-MFGR-T2	1.164	1.130	1.488	1.517	1.641	2.352	1.355	1.284	1.121	1.130	1.091	1.129	1.079	1.074	1.086	1.091
AR(1)-MF-T1	1.005	<b>0.971</b>	1.003	<b>0.983</b>	1.042	1.108	1.019	<b>0.993</b>	1.033	1.060	1.021	1.036	1.012	1.012	1.023	1.023
AR(1)-G-T1	1.092	1.147	1.031	1.031	1.078	1.077	1.060	1.046	1.019	1.015	1.007	1.008	1.003	1.003	1.010	1.010
AR(1)-MFGR-T1	1.056	1.063	1.034	1.012	1.089	1.178	1.103	1.068	1.069	1.103	1.038	1.052	1.015	1.013	1.031	1.032
AR(1)-MF-T2	1.160	1.147	1.405	1.414	1.552	2.340	1.110	1.058	1.076	1.104	1.044	1.076	1.038	1.043	1.068	1.061
AR(1)-G-T2	1.103	1.167	1.196	1.296	1.257	1.274	1.153	1.144	1.049	1.034	1.045	1.045	1.041	1.046	1.046	1.056
AR(1)-MFGR-T2	1.251	1.231	1.644	1.670	1.714	2.503	1.381	1.288	1.141	1.153	1.104	1.143	1.080	1.093	1.100	1.098
VAR(1)	1.137	1.168	1.136	1.175	1.660	2.162	1.083	1.089	1.026	1.045	1.080	1.112	1.060	1.085	1.029	1.049
VARX(1)-MF-T1	1.144	1.135	1.172	1.157	1.707	2.294	1.111	1.096	1.043	1.062	1.091	1.136	1.047	1.076	1.049	1.055
VARX(1)-G-T1	1.251	1.352	1.161	1.199	1.729	2.312	1.156	1.160	1.041	1.055	1.102	1.158	1.056	1.083	1.041	1.056
VARX(1)-MFGR-T1	1.222	1.278	1.182	1.171	1.757	2.402	1.258	1.231	1.074	1.097	1.121	1.199	1.046	1.071	1.059	1.062
VARX(1)-MF-T2	1.350	1.401	1.502	1.522	1.752	2.366	1.197	1.135	1.088	1.111	1.108	1.171	1.085	1.119	1.102	1.110
VARX(1)-G-T2	1.229	1.345	1.300	1.388	1.604	2.022	1.297	1.284	1.063	1.064	1.148	1.204	1.093	1.125	1.090	1.114
VARX(1)-MFGR-T2	1.372	1.496	1.614	1.690	2.104	2.896	1.512	1.398	1.152	1.162	1.186	1.294	1.133	1.170	1.170	1.193
PVAR(1)-GMM	1.906	1.690	1.460	1.370	1.288	1.307	1.505	1.463	<b>0.953</b>	<b>0.937</b>	<b>0.981</b>	<b>0.969</b>	<b>0.998</b>	1.020	<b>0.985</b>	<b>0.981</b>
PVAR(1)-OLSCFE	1.014	1.037	1.057	1.063	<b>0.967</b>	1.087	1.108	1.086	<b>0.988</b>	<b>0.985</b>	1.017	1.021	1.036	1.033	1.005	1.010
PVARX(1)-OLSCFE-MF-T1	<b>0.963</b>	<b>0.986</b>	1.064	1.065	1.038	1.197	1.105	1.076	1.007	1.000	1.044	1.043	1.029	1.024	1.019	1.018
PVARX(1)-OLSCFE-G-T1	1.020	1.041	1.104	1.100	<b>0.980</b>	1.115	1.101	1.086	<b>0.986</b>	<b>0.983</b>	1.018	1.022	1.031	1.027	1.010	1.014
PVARX(1)-OLSCFE-MFGR-T1	<b>0.954</b>	<b>0.960</b>	1.099	1.090	1.067	1.243	1.102	1.077	1.005	<b>0.998</b>	1.048	1.046	1.025	1.016	1.023	1.022
PVARX(1)-OLSCFE-MF-T2	1.029	1.069	1.141	1.162	1.176	1.456	1.072	1.055	1.007	1.010	1.044	1.050	1.035	1.027	1.027	1.021
PVARX(1)-OLSCFE-G-T2	1.034	1.040	1.192	1.178	<b>0.995</b>	1.095	1.125	1.109	<b>0.993</b>	<b>0.984</b>	1.031	1.030	1.033	1.031	1.015	1.018
PVARX(1)-OLSCFE-MFGR-T2	1.026	1.048	1.258	1.261	1.181	1.441	1.081	1.073	1.015	1.010	1.061	1.061	1.032	1.021	1.035	1.030

## 10.4 Table with footnotes

Tables can be inserted via the normal table and tabular environment. To put footnotes inside tables one has to use the additional “fntable” environment enclosing the tabular environment. The footnote appears just below the table itself.

**Table 7:** Tables which are too long to fit, should be written using the “table\*” environment as shown here

Projectile	Element 1			Element 2 <sup>(1)</sup>		
	Energy	$\sigma_{calc}$	$\sigma_{expt}$	Energy	$\sigma_{calc}$	$\sigma_{expt}$
Element 3	990 A	1168	$1547 \pm 12$	780 A	1166	$1239 \pm 100$
Element 4	500 A	961	$922 \pm 10$	900 A	1268	$1092 \pm 40$

**Note:** This is an example of a long table footnote without marker, for this you have to use the `\blankfootnote{}` command, otherwise the normal `\footnote[ ]{ }` command can be used providing the footnote mark in the squared bracket.

<sup>(1)</sup> This is an example of table footnote with footnote mark

Source: This is an example of a footnote for source in a table footnote without marker

## 10.5 Table display

According to the Eurostat graphical style guide, the following rules have to be followed :

- first column is aligned left
- following columns are aligned right
- titles rows are centered
- titles texts are bold
- titles rows background are coloured with 20% theme colour : use `\rowcolor{TH20p}` command
- aggregates rows background are coloured with 30% theme colour : use `\rowcolor{TH30p}` command
- Separation stroke are 100% K : use `\hline` command

**Table 8:** Table coloured according to the graphical guidelines

	1997		1999		2001
	A	B	A	B	A
EU-28	:	:	:	:	27 947
Belgium	28 901	29 616	30 701	31 644	33 109
Bulgaria	896	1 216	1 330	1 436	1 518
Czech Republic	:	:	:	:	:
Denmark	36 235	37 209	39 515	40 962	41 661
United Kingdom	:	29 370	32 269	37 677	39 233
Iceland	:	:	32 311	37 639	34 101
Norway	:	31 456	33 741	36 202	38 604

# 11

## Add references

For the references, the EU interinstitutional style guide should be followed: <http://publications.europa.eu/code/en/en-250904.htm>

To add references to Your article, you have to update the `references_exemple.bib` file. You could copy this file and create your own references file outside of the `template_material` folder. If you choose this method, You must update the references file path in the `\bibliography` command at the end of the document.

All the references in this file will be displayed in the references section because we use the command `nocite{*}`.



## References

Einstein, A., *Zur Elektrodynamik bewegter Körper. (German) [On the electrodynamics of moving bodies]*, Annalen der Physik, 1905, 322(10):891–921.

Goossens, M., Mittelbach, F., and Samarin, A., *The  $\text{\LaTeX}$  Companion*, Addison-Wesley, Reading, Massachusetts, 1993.

Knuth, D., Knuth: Computers and typesetting, 1993.

## Annex

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.