SCRIPTS SQL – HUMAN RESOURCES

```
REM ==========================================
REM CONSULTAS BASICAS SOBRE LA TABLA EMPLOYEES
REM ==========================================

REM Muestra todos los registros y columnas de EMPLOYEES
SELECT *
FROM EMPLOYEES;

REM Muestra nombre, apellido, salario y el 10% del salario
SELECT FIRST_NAME,
       LAST_NAME,
       SALARY,
       SALARY*0.1
FROM EMPLOYEES;

REM Tablas disponibles:
REM EMPLOYEES, COUNTRIES, DEPARTMENTS, REGIONS

REM Calcula el salario por comisión
SELECT FIRST_NAME,
       LAST_NAME,
       SALARY,
       SALARY*0.1,
       SALARY*COMMISSION_PCT
FROM EMPLOYEES;

REM Uso de alias simples para columnas
SELECT FIRST_NAME AS nombre,
       LAST_NAME AS apellido,
       SALARY,
       SALARY*0.1 AS por_de_salario,
       SALARY*COMMISSION_PCT AS sal_por_comm
FROM EMPLOYEES;

REM Alias usando comillas para nombres con espacios
SELECT FIRST_NAME AS "nombre",
       LAST_NAME AS "apellido",
       SALARY AS "salario",
       SALARY*0.1 AS "porcentaje de salario",
       SALARY*COMMISSION_PCT AS "sal_por_comm"
FROM EMPLOYEES;

REM Concatenacion de apellido y JOB_ID
```

```
SELECT FIRST_NAME AS "nombre",
       LAST_NAME AS "apellido",
       SALARY AS "salario",
       SALARY*0.1 AS "porcentaje de salario",
       SALARY*COMMISSION_PCT AS "sal_por_comm",
       LAST_NAME||JOB_ID
FROM EMPLOYEES;

REM Une apellido y JOB_ID con un espacio
SELECT LAST_NAME|| ' ' ||JOB_ID
FROM EMPLOYEES;

REM Uso de Q'[]' para manejar comillas simples en texto
SELECT LAST_NAME|| Q'[ IS' A ]' ||JOB_ID AS TABLA
FROM EMPLOYEES;

REM ==========================================
REM DISTINCT
REM ==========================================

REM Muestra REGION_ID sin repetir valores
SELECT DISTINCT REGION_ID
FROM COUNTRIES;

REM ==========================================
REM FILTROS CON WHERE
REM ==========================================

REM Busca empleados con apellido King
SELECT *
FROM EMPLOYEES
WHERE LAST_NAME = 'King';

REM Empleados contratados despues de 2010
SELECT *
FROM EMPLOYEES
WHERE hire_date > '01-01-2010';

REM Empleados contratados despues de 2014
SELECT *
FROM EMPLOYEES
WHERE hire_date > '01-01-2014';

REM ==========================================
REM LIKE
REM ==========================================
```

```
REM Nombres que empiezan con A
SELECT *
FROM EMPLOYEES
WHERE first_name LIKE 'A%';

REM Nombres que empiezan con An
SELECT *
FROM EMPLOYEES
WHERE first_name LIKE 'An%';

REM Nombres que terminan en n
SELECT *
FROM EMPLOYEES
WHERE first_name LIKE '%n';

REM Nombres que contienen n
SELECT *
FROM EMPLOYEES
WHERE first_name LIKE '%n%';

REM Segunda letra = o
SELECT *
FROM EMPLOYEES
WHERE first_name LIKE '_o%';

REM ========================================
REM NULL
REM ========================================

REM Empleados que tienen comision
SELECT *
FROM EMPLOYEES
WHERE COMMISSION_PCT IS NOT NULL;

REM Empleados sin comision
SELECT *
FROM EMPLOYEES
WHERE COMMISSION_PCT IS NULL;

REM ========================================
REM OPERADORES LOGICOS
REM ========================================

REM Salario mayor a 5000 y departamento 90
SELECT *
FROM EMPLOYEES
WHERE SALARY > 5000
```

```
AND DEPARTMENT_ID = 90;

REM Salario mayor a 5000 o departamento 80
SELECT *
FROM EMPLOYEES
WHERE SALARY > 5000
OR DEPARTMENT_ID = 80;

REM =============================================
REM ORDER BY
REM =============================================

REM Ordena empleados por salario descendente
SELECT *
FROM EMPLOYEES
ORDER BY SALARY DESC;

REM =============================================
REM BETWEEN
REM =============================================

REM Salarios entre 12000 y 15000
SELECT *
FROM EMPLOYEES
WHERE SALARY BETWEEN 12000 AND 15000;

REM Contratados entre 2012 y 2021
SELECT *
FROM EMPLOYEES
WHERE HIRE_DATE BETWEEN '01-01-2012' AND '31-12-2021';

REM Contratados fuera del rango 2012-2021
SELECT *
FROM EMPLOYEES
WHERE HIRE_DATE NOT BETWEEN '01-01-2012' AND '31-12-2021';

REM =============================================
REM IN
REM =============================================

REM Departamentos especificos
SELECT *
FROM EMPLOYEES
WHERE DEPARTMENT_ID IN (90, 80, 100, 60);

REM Paises de regiones 1 y 2
SELECT *
```

```
FROM COUNTRIES
WHERE REGION_ID IN (1, 2);

REM No devuelve resultados
SELECT *
FROM COUNTRIES
WHERE REGION_ID IN (10, 20);

REM ==========================================
REM MANAGER_ID
REM ==========================================

REM Empleados con manager
SELECT *
FROM EMPLOYEES
WHERE MANAGER_ID IS NOT NULL;

REM Empleados sin manager
SELECT *
FROM EMPLOYEES
WHERE MANAGER_ID IS NULL;

REM ==========================================
REM COMPARACION DE TEXTO
REM ==========================================

REM Busca apellido exacto Reina
SELECT *
FROM EMPLOYEES
WHERE LAST_NAME='Reina';

REM Oracle diferencia mayusculas/minusculas
SELECT *
FROM EMPLOYEES
WHERE LAST_NAME='REINA';

REM ==========================================
REM VARIABLES DE SUSTITUCION
REM ==========================================

REM Solicita valor una sola vez
SELECT *
FROM EMPLOYEES
WHERE LAST_NAME='&KING';

REM Solicita valor y lo reutiliza
SELECT *
```

```
FROM EMPLOYEES
WHERE LAST_NAME='&&KING';

REM Permite escribir cualquier condicion
REM EJEMPLO: 1=1 devuelve todos los registros
SELECT *
FROM EMPLOYEES
WHERE &CONDICION;

REM ==========================================
REM FUNCIONES DE TEXTO
REM ==========================================

REM Convierte nombres a mayusculas y apellidos a minusculas
SELECT FIRST_NAME,
      UPPER(FIRST_NAME),
      LAST_NAME,
      LOWER(LAST_NAME)
FROM EMPLOYEES;

REM Concatena nombre y apellido formateados
SELECT UPPER(FIRST_NAME)||  ' ' || LOWER(LAST_NAME)
FROM EMPLOYEES;

REM Nombre completo con alias
SELECT UPPER(FIRST_NAME) || ' ' || LOWER(LAST_NAME) AS
NOMBRE_COMPLETO
FROM EMPLOYEES;

REM ==========================================
REM FUNCIONES NUMERICAS
REM ==========================================

REM ROUND con diferentes precisiones
SELECT ROUND(45.923,2),
      ROUND(45.923,0),
      ROUND(45.923,-1)
FROM DUAL;

REM ==========================================
REM FECHAS
REM ==========================================

REM Empleados contratados antes de febrero 2013
SELECT last_name,
      hire_date
FROM employees
```

```sql
WHERE hire_date < '01-FEB-2013';

REM Diferencia entre formatos YY y RR
SELECT
   '22/09/2006' AS "FECHA_NORMAL",
   TO_DATE('22/09/2006','DD/MM/YY') AS "FECHA_YY",
   TO_DATE('22/09/2006','DD/MM/RR') AS "FECHA_RR"
FROM DUAL;

REM Zona horaria y fecha actual
SELECT SESSIONTIMEZONE,
      CURRENT_DATE
FROM DUAL;

REM Zona horaria y timestamp actual
SELECT SESSIONTIMEZONE,
      CURRENT_TIMESTAMP
FROM DUAL;

REM Redondea 555 a miles
SELECT ROUND(555, -3)
FROM DUAL;

REM Redondea 15 a decenas
SELECT ROUND(15, -1)
FROM DUAL;

REM Elimina cifras a nivel decenas
SELECT TRUNC(15.9457, -1)
FROM DUAL;

REM Suma un dia a hire_date
SELECT last_name,
      hire_date,
      hire_date + 1 AS fecha_ajustada
FROM employees;

REM Conversion correcta usando YYYY
SELECT '15/05/2007',
      TO_DATE('15/05/2007', 'DD/MM/YYYY') AS YY
FROM DUAL;

REM Uso de RR para años de 2 digitos
SELECT '15/05/07',
      TO_DATE('15/05/07', 'DD/MM/RR') AS RR
FROM DUAL;
```

```
REM Fecha y hora del servidor
SELECT SYSDATE
FROM DUAL;

REM Fecha actual de sesion
SELECT SESSIONTIMEZONE,
      CURRENT_DATE
FROM DUAL;

REM Diferencia en dias desde 15/05/2007
SELECT SESSIONTIMEZONE,
      CURRENT_DATE - TO_DATE('15/05/2007', 'DD/MM/YYYY') AS
diferencia_dias
FROM DUAL;

REM Diferencia convertida a segundos
SELECT ROUND(
      (CURRENT_DATE - TO_DATE('15/05/2007', 'DD/MM/YYYY')) * 86400,
      0
      ) AS segundos
FROM DUAL;

REM Redondea fecha al inicio de mes
SELECT ROUND(
      TO_DATE('25/04/26', 'DD/MM/YY') - 2,
      'MM'
      ) - 1 AS fecha
FROM DUAL;

REM Calcula meses transcurridos hasta hoy
SELECT ROUND(
      MONTHS_BETWEEN(
         CURRENT_DATE,
         TO_DATE('15/05/07', 'DD/MM/RR')
      ),
      0
      ) AS meses_vividos
FROM DUAL;

REM Agrega un mes a la fecha actual
SELECT ADD_MONTHS(CURRENT_DATE, 1)
FROM DUAL;

REM Ultimo dia del mes actual
SELECT LAST_DAY(CURRENT_DATE)
FROM DUAL;
```

```
REM Ultimo dia dentro de 5 meses
SELECT LAST_DAY(
      ADD_MONTHS(CURRENT_DATE, 5)
      )
FROM DUAL;
```