
Actividad 1 • GIT




> T05-TM

> Mariana Sardo


> Cuenta de Github: https://github.com/MarianaSardo



Creando mi repositorio en GITHUB




> Repositorio "Testing" creado:



Clonando Repo GITHUB A MI LOCAL

> Mi direccion HTTPS: https://github.com/MarianaSardo/Testing.git



> Mi terminal GIT:

```
MINGW64:/c/Users/Mishi — X

Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$ git clone https://github.com/MarianaSardo/Testing.git
Cloning into 'Testing'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$
```

> Navegando por el repositorio

```
MINGW64:/c/Users/Mishi/Testing — X

Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$ git clone https://github.com/MarianaSardo/Testing.git
Cloning into 'Testing'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$cd Testing

Mishi@DESKTOP-KIUJU20 MINGW64 ~/Testing (main)
$ |
```

> Usando el comando git status

```
MINGW64:/c/Users/Mishi/Testing
                                                                       Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$ git clone https://github.com/MarianaSardo/Testing.git
Cloning into 'Testing'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
Mishi@DESKTOP-KIUJU20 MINGW64 ~ (master)
$cd Testing
Mishi@DESKTOP-KIUJU2O MINGW64 ~/Testing (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
Mishi@DESKTOP-KIUJU20 MINGW64 ~/Testing (main)
```