

POST

Post blogposts

POST

http://localhost:3000/blogposts

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1

2

3

4

5

1

2

3

4

5

1

2

3

4

5

6

Body

Cookies

Headers (15)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

1

2

3

4

5

6

Get Blogposts

Petstore Mariana Zaloga

>

Pet

>

User

>

QA Marathon

>

Create

>

Sygitc Travel API

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

POST PostProfiles

POST PostAvatars

GET

http://localhost:3000/blogposts

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

KEY	VALUE	DESCI
Key	Value	Descr

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON

10

11

12

13

14

15

16

17

18

19

20

10

11

12

13

14

15

16

17

18

19

20

AKT
Pep
Wind

Post Comments

Get

API Testing Beetroot Mariana ...

NewImport

Actions

Petstore Mariana Zaloga

Pet

User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

POST PostProfiles

POST PostAvatars

Sygie Travel API

QA Marathon / Create / GetComments

GET

http://localhost:3000/comments

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Query Params

KEY	VALUE
Key	Value

BodyCookiesHeaders (13)Test Results

PrettyRawPreviewVisualizeJSON

```
1 [
2   {
3     "id": 1,
4     "body": "some comment",
5     "blogpostId": 1
6   }
7 ]
```

Post Comments

API Testing Beetroot Mariana ...

NewImport

Actions

Petstore Mariana Zaloga

Pet

User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

POST PostProfiles

POST PostAvatars

Sygie Travel API

QA Marathon / Create / PostComments

POST

http://localhost:3000/comments

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

```
1 {
2   "id": 3,
3   "body": "Hello",
4   "blogpostId": 3
5 }
```

BodyCookiesHeaders (15)Test Results

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": 3,
3   "body": "Hello",
4   "blogpostId": 3
5 }
```

Get Comments

Petstore Mariana Zaloga

Pet

User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

POST PostProfiles

POST PostAvatars

Sygie Travel API

QA Marathon / Create / GetComments

GET

http://localhost:3000/comments

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Query Params

KEY	VALUE
Key	Value

BodyCookiesHeaders (13)Test Results

PrettyRawPreviewVisualizeJSON

```
1 [
2   {
3     "id": 1,
4     "body": "some comment",
5     "blogpostId": 1
6   },
7   {
8     "id": 3,
9     "body": "Hello",
10    "blogpostId": 3
11  }
12 ]
```

Post profiles
Get

> Pet

> User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

GET GetProfiles

POST PostProfiles

POST PostAvatars

Sygyic Travel API

GET

http://localhost:3000/profiles

Params

Authorization

Headers (6)

Body

Pre-request Script

1

Query Params

KEY	VALUE
Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

{

"id": 1,

"name": "John Smith"

}

Post profiles

Petstore Mariana Zaloga

> Pet

> User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

GET GetProfiles

POST PostProfiles

POST PostAvatars

Sygyic Travel API

POST

http://localhost:3000/profiles

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

1

2

3

4

{

"id": 3,

"name": "Marichka"

}

Get profiles

+ Petstore Mariana Zaloga

> Pet

> User

QA Marathon

Create

GET GetContacts

POST PostBlogposts

GET GetComments

POST PostComments

GET GetProfiles

POST PostProfiles

POST PostAvatars

Sygyic Travel API

QA Marathon / Create / GetProfiles

GET

http://localhost:3000/profiles

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

KEY	VALUE
Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

8

9

10

{

"id": 1,

"name": "John Smith"


},

"id": 3,


"name": "Marichka"

}


Get



Post avatars



Get avatars



GetBlogpostsID

QA Marathon / Create / GetBlogpostsID

GET

⌵

http://localhost:3000/blogposts/3

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

S

Query Params

	KEY	VALUE
	Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON ⌵

⌵

1

2

3

4

5

6

⌵

"title": "The Thirt blog post",

"body": "This is my Thirt blog post",

"profileId": 1,

"id": 3

⌵

GetCommentsID

QA Marathon / Create / GetCommentsID

GET

⌵

http://localhost:3000/comments/3

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE
	Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON ⌵

⌵

1

2

3

4

5

⌵

"id": 3,

"body": "Hello",

"blogpostId": 3

⌵

GetProfilesID

QA Marathon / Create / GetProfilesID

GET

⌵

http://localhost:3000/profiles/3

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE
	Key	Value

ody

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON ⌵

⌵

1

2

3

4

⌵

"id": 3,

"name": "Marichka"

⌵

GetAvatarsID

QA Marathon / Create / GetAvatarsID

GET

⌵

http://localhost:3000/avatars/3

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

	KEY	VALUE
	Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON ⌵

⌵

1

2

3

4

5

6

7

8

⌵

"id": 3,

"description": "A Public avatar?",

"url": "www.example.com/avatar.jpg",

"profileId": 3,

"commentId": 3,

"blogpostId": 3

⌵

The screenshot displays the Swagger UI for an API named 'QA Marathon'. The left sidebar shows a tree view of the API endpoints, with 'GET GetAvatarsID' selected. The main panel shows the details for this endpoint, including the HTTP method 'GET', the URL 'http://localhost:3000/avatars/4', and the 'Query Params' section. The 'Query Params' section is currently empty. The 'Body' tab is selected, showing a JSON response example:

```
{  "id": 4,  "description": "Is it your avatar?",  "url": "www.example.com/avatar.jpg",  "profileId": 4,  "commentId": 4,  "blogpostId": 4}
```

<

Po: ● GET Get(● GET Get(● GET Get(● GET http ● GET Get(● GET Get(● GET Get(●

QA Marathon / Create / DeleteAvatarsID

DELETE ▾

http://localhost:3000/avatars/4

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

KEY	VALUE
Key	Value

Body

Cookies

Headers (13)

Test Results

Pretty

Raw

Preview

Visualize

JSON ▾

1 { }

GetAvatarsID4