Mariano, Maricris

Java Exercise 1:

Introduction to Java Application

Duration: 120 minutes

Instructions: Thoroughly read what is asked on items 1 to 5. Answer in a separate

sheet.

- 1. **Application**. Write declarations, statements or comments that accomplish each of the following tasks:
 - a. State that a program will calculate the product of three integers.
 - b. Create a Scanner called input that reads values from the standard input.
 - c. Declare the variables x, y, z and result to be of type int.
 - d. Prompt the user to enter the first integer.
 - e. Read the first integer from the user and store it in the variable x.
 - f. Prompt the user to enter the second integer.
 - g. Read the second integer from the user and store it in the variable y.
 - h. Prompt the user to enter the third integer.
 - i. Read the third integer from the user and store it in the variable z.
 - j. Compute the product of the three integers contained in variables x, y and z, and assign the result to the variable result.
 - k. Display the message "Product is" followed by the value of the variable result
- 2. **Evaluation**. Assuming that x=2 and y=3, what does each of the following statements display?

```
a. System.out.printf("x = %d\n", x);
x = 2
```

- b. System.out.printf("Value of %d + %d is %d\n", x, x, (x + x)); Value of 2 + 2 is 4
- c. System.out.printf("x =");

x =

d. System.out.printf("%d = %d\n", (x + y), (y + x)); 5 = 5

- 3. **Multiple Choice**. Which of the following Java statements contain variables whose values are modified?
 - a. p=i+j+k+ 7;
 - b. System.out.println("variables whose values are modified");
 - c. System.out.println("a = 5");
 - d. value = input.nextInt();

4. **Multiple Choice**. Given that y = ax3 + 7, which of the following are correct Java statements for this equation?

```
a. y=a*x*x*x+7;
b. y=a*x*x*(x+7);
c. y=(a*x)*x*(x+7);
d. y=(a*x)*x*x+7;
e. y=a*(x*x*x)+7;
f. y=a*x*(x*x+7);
```

5. **Application**. State the order of evaluation of the operators in each of the following Java statements, and show the value of x after each statement is performed:

```
a. x = 7 + 3 * 6 / 2 - 1;
  x = 7 + 18 / 2 - 1
  x = 7 + 9 - 1
  x = 16 - 1
  x = 15
b. x = 2 \% 2 + 2 * 2 - 2 / 2;
  x = 2 \% 2 + 4 - 2 / 2
  x = 2 \% 2 + 4 - 1
  x = 0 + 4 - 1
  x = 4 - 1
  x = 3
c. x = (3*9*(3+(9*3/(3))));
  x = (3*9*(3+(9*3/3)))
  x = (3 * 9 * (3 + (27/3)))
  x = (3*9*(3+9))
  x = (3 * 9 * 12)
  x = 324
```