

```

{
  "metadata": {
    "project": "Groupe 40 – Enjeux du retour à la communauté pour
les personnes stomisées en Suisse",
    "module": "B3.6 MSC – Immersion communautaire, UNIL 2025–2026",
    "data_source": "Subreddit r/ostomy (Reddit)",
    "classification_type": "multi-label",
    "language": "English",
    "note_scope": "Digestive ostomies only (colostomy, ileostomy).
Apply relevance filter (cat. F0) before all other categories.",
    "note_threshold": "Zero-shot: use score >= 0.40 per label. Fine-
tuned: use score >= 0.50. A post can receive multiple labels.",
    "note_hypothesis": "For zero-shot NLI models (e.g. facebook/
bart-large-mnli), pass each category's hypothesis_template as the
'hypothesis' string against the post text as 'premise'. Set
multi_label=True.",
    "created": "2026-05-20"
  },
  "categories": [
    {
      "id": "F0",
      "short_name": "digestive_relevance",
      "display_name": "Relevance filter – Digestive ostomy",
      "dimension": "FILTER",
      "definition": "The post is about a digestive ostomy
(colostomy, ileostomy, or unspecified intestinal stoma), not a
urinary ostomy, tracheostomy, or unrelated topic.",
      "hypothesis_template": "This post is about living with a
colostomy, ileostomy, or intestinal stoma.",
      "classification_instruction": "Run this filter FIRST. Posts
scoring below threshold are excluded from all further
classification. Do NOT apply to posts about urostomy, ileal conduit,
tracheostomy, or commercial ads.",
      "exclusion_signals": [
        "urostomy", "ileal conduit", "bladder removal", "urinary
diversion",
        "tracheostomy", "for sale", "giveaway", "selling supplies"
      ],
      "examples_positive": [
        "Just had my ileostomy surgery last week, totally
overwhelmed",
        "Living with a colostomy for 3 years now and still
learning",
        "My Crohn's finally got bad enough that I needed a stoma",
        "Got a loop ileostomy after my UC flare, hoping for
reversal",
        "Anyone else have a permanent colostomy after rectal
cancer?",
        "My stoma nurse said my output looks normal but it seems
like a lot",
        "Two months post-op with a sigmoid colostomy, AMA",
        "Had emergency bowel surgery, woke up with a bag",
        "Diverticulitis led to a Hartmann's procedure, now what?",
        "Temporary ileostomy for 6 months before reconnection – any

```

```

advice?"
    ],
    "examples_negative": [
        "My urostomy keeps leaking, help",
        "Anyone with an ileal conduit tried swimming?",
        "WTS: unopened Hollister pouches, size 45mm",
        "My tracheostomy tube keeps slipping"
    ]
},
{
    "id": "A1",
    "short_name": "technical_stoma_care",
    "display_name": "A1 · Soins et gestion technique de la
stomie",
    "dimension": "A – Besoins pratiques et techniques",
    "definition": "The post is about the technical and physical
management of the stoma appliance, including bag changes, leaks,
skin care, product selection, stoma complications, or hands-on self-
care routines.",
    "hypothesis_template": "This post is about the physical
management of the stoma appliance, skin care around the stoma, or
technical problems like leaks and bag changes.",
    "keywords": [
        "leaking", "wafer", "flange", "barrier", "bag change",
"appliance",
        "convex", "flush stoma", "peristomal skin", "stoma size",
"output",
        "prolapse", "retraction", "hernia", "pouch", "seal", "ring",
"paste",
        "adhesive", "skin barrier", "pouching system", "baseplate"
    ],
    "examples": [
        "My wafer keeps failing after only 2 days, any tips to make
it last longer?",
        "Peristomal skin is bright red and burning, tried everything
and nothing helps",
        "Which convex plate works best for a flush or slightly
retracted stoma?",
        "My stoma prolapsed this morning, do I need to go to the ER
right now?",
        "Anyone else find that their bag inflates with gas overnight
and pops the seal?",
        "Just measured my stoma and it's still changing size every
week – is this normal at 6 weeks post-op?",
        "I switched from a one-piece to a two-piece system and my
leaks went from daily to zero",
        "Tried Eakin seals for the first time and honestly life-
changing for skin protection",
        "Has anyone used Coloplast Brava powder for weepy skin? How
do you apply it properly?",
        "My output is green and watery all day – should I be
concerned or is this diet-related?",
        "Getting a hernia around my stoma site, surgeon says watch
and wait but I'm scared",

```

"Anyone with a very active stoma manage to sleep through the night without emptying?",

"What's the best way to cut the wafer for an irregular stoma shape?",

"My appliance literally fell off at work today in front of everyone, I'm mortified and also need help"

},
"notes": "Highest volume category in r/ostomy. Expect 30–40% of posts to carry this label. Strong lexical signal – relatively easy for zero-shot models. Frequently co-occurs with B5 (mental health) when a technical problem causes distress."

},
{
"id": "A2",
"short_name": "diet_and_output",
"display_name": "A2 · Alimentation et gestion du transit",
"dimension": "A – Besoins pratiques et techniques",
"definition": "The post is about diet, nutrition, food restrictions, managing stoma output volume and consistency, dehydration, blockages, or the impact of eating on stoma function.",
"hypothesis_template": "This post is about diet, nutrition, food choices, or managing stoma output volume and consistency.",
"keywords": [
"diet", "food", "eating", "blockage", "obstruction",
"output",
"dehydration", "high output", "low residue", "fiber",
"mushrooms",
"popcorn", "nuts", "drinking", "nausea", "vomiting",
"rehydration",
"electrolytes", "salt", "gassy", "odor", "smell", "foods to avoid",
"can I eat", "safe foods"
],
"examples": [
"What foods should I absolutely avoid with an ileostomy? Just got home from hospital",
"I got a partial blockage from eating mushrooms – 12 hours of hell, never again",
"Anyone have a go-to list of safe foods for the first few weeks after surgery?",
"My output is so high I'm getting dehydrated every day despite drinking 3 litres",
"Can I ever eat salad again or is leafy greens permanently off the table?",
"Restarted coffee this morning and my stoma went absolutely crazy – is caffeine a problem for everyone?",
"Made a homemade oral rehydration solution because commercial ones taste terrible – here's the recipe",
"Six months in and still too scared to eat at restaurants, any tips for eating out?",
"High-output ileostomy – my GI wants to put me on Lomotil but I'm worried about side effects",
"Lost 12kg since surgery because I'm afraid to eat, dietitian says I need 2500 calories",

"Found that chewing food incredibly slowly has almost eliminated my blockage issues",

"Does anyone track their output volume? My stoma nurse wants daily numbers and it's exhausting",

"Just tried popcorn for the first time since surgery. Lived to tell the tale.",

"Do protein shakes count toward fluid intake or make dehydration worse with an ostomy?",

"Starting Ramadan next week with an ileostomy – need advice on managing fasting and hydration"

},

"notes": "Distinct from A1 in that A2 is about what goes in and what comes out from a nutritional angle, not about the appliance itself. Blockage posts often sit at the boundary of A1 and A2 – label both. Frequently co-occurs with D10 (patients seeking professional advice they didn't get at discharge)."

},

{

"id": "A3",

"short_name": "access_to_resources",

"display_name": "A3 · Accès aux ressources et matériel",

"dimension": "A – Besoins pratiques et techniques",

"definition": "The post is about access to stoma supplies, healthcare coverage, insurance reimbursement, cost of products, or difficulties accessing specialist care such as a stoma nurse or WOC nurse.",

"hypothesis_template": "This post is about access to stoma supplies, insurance coverage, reimbursement costs, or difficulties accessing specialist stoma care.",

"keywords": [

"insurance", "coverage", "cost", "afford", "expensive",

"prescription",

"reimbursement", "supply", "free samples", "WOC nurse",

"stoma nurse",

"specialist", "waiting list", "no access", "rural", "out of pocket",

"healthcare system", "NHS", "copay", "ordering"

],

"examples": [

"My insurance denied coverage for the convex pouches my stoma nurse prescribed – how do I appeal?",

"Does anyone know if ostomy supplies are fully covered in Switzerland or Germany?",

"There is no WOC nurse within 200km of where I live – how do you manage remotely?",

"My stoma supplier just went bankrupt and now I can't get my usual products – what do I do?",

"Free samples are a lifesaver – here's a list of companies that will send you trial kits",

"The cost of pouches without insurance is insane – \$400 a month just to function as a human being",

"Just moved countries and have no idea how to get my prescriptions transferred, help",

"My GP has never treated an ostomy patient before and the

```

nearest stoma clinic is 3 hours away",
  "Anyone in a rural area figured out a good mail-order system
for supplies?",
  "My hospital discharged me with a two-week supply and zero
plan for how to get more",
  "Insurance only covers one brand and it doesn't work for my
stoma shape – fighting this now",
  "Unemployed and uninsured – how do people afford this
without going broke?",
  "Manufacturer coupons reduced my out-of-pocket from $300 to
$30 – always ask",
  "The wait for a stoma nurse appointment is 4 months – is
private care worth it?",
  "Any tips for getting your ostomy nurse to do video
appointments? My mobility makes travel hard"
],
  "notes": "Directly relevant to the Swiss research question on
care pathway gaps and social determinants of health. Strong signal
for unmet structural needs. Expected to be underrepresented in
popularity-sorted corpora but well-captured in time-bounded
sampling."
},
{
  "id": "B4",
  "short_name": "body_image_acceptance",
  "display_name": "B4 · Image corporelle et acceptation de la
stomie",
  "dimension": "B – Vécu psychosocial et identitaire",
  "definition": "The post is about body image, the process of
accepting or grieving a changed body, shame or pride related to the
stoma, identity, or the emotional relationship to one's physical
appearance with an ostomy.",
  "hypothesis_template": "This post is about body image, self-
acceptance, or the emotional relationship to one's changed body and
physical appearance with an ostomy.",
  "keywords": [
    "body image", "accepting", "acceptance", "proud", "shame",
    "ashamed",
    "ugly", "beautiful", "mirror", "naked", "showing", "hiding",
    "pouch visible",
    "bikini", "swimsuit", "lingerie", "tattoo", "scar",
    "love my stoma", "hate my stoma", "feel normal", "grief",
    "identity",
    "before surgery", "who I am", "new normal"
  ],
  "examples": [
    "Posted a photo today showing my stoma for the first time –
terrified but also kind of proud",
    "I cannot look at myself in the mirror without feeling sick.
Will this ever get better?",
    "Three years in and I finally wore a bikini on the beach. I
cried.",
    "How do you dress when you have a pouch? I feel like nothing
looks right anymore",

```

"My stoma saved my life and I still hate it every single day – is that contradictory?",

"Got a tattoo to incorporate my stoma scar into something meaningful – best decision ever",

"I used to have a really good body image and now I feel completely alien in my skin",

"Anyone else find themselves grieving the body they had before, even when you know the surgery was necessary?",

"My partner tells me I'm beautiful with my bag and I just can't believe them",

"Making peace with the permanence. This is my body now. This is what saved me.",

"I've been refusing to go swimming for two years because of my pouch. Finally did it yesterday.",

"Started taking photos of my stoma every week as a kind of documentation project – it helps",

"Does anyone find that other people's positive reactions feel hollow or performative?",

"I feel like my sense of self completely shattered after surgery. Has anyone rebuilt theirs?",

"Wearing high-waisted underwear for the first time and feeling almost – normal? – is a weird feeling"

],

"notes": "Often co-occurs with B5 (mental health) and B6 (relationships/sexuality). Distinguished from B5 in that B4 is specifically about the body and physical self-image, not about general psychological state. Posts with photos of stomas almost always belong here."

},

{

"id": "B5",

"short_name": "mental_health_emotional",

"display_name": "B5 · Santé mentale et vécu émotionnel",

"dimension": "B – Vécu psychosocial et identitaire",

"definition": "The post expresses or discusses psychological distress, mental health struggles, anxiety, depression, fear, grief, or conversely, hope, resilience, and emotional recovery related to living with a stoma.",

"hypothesis_template": "This post is about mental health, psychological distress, anxiety, depression, fear, or emotional wellbeing related to living with an ostomy.",

"keywords": [

"anxiety", "depressed", "depression", "struggling", "mental health",

"afraid", "scared", "crying", "hopeful", "therapy", "therapist",

"worth it", "suicidal", "want to die", "regret", "ptsd", "trauma",

"nightmares", "panic attack", "grief", "lost", "broken",

"fighting", "stronger", "overwhelmed", "breakdown",

"medication", "antidepressants", "counseling",

"psychologist"

],

"examples": [

"I've been crying every day since surgery. Three weeks in. Is this normal or should I see someone?",
"Has anyone dealt with actual PTSD from the emergency surgery that led to their stoma?",
"The anxiety about leaking in public is so bad I've stopped leaving my house",
"I know my stoma saved my life but I genuinely regret the surgery. Can I say that here?",
"Finally started therapy and my therapist has never heard of an ostomy – how do I explain it?",
"Two years in and I still have nightmares about waking up with a bag",
"Had a panic attack in the grocery store today because I felt a leak starting",
"Anyone else feel like they grieve every single day for the life they had before?",
"I'm struggling to find reasons to leave the house. Everything feels like too much.",
"Three months out from reversal surgery and I'm still emotionally processing the whole experience",
"This community is the only place I can be honest about how hard this actually is",
"My doctor says I'm physically recovered but emotionally I feel like I'm still in the hospital",
"Started antidepressants last month and feel like I can actually participate in life again",
"Some days I feel genuinely proud of how I've coped with this. Most days I don't.",
"If anyone is feeling hopeless tonight – I was there two years ago. It does change. Please stay."

],
"notes": "FLAG: Posts expressing active suicidal ideation ('want to die', 'not worth living') should be flagged separately regardless of classification score. This category documents a major unmet need – psychological support is rarely addressed at discharge. Co-occurs frequently with B4 and B6."

},
{
"id": "B6",
"short_name": "relationships_sexuality",
"display_name": "B6 · Relations et sexualité",
"dimension": "B – Vécu psychosocial et identitaire",
"definition": "The post is about romantic relationships, sexual intimacy, disclosure of the ostomy to a partner or new interest, reactions from loved ones, dating with a stoma, or changes in intimate life.",
"hypothesis_template": "This post is about romantic relationships, sexual intimacy, dating, or disclosing the ostomy to a partner or potential partner.",
"keywords": [
"dating", "partner", "boyfriend", "girlfriend", "husband",
"wife",
"telling", "disclosure", "sex", "sexual", "intimacy",
"intimate",

```

        "naked", "bedroom", "first time", "new relationship",
"dating apps",
        "rejection", "rejected", "reaction", "supportive",
        "divorce", "relationship ended", "Tinder", "Bumble",
"marriage",
        "honeymoon", "wedding", "love"
    ],
    "examples": [
        "How do you tell a new partner about your ostomy? When is
the right moment?",
        "My boyfriend of 2 years just told me my bag makes him
uncomfortable. I'm devastated.",
        "Went on my first date since surgery last night. I didn't
bring it up. Did I do the right thing?",
        "Has anyone had someone reject them specifically because of
the ostomy? How did you get through it?",
        "My wife has been amazing but I've completely lost interest
in sex since surgery. Is this common?",
        "Finally told the guy I've been seeing and his reaction made
me cry – in the best way",
        "Tips for intimacy with a bag? Nervous about my first time
with a new person",
        "Does anyone use special covers or wraps for the pouch
during sex?",
        "Got married 6 months post-op. My stoma was at the wedding
and that's okay.",
        "My partner says all the right things but I can tell they're
not fully okay with it",
        "Dating apps at 28 with a permanent colostomy – should I put
it in my bio?",
        "Honeymoon was last week. The ostomy did not ruin it. Just
wanted to share that.",
        "My husband proposed after my diagnosis, knowing I'd need a
stoma. I still cry thinking about it.",
        "How long after surgery did you wait before being intimate
again?",
        "I've decided I will never date again. The vulnerability
feels impossible. Has anyone felt this way?"
    ],
    "notes": "Sexuality is rarely addressed by healthcare
professionals at discharge – this category will likely document a
clear unmet need. Expected to co-occur with B4 (body image) and B5
(mental health). Directly relevant for interview questions directed
at psychologists and stoma nurses."
},
{
    "id": "C7",
    "short_name": "social_stigma_participation",
    "display_name": "C7 · Stigmatisation et participation
sociale",
    "dimension": "C – Réinsertion sociale et vie quotidienne",
    "definition": "The post is about social stigma, embarrassment
in public situations, fear of others noticing the ostomy through
noise or smell, social withdrawal, discrimination, or barriers to

```



```

participating in social life.",
  "hypothesis_template": "This post is about social stigma,
embarrassment in public, fear of others noticing the ostomy, social
isolation, or barriers to participating in social activities.",
  "keywords": [
    "embarrassed", "embarrassing", "public", "smell", "odor",
    "noise",
    "gurgling", "sound", "avoid", "isolation", "hiding", "people
staring",
    "public toilet", "bathroom", "restaurant", "event", "party",
    "airplane", "train", "discrimination", "judgment", "bullied"
  ],
  "examples": [
    "My bag made the loudest noise in the middle of a work
meeting. I wanted to disappear.",
    "The smell in public bathrooms is so bad I've started
avoiding going out for more than 2 hours",
    "Someone on the train pointed at my bag outline under my
shirt. I don't know what to do with that.",
    "How do you handle the gurgling sounds? People look at me
and I freeze",
    "Stopped going to church because I had a leak during a
service once. A year ago. I still can't go back.",
    "My teenage daughter told me my bag smell embarrasses her.
That broke something in me.",
    "At a house party and had to empty my bag 4 times. Everyone
noticed me going to the bathroom.",
    "Does anyone else just stay home instead of dealing with the
anxiety of public bathrooms?",
    "Colleague made a comment about 'a weird smell' in our
shared office. Nobody knows about my ostomy.",
    "Navigating airports with an ostomy is a special kind of
nightmare – security, toilets, everything",
    "I'm excluded from camping trips now because there's no
proper bathroom. It's small but it hurts.",
    "My friends group has stopped inviting me to things because
I've cancelled so many times",
    "Got stopped at airport security because of my pouching
system. Fully patted down. Humiliating.",
    "Does it get easier to not care what people think? Asking
sincerely because I'm exhausted by it.",
    "Eating in public is fine until the gurgling starts and then
every head turns"
  ],
  "notes": "Distinct from C8 (return to activities) in that C7
focuses on the social experience of stigma and exclusion, not on
practical resumption. Closely linked to the social determinants of
health framework in the B3.6 module. Co-occurs with B5."
},
{
  "id": "C8",
  "short_name": "return_to_work_activities",
  "display_name": "C8 · Retour au travail et activités
quotidiennes",

```

```

    "dimension": "C – Réinsertion sociale et vie quotidienne",
    "definition": "The post is about returning to work, resuming
professional activities, traveling, practicing sports or physical
activity, or re-engaging with hobbies and daily life activities
after ostomy surgery.",
    "hypothesis_template": "This post is about returning to work,
resuming physical activities, sports, travel, or re-engaging with
daily life and hobbies after ostomy surgery.",
    "keywords": [
        "work", "job", "return to work", "back at work", "boss",
"coworkers",
        "travel", "flying", "airport", "trip", "vacation",
"holiday",
        "exercise", "sport", "swimming", "running", "gym", "hiking",
        "cycling", "yoga", "football", "CrossFit", "lifting",
        "hobbies", "normal life", "driving", "cooking", "gardening"
    ],
    "examples": [
        "Going back to work next week after 8 weeks off – any advice
for the first day?",
        "Does anyone run with an ostomy? I was a marathon runner
before and I need to know if I can come back",
        "Just completed my first 5km since surgery. Cried the entire
last kilometre.",
        "Flying for the first time with a stoma next month – what do
I need to know about security?",
        "My job requires heavy lifting. Surgeon said no for 3
months. HR is pushing me to return earlier.",
        "Anyone swim in the ocean or pools regularly? What's your
pouching setup?",
        "Back to hiking at 6 months post-op. First time up a proper
mountain since my colostomy.",
        "How do you handle ostomy care during a long-haul flight? 14
hours, no aisle seat.",
        "My physio cleared me for yoga. Six months ago I didn't
think I'd ever do yoga again.",
        "Do you tell your employer about your ostomy? I'm worried
about bathroom access at a new job.",
        "Went camping for the first time since surgery. Figured out
a whole system. Happy to share.",
        "Back in the kitchen cooking properly – took 4 months before
I felt strong enough.",
        "Does anyone do contact sports with an ostomy? I play rugby
and don't want to give it up.",
        "Managed a full day of sightseeing on our trip without a
single leak or issue. Victory.",
        "What do you tell your coworkers when you need extra
bathroom breaks? What excuse do you use?"
    ],
    "notes": "Directly related to the social reintegration
objective of the research protocol. Often carries a positive or
hopeful tone – these posts frequently get high engagement.
Distinguished from C7 in that C8 is about practical resumption, C7
is about social stigma experience."

```

```

    },
    {
      "id": "C9",
      "short_name": "hospital_to_home_transition",
      "display_name": "C9 · Transition hôpital-domicile et
continuité des soins",
      "dimension": "C – Réinsertion sociale et vie quotidienne",
      "definition": "The post is about the experience of hospital
discharge, the adequacy or inadequacy of preparation before leaving
hospital, post-discharge follow-up, home care services, or failures
in care coordination between the hospital and community-based
care.",
      "hypothesis_template": "This post is about the experience of
being discharged from hospital, preparation for returning home,
post-discharge follow-up care, or gaps in care coordination after
ostomy surgery.",
      "keywords": [
        "discharge", "discharged", "leaving hospital", "going home",
"sent home",
        "home care", "community nurse", "district nurse", "follow-
up",
        "nobody told me", "wasn't told", "no one explained", "no
support",
        "first week home", "first days", "alone at home",
"readmitted",
        "had to go back", "coordination", "GP didn't know", "stoma
care at home",
        "after surgery", "post-op", "ERAS", "early discharge"
      ],
      "examples": [
        "I was discharged after 4 days with barely any training. Did
anyone else feel completely abandoned?",
        "Nobody told me that my output could be 2 litres a day. I
nearly ended up back in hospital.",
        "The hospital gave me a two-week supply and a leaflet. That
was it. No follow-up appointment.",
        "My district nurse came to visit and admitted she had never
looked after an ostomy patient before",
        "How do most people manage the first week at home? I feel
like I'm completely on my own.",
        "Had to be readmitted 10 days after discharge because of
dehydration. The discharge education failed me.",
        "My GP has never seen a stoma. When I called with questions
they said to call the hospital.",
        "The stoma nurse at the hospital was incredible but now I'm
home and I feel totally cut off",
        "Does anyone's care pathway actually feel continuous? Mine
felt like a cliff after discharge.",
        "No home visit, no phone number to call, no follow-up
appointment scheduled – is this normal?",
        "Finally got a home visit from the community stoma nurse.
Six weeks after I left hospital.",
        "The ERAS protocol meant I left on day 3. I had no idea what
I was doing.",

```

"What questions should I ask before I leave the hospital? I feel like I don't know what I don't know.",

"My hospital has a 24h stoma helpline. Not everyone does. That line saved me three times.",

"The coordination between my surgeon, GP, and stoma nurse feels completely broken."

],

"notes": "HIGHEST PRIORITY for this research. Most directly relevant category for the question on community care pathways in Switzerland. Expected to be underrepresented in popularity-sorted corpora – time-bounded sampling is essential. Supplement with targeted keyword searches: 'discharge', 'going home', 'nobody told me', 'community nurse'. Co-occurs heavily with D10 and A1."

},

{

"id": "D10",

"short_name": "healthcare_experience",

"display_name": "D10 · Expérience des soins et relation avec les professionnels",

"dimension": "D – Interactions avec le système de soins",

"definition": "The post expresses satisfaction or dissatisfaction with healthcare professionals, describes a gap in information provided by care teams, evaluates the quality of stoma nurse care, or reflects on the patient-provider relationship.",

"hypothesis_template": "This post is about the quality of healthcare received, satisfaction or dissatisfaction with healthcare professionals, or gaps in information provided by the medical team."

"keywords": [

"doctor said", "nurse told me", "WOC nurse", "stoma nurse", "surgeon",

"nobody explained", "wasn't told", "doctor doesn't know",

"GP said",

"bad advice", "wrong information", "great nurse", "terrible nurse",

"hospital failed", "my consultant", "appointment",

"helpline",

"specialist", "gastroenterologist", "colorectal surgeon",

"asking your doctor", "professional", "provider"

],

"examples": [

"My surgeon never mentioned mental health support as part of recovery. Is that standard?",

"The stoma nurse at my hospital is incredible – she answers texts at 9pm. Not all heroes wear capes.",

"My GP told me to 'just use tape' to fix a leak. I don't think they understand how appliances work.",

"Nobody – not the surgeon, not the nurses – ever told me that sex would be affected by my stoma",

"The information I received at discharge was a 2-page leaflet written in 1998. That's it.",

"My stoma nurse asked me not to look up information online. I disagree with this approach.",

"Three appointments and my stoma nurse still hasn't

addressed my skin issues. I feel dismissed.",
 "Does anyone else feel like the surgical team is great but there's no psychological support anywhere?",
 "My colorectal surgeon told me to 'just get on with it' when I said I was struggling mentally",
 "Found a WOC nurse who will do telehealth appointments. Game changer for my rural situation.",
 "The hospital helpline told me to go to A&E for a leak. The A&E nurse had never seen a stoma.",
 "My gastroenterologist knows Crohn's but admitted they know almost nothing about living with the stoma",
 "Finally found a stoma nurse who asked about my mental health. First time in 18 months.",
 "I've become the de facto stoma expert for my GP practice – they call me to ask questions.",
 "My care team is technically excellent but I have never once felt like a whole person in an appointment"

],
 "notes": "Key category for triangulating Reddit findings with professional interview data. Documents the patient perspective on what professionals do well and fail at – can be matched directly against interview themes. Co-occurs heavily with C9 (discharge) and A3 (access to resources)."

},
 {
 "id": "D11",
 "short_name": "peer_support_community",
 "display_name": "D11 · Entraide communautaire et soutien par les pairs",
 "dimension": "D – Interactions avec le système de soins",
 "definition": "The post is primarily about peer support, sharing lived experience to help others, expressing gratitude for community support, mentioning patient associations, or highlighting the role of the online community in filling gaps left by formal healthcare.",
 "hypothesis_template": "This post is about peer support, sharing personal experience to help others, community solidarity, or the value of connecting with other ostomy patients.",
 "keywords": [
 "you're not alone", "community", "support group", "this sub",
 "this subreddit", "thank you everyone", "UOAA", "ILCO",
 "advice for newbies", "just want to share", "wanted to give back",
 "for anyone who is new", "hope this helps", "solidarity",
 "someone who has been through this", "found this community",
 "milestone", "anniversary", "stomaversary", "celebrating"
],
 "examples": [
 "One year ago I was in the ICU. Today I ran 5km. For anyone who is new – it gets better.",
 "This subreddit genuinely saved my life during my first three months. Thank you all.",
 "Just want to share some tips for new ostomates that I wish

```

someone had told me",
  "Celebrating my 5-year stomaversary! AMA for anyone who has
questions.",
  "For anyone who just got home from hospital and feels
terrified – I see you. It does get easier.",
  "Found an ostomy support group in my city through UOAA and
it changed everything",
  "The peer mentorship program through my hospital connected
me with someone 2 years post-op. Invaluable.",
  "I've been lurking here for 8 months and finally feel brave
enough to post. Thank you for existing.",
  "Visited a new ostomate in hospital today as a peer visitor.
Gave back what was given to me.",
  "Nobody in my physical life understands this. You all do.
That matters more than I can say.",
  "Wrote a guide to the first 30 days post-surgery based on my
experience – posting it here for free",
  "My online ostomy friends know more about my daily life than
my family does",
  "Seeing success stories on this sub during my darkest days
was the only thing that kept me going",
  "Joined an ostomy association and now volunteer at the
hospital twice a month – full circle",
  "The formal healthcare system gave up after 6 months. This
community never has."
],
  "notes": "This category documents the compensatory function of
peer communities in filling formal care gaps – central for the
'soins intégrés' theoretical framework of the protocol. The contrast
between D11 (informal community support filling gaps) and D10
(formal care failures) is analytically powerful."
}
],
  "implementation_notes": {
    "pipeline_order": [
      "Step 1: Apply F0 (digestive_relevance). Keep posts with score
<= 0.40.",
      "Step 2: Apply A1-D11 to the filtered corpus. Set
multi_label=True.",
      "Step 3: Apply threshold (0.40 for zero-shot, 0.50 for fine-
tuned) per label.",
      "Step 4: Manually validate a random sample of ~50 posts per
category.",
      "Step 5: Export results as CSV with one column per category
(0/1) plus raw scores."
    ],
    "priority_categories_for_research": ["C9", "D10", "B5", "A3"],
    "recommended_model_zero_shot": "facebook/bart-large-mnli",
    "recommended_model_finetuning": "roberta-base or roberta-large
(HuggingFace Trainer, multi-label head)",
    "keyword_supplement_for_C9": [
      "discharge", "going home", "nobody told me", "community
nurse",
      "first week home", "sent home", "abandoned", "readmitted",

```

```
"alone at home"
],
"crisis_flag_keywords": [
  "suicidal", "want to die", "not worth living", "end my life",
  "killing myself", "no reason to live"
],
"expected_label_distribution": {
  "A1_technical_stoma_care": "30-40% of posts",
  "A2_diet_and_output": "15-25%",
  "A3_access_to_resources": "5-10%",
  "B4_body_image": "10-15%",
  "B5_mental_health": "20-30%",
  "B6_relationships_sexuality": "8-15%",
  "C7_social_stigma": "10-20%",
  "C8_return_to_work": "10-20%",
  "C9_hospital_transition": "5-12% (underrepresented –
supplement with keywords)",
  "D10_healthcare_experience": "10-20%",
  "D11_peer_support": "20-35%"
}
}
```