Successfull registration

SeverityPriorityBehaviorType— Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

Action

Input

data

Fill in "ДАННИ ЗА ВХОД" fields

Email: zbd42235@jeoce.com

парола: 123456789

Pre-conditions

clear web cache
Go to https://teodor.bg/

Step	1	
Action	Click on the profile icon	
Input data		
Expected User is redirected to "Регистрация" button. result		
Step	2	
Action	Click on "Регистрация" button	
Input data		
Expecte result	d Registration form should open.	
Step	3	
Action	Fill in "ЛИЧНИ ДАННИ" fields	
Input data	Име: Спаска Фамилия: Георгиева	
Expected result		

Expecte result	d .
Step	5
Action	Leave empty "Данни за фактура" checkbox
Input data	
Expecte result	d
Step	6
Action	Put ticks on all required checkboxes
Input data	
Expecte result	d
Step	7
Action	Click on "Регистрация" button
Input data	
	d Confirmation message should appear "Трябва да потвърдите вашия профил. Моля проверете имейла си за л инк за потвърждение или <u>кликнете тук</u> за да получите нов линк."
Step	8
Action	Go to the user's mail
Input data	
Expecte result	d There shoud be a confirmation mail.
Step	9
Action	Click on "Потвърдете вашия профил" button
Input data	
Expecte result	d Confirmation message should appear "Благодаря ви, че се регистрирахте в Teodor."

Login successfully

Severity Priority **Behavior** Type ↑ High Positive Functional Not set Is Flaky Milestone Automation Layer Not set No Not automated Status

Pre-conditions

Actual

clear web cache

C.	
Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should open.
Step	2
Action	Click on profile button
Input data	
Expected result	Login form should appear.
Step	3
Action	Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	email: <u>zbd42235@jeoce.com</u> pass: 123456789
Expected result	
Step	4
Action	Click on "Вход" button
Input data	
Expected result	User should be redirected to their profile.

Registration with invoices data

SeverityPriorityBehaviorTypeo Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Step

Action

Input data

4

Click on "Тип" dropdown menu

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on profile icon Click on "Регистрация" button

Step	1
Action	Fill in "ЛИЧНИ ДАННИ" fields
Input data	Име: Дарина Фамилия: Даринова
Expected result	
Step	2
Action	Fill in "ДАННИ ЗА ВХОД" fields
Input data	Email: nzu06519@jeoce.com парола: 123456789
Expected result	
Step	3
Action	Put tick in "Данни за фактура" checkbox
Input data	
Expected result	А "Данни за фактура" form appears.

Expected result	Options "Фирма" and "Лична" appear.
Step	5
Action	Select option "Фирма"
Input data	
Expected result	
Step	6
Action	Fill in all required fields
Input data	Име на фирма: Дадада ЕООД ЕИК: 138279866 Град: София Адрес: Възраждане МОЛ: Дарина Петрова Даринова
Expected result	
Step	7
Action	Put tick in all required checkboxes.
Input data	
Expected result	
Step	8
Action	Click on "Регистрация" button
Input data	
Expected result	Message "Трябва да потвърдите вашия профил. Моля проверете имейла си за линк за потвърждение или кликнете тук за да получите нов линк." appears."
Step	9
Action	Go to the user's mail
Input data	
Expected result	There shoud be a confirmation mail.
Step	10
Action	Click on "Потвърдете вашия профил" button

Input data

Expected result Confirmation message should appear "Благодаря ви, че се регистрирахте в Teodor."

Registration with invalid data

Written names with numbers

SeverityPriorityBehaviorType- Not set↓ LowNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/

Step	1
Action	Click on the profile icon
Input data	
Expected result	User is redirected to "Регистрация" button.
Chan	2
Step	2
Action	Click on "Регистрация" button
Input data	
Expected result	Registration form should open.
Step	3
Action	Fill in "ЛИЧНИ ДАННИ" fields
Input data	Име: 43535345 Фамилия: 324242443
Expected result	There shoud be a message that doesn't permit writing names with numbers.

Log out

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields (input data: Email: zbd42235@jeoce.com парола: 123456789)

Steps to reproduce

Click on "вход" button

Step	1
Action	Click on the profile icon
Input data	
Expected result	User is in their profile.
Step	2
Action	Click on "Изход" button
Input data	
Expected result	A message "ИЗЛЯЗОХТЕ ОТ ПРОФИЛА СИ" appears. User is redirected to the homepage.

Log in with wrong password

SeverityPriorityBehaviorType─ Not set↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1	
Action	Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields	
Input data	email: <u>zbd42235@jeoce.com</u> pass: 1234	
Expected result	Message appears: "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчакайте и опитайте отново по-късно."	

Log in with wrong email

SeverityPriorityBehaviorType─ Not set↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/
Click on the profile icon

Steps to reproduce

Step1ActionFill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fieldsInput dataemail: zbd42AAAAA235@jeoce.com pass: 123456789Expected resultMessage арреагs: "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчакайте и опитайте отново по-късно."

Forgot password

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky Layer Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1
Action	Click on "Забравена парола" button
Input data	
Expected result	
Step	2
Action	Fill in "ЗАБРАВЕНА ПАРОЛА" field.
Input data	email: lilic91004@safe-cart.com
Expected result	A message appears "Ако има профил асоцииран с zbd42235@jeoce.com ще получите линк за възстановя ване на паролата."
Step	3
Action	Go to used email.
Input data	
Expected result	There should be a link for writing new password.

User can edit their account information

User can update or change password, names, email, invoices data

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky Milestone **Automation** Layer Not set No Not automated **Status**

Pre-conditions

Actual

Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on the profile icon
Input data	
Expected result	Page "Моят профил" is opened.
Step	2
Action	Click on "Редактирай" button
Input data	
Expected result	User is redirected to "Редактиране на информация за акаунта" page.
Step	3
Action	Edit information in the fields.
Input data	Име: Ана Фамилия: Иванова
Expected result	
Step	4
Action	Click on the "Запази" button.
Input data	
Expected result	A message "Вие запазихте информацията за профила." appears.

User should be able to change the password

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on the profile icon
Input data	
Expected result	Page "Моят профил" is opened.
Step	2
Action	Click on "Промени парола" button
Input data	
Expected result	User is redirected to "Редактиране на информация за акаунта" page. A form "Промени парола" appears.
Step	3
Action	Fill in all required fields.
Input data	
Expected result	
Step	4
Action	Click on the "Запази" button.
Input data	
Expected result	User is redirected to "Вход" page. А message "Вие запазихте информацията за профила." appears.

Login with blank fields

SeverityPriorityBehaviorType→ Not set↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1
Action	Click on profile button
Input data	
Expected result	The site's homepage should open.
Step	2
Action	Do not fill anything in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	
Expected result	
Step	3
Action	Click on "Вход" button
Input data	
Expected result	A required message appears "Това е задължително поле." The user is not redirected to their profile.

Successfull registration by Edge

Severity **Priority Behavior Type** Positive Not set ↑ High **Functional** Is Flaky Milestone **Automation** Layer Not set No Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/

Steps to reproduce

Step	1
Action	Click on the profile icon
Input data	
Expecte result	d User is redirected to "Регистрация" button.
Step	2
Action	Click on "Регистрация" button

Input

data

Expected Registration form should open. result

3 Step

Action Fill in "ЛИЧНИ ДАННИ" fields

Input Име: Диди

data Фамилия: Георгиева

Expected result

4 Step

Action Fill in "ДАННИ ЗА ВХОД" fields

Input Email: lilic91004@safe-cart.com парола: 123456789

data

Expecte result	d .
Step	5
Action	Leave empty "Данни за фактура" checkbox
Input data	
Expecte result	d
Step	6
Action	Put ticks on all required checkboxes
Input data	
Expecte result	d
Step	7
Action	Click on "Регистрация" button
Input data	
	d Confirmation message should appear "Трябва да потвърдите вашия профил. Моля проверете имейла си за л инк за потвърждение или <u>кликнете тук</u> за да получите нов линк."
Step	8
Action	Go to the user's mail
Input data	
Expecte result	d There shoud be a confirmation mail.
Step	9
Action	Click on "Потвърдете вашия профил" button
Input data	
Expecte result	d Confirmation message should appear "Благодаря ви, че се регистрирахте в Teodor."

Actual

Login successfully in Edge

Severity **Priority Behavior** Type Positive Functional Not set ↑ High Is Flaky Milestone Automation Layer Not set No Not automated Status

Pre-conditions

clear web cache

Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should open.
Step	2
Action	Click on profile button
Input data	
Expected result	Login form should appear.
Step	3
Action	Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	email: lilic91004@safe-cart.com pass: 123456789
Expected result	
Step	4
Action	Click on "Вход" button
Input data	
Expected result	User should be redirected to their profile.

Registration with invoices data using Edge

SeverityPriorityBehaviorTypeo Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on profile icon Click on "Регистрация" button

Steps to reproduce

Step 1

Action Fill in "ЛИЧНИ ДАННИ" fields

Input data Име: Дарина Фамилия: Даринова

Expected result

Step 2

Action Fill in "ДАННИ ЗА ВХОД" fields

Input data Email: lilic91004@safe-cart.com парола: 123456789

Expected result

Step 3

Action Put tick in "Данни за фактура" checkbox

Input data

Expected result

А "Данни за фактура" form appears.

Step 4

Action Click on "Тип" dropdown menu

Input data

Expected result	Options "Фирма" and "Лична" appear.
Step	5
Action	Select option "Фирма"
Input data	
Expected result	
Step	6
Action	Fill in all required fields
Input data	Име на фирма: Дадада ЕООД ЕИК: 138279866 Град: София Адрес: Възраждане МОЛ: Дарина Петрова Даринова
Expected result	
Step	7
Action	Put tick in all required checkboxes.
Input data	
Expected result	
Step	8
Action	Click on "Регистрация" button
Input data	
Expected result	Message "Трябва да потвърдите вашия профил. Моля проверете имейла си за линк за потвърждение или кликнете тук за да получите нов линк." appears."
Step	9
Action	Go to the user's mail
Input data	
Expected result	There shoud be a confirmation mail.
Step	10
Action	Click on "Потвърдете вашия профил" button

Input data

Expected result Confirmation message should appear "Благодаря ви, че се регистрирахте в Teodor."

Registration with invalid data using Edge

Written names with numbers

SeverityPriorityBehaviorType→ Not set↓ LowNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/

Step	1
Action	Click on the profile icon
Input data	
Expected result	User is redirected to "Регистрация" button.
Step	2
Action	Click on "Регистрация" button
Input data	
Expected result	Registration form should open.
Step	3
Action	Fill in "ЛИЧНИ ДАННИ" fields
Input data	Име: 43535345 Фамилия: 324242443
Expected result	There shoud be a message that doesn't permit writing names with numbers.

Log out using Edge

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields (input data: Email: lilic91004@safe-cart.com парола: 123456789)

Steps to reproduce

Click on "вход" button

Step	1
Action	Click on the profile icon
Input data	
Expected result	User is in their profile.
Step	2
Action	Click on "Изход" button
Input data	

Log in with wrong password in Edge

SeverityPriorityBehaviorType→ Not set↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1
Action	Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	email: lilic91004@safe-cart.com pass: 1234bla
Expected result	Message appears: "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчакайте и опитайте отново по-късно."

Log in with wrong email in Edge

SeverityPriorityBehaviorTypeo Normal↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/
Click on the profile icon

Step	
Action	Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	email: lilic545454591004@safe-cart.com pass: 123456789
Expected result	Message appears: "Влизането в профила е неправилно или профилът Ви е деактивиран временно. Моля, изчакайте и опитайте отново по-късно."

Forgot password in Edge

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1
Action	Click on "Забравена парола" button
Input data	
Expected result	
Step	2
Action	Fill in "ЗАБРАВЕНА ПАРОЛА" field.
Input data	email: <u>zbd42235@jeoce.com</u>
Expected result	A message appears "Ако има профил асоцииран с zbd42235@jeoce.com ще получите линк за възстановя ване на паролата."
Step	3
Action	Go to used email.
Input data	
Expected result	There should be a link for writing new password.

User can edit their account information in Edge

User can update or change password, names, email, invoices data

Severity	Priority	Behavior	Туре
─ Not set	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

Actual

Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on the profile icon
Input data	
Expected result	Page "Моят профил" is opened.
Step	2
Action	Click on "Редактирай" button
Input data	
Expected result	User is redirected to "Редактиране на информация за акаунта" page.
Step	3
Action	Edit information in the fields.
Input data	Име: Лили Фамилия: Иванова
Expected result	
Step	4
Action	Click on the "Запази" button.
Input data	
mpac aaca	

User should be able to change the password in Edge

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on the profile icon
Input data	
Expected result	Page "Моят профил" is opened.
Step	2
Action	Click on "Промени парола" button
Input data	
Expected result	User is redirected to "Редактиране на информация за акаунта" page. A form "Промени парола" appears.
Step	3
Action	Fill in all required fields.
Input data	
Expected result	
Step	4
Action	Click on the "Запази" button.
Input data	
Expected result	User is redirected to "Вход" page. A message "Вие запазихте информацията за профила." appears.

Log out using Edge

SeverityPriorityBehaviorType- Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon Fill in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields (input data: Email: lilic91004@safe-cart.com парола: 123456789)

Steps to reproduce

Click on "вход" button

Step	1
Action	Click on the profile icon
Input data	
Expected result	User is in their profile.
Step	2
Action	Click on "Изход" button
Input data	

Actual

Login with blank fields using Edge

Severity **Priority Behavior** Type Not set ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

clear web cache Go to https://teodor.bg/ Click on the profile icon

Step	1
Action	Click on profile button
Input data	
Expected result	The site's homepage should open.
Step	2
Action	Do not fill anything in "РЕГИСТРИРАНИ ПОТРЕБИТЕЛИ" fields
Input data	
Expected result	
Step	3
Action	Click on "Вход" button
Input data	
Expected result	A required message appears "Това е задължително поле." The user is not redirected to their profile.

Search special symbols

SeverityPriorityBehaviorType- Not seto MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on search field
Input data	
Expected result	
Step	2
Action	Write special symbols
Input data	ex: @@@@##
Expected result	Message appears "Вашето търсене не даде резултати."

Search with valid items

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on search field
Input data	
Expected result	
Step	2
Action	Write valid item
Input data	ех: риза

Sorting items by Position (descending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
Go to a random product page

Step	1
Action	Click on the "Сортирай по Позиция (Низх.)" sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Позиция (Низх.)" option.
Input data	
Expected result	Descended products appear.

Sorting items by Position (ascending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the "Сортирай по Позиция (Възх.)" sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Позиция (Възх.)" option.
Input data	
Expected result	Ascended products appear.

Sorting items by Name (descending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Име (Низх.)" option.
Input data	
Expected result	Descended by name products appear.

Sorting items by Name (ascending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Име (Възх.)" option.
Input data	
Expected result	Ascended by name products appear.

Sorting items by Price (ascending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Цена (Възх.)" option.
Input data	
Expected result	Ascended by price products appear.

Sorting items by Price (descending)

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Цена (Низх.)" option.
Input data	
Expected result	Descended by price products appear.

Sorting the most sold products

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Най-продавани" option
Input data	
Expected result	The most sold products appear.

Sorting the newest products

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Най-нови" option
Input data	
Expected result	The newest products appear.

Sorting by total number of comments

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "Брой оценки" option
Input data	
Expected result	Sorted products by total number of comments appear.

Sorting by discount

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Click on the sorter
Input data	
Expected result	Dropdown list appears.
Step	2
Action	Select "% Отстъпка" option
Input data	
Expected result	Sorted products by discount appear.

Sorting by style

SeverityPriorityBehaviorType- Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Go to "Кройка" section
Input data	
Expected result	
Step	2
Action	Put tick in a randon chekbox
Input data	tick in Extra slim fit chekcbox
Expected result	Products are filtered by the choosen option.

Searching with key letters

SeverityPriorityBehaviorType— Not seto MediumNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status
Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/

Step	1
Action	Click on the search field.
Input data	
Expected result	
Step	2
Action	Type a key word.
Input data	"папи"
Expected result	A dropdown menu with "папийонка" appears.

Searching with key word

SeverityPriorityBehaviorType— Not seto MediumNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/

Step	1
Action	Click on the search field.
Input data	
Expected result	
Step	2
Action	Type a key word.
Input data	"папийонка"
Expected result	A dropdown menu with "папийонка" appears.

User should be able to add product to a shopping cart

Severity **Priority Behavior Type** - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	ex: "БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА" product is selected.
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

User removes a product from shopping cart

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged

Steps to reproduce

5

Step

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	ex: "БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА" is clicked.
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

Action	Go to the shopping cart.	
Input data		
Expected result		
Step	6	
Action	Click on the "Премахни" button.	
Input data		
Expected result	The selected product is removed.	

User increases the product quantity in the cart

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
A random item should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Количество" field.
Input data	
Expected result	
Step	3
Action	Increase the number of product quantity.
Input data	
Expected result	The product quantity is increased.

User can add products from different categories to the cart

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged

Step	1
Action	Go to "Облекло" section.
Input data	
Expected result	A dropdown menu is opened.
Step	2
Action	Click on "Ризи" option.
Input data	
Expected result	A "Ризи" page is opened.
Step	3
Action	Click on a random product.
Input data	
Expected result	
Step	4
Action	Add the product to the shopping cart.
Input data	
Expected result	The product is added to the shopping cart.
Step	5

Action	Go to "Облекло" section.
Input data	
Expected result	
Step	6
Action	Click on "Дънки" option.
Input data	
Expected result	А "Дънки" page is opened.
Step	7
Action	Click on a random product.
Input data	
Expected result	
_	
Step	8
Step Action	Add the product to the shopping cart.
Action	
Action Input data	Add the product to the shopping cart.
Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step Action	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.
Action Input data Expected result Step Action Input data Expected result Step	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.
Action Input data Expected result Step Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.
Action Input data Expected result Step Action Input data Expected result Step	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.

Actual

Price updates when a user add/remove products

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
-	
Step	2
Action	Remove a random product from the shopping cart.
Input data	
Expected result	The total price is updated.
Cton	3
Step	3
Action	Add a random product to the shopping cart.
Input data	
Expected result	The total price is updated.

Actual

User should be able to use a free delivery

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items for at least 100 leva should be added to the shopping cart

Step	1
Action	Click on the shopping icon.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Обобщение" form.
Input data	
Expected result	A message "Вие получавате безплатна доставка!" appears. The total price is calculated.

Shopping cart saves selected products

When a user closes a tab

SeverityPriorityBehaviorType— Not seto MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Close the tab.
Input data	
Expected result	The tab is closed.
Step	2
Action	Go to https://teodor.bg/
Input data	
Expected result	
Step	3
Action	Click on the shopping icon.
Input data	
Expected result	A page "Количка" is opened. All previous selected products are saved.

Actual

User should not order unavailable items

Severity **Priority Behavior** Type - Not set ↑ High Negative Other Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Click on a random page and random item
Add a random item in the shopping cart

Step	1
Action	Go to the shopping basket icon
Input data	
Expected result	"Количка" page is opened.
Step	2
Action	Go to "Количество" section
Input data	
Expected result	
Step	3
Action	Increase the item quantity
Input data	
Expected result	A message "Исканото количество не е налично" appears.

Discount calculation

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
At least 3 random items should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Отстъпка" button.
Input data	
Expected result	A 20% discount is shown. A 20% discount is calculated.

Completing an order

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Click on the shopping icon.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on "Към завършване" button.
Input data	
Expected result	User is redirected to "Адрес за доставка" form.
Ston	3
Step	
Action	Fill in all required fields.
Input data	
Expected result	
Step	4
Action	Click on "Напред" button.
Input data	
Expected result	User is redirected to "Начин на плащане" page.
Step	5

Action	Click on a random option.
Input data	
Expected result	A button "Завърши поръчката" should be appeared.
Step	6
Action	Click on "Завърши поръчката" button.
Input data	
Expected result	

Review of all added items in the shopping basket

SeverityPriorityBehaviorType— Not set^ HighNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Pre-conditions

Status Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Обобщение" part.
Input data	
Expected result	Review of all added items in the shopping basket is visible.

User adds the same product multiple times in the shopping cart

Priority Severity **Behavior** Type - Not set Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Not automated No Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
A random item should be added to the shopping cart

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

Step	5
Action	Click on the "Добави" button more times.
Input data	
Expected result The number of product quantity is increased.	

User can use the plus button in the shopping cart

SeverityPriorityBehaviorType→ Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random product into the basket

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.

User shouldn't enter negative numbers in the shopping cart

Severity **Priority Behavior** Type - Not set Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random products into the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.
Step	3
Action	Click on the minus button until it shows 1.
Input data	
Expected result	The number doesn't change it.

User can use the minus button in the shopping cart

SeverityPriorityBehaviorType— Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random products into the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.
Step	3
Action	Click on the minus button.
Input data	
Expected result	The number should be subtracted one.

Shopping cart link in the comfirmation message

When user add a product in the shopping cart there is link to the cart

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged Go to random section

Step	1
Action	Add a random product to the shopping cart
Input data	
Expected result	A confirmation message "Добавихте СВЕТЛО КАФЯВИ МОКАСИНИ С МЕТАЛНА ТОКА ОТ НАБУК във Вашат а <u>количка</u> ." appears.
Step	2
Action	Click on the "количка" in the confirmation message.
Input data	
Expected result	User is redirected to the shopping cart.

Open a product picture

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "H&S" a
Input data	
Expected result	All H&S products appear.
Step	2
Action	Select a product
Input data	
Expected result	A product page is opened.
Step	3
Action	Click on a product picture
Input data	
Expected result	
Step	4
Action	Click on the arrow
Input data	
Expected result	The photo changes.

Zoom in a product picture

SeverityPriorityBehaviorType— Not set↓ LowPositiveUsabilityLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Облекло" dropdown menu
Input data	
Expected result	A dropdown menu with options appears.
Step	2
Action	Select "Костюми" option
Input data	
Expected result	A user is redirected to a product page "Костюми за мъже".
Step	3
Action	Click on a product picture
Input data	
Expected result	A picture slider appears.
Step	4
Action	Click on a zoom in button
Input data	
Expected result	The picture is zoomed.

Select different product size

SeverityPriorityBehaviorType- Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ user should be logged Go to "Блузи" product page

Step	1
Action	Click on "ЧЕРНА БЛУЗА С КАЧУЛКА" item
Input data	
Expected result	"ЧЕРНА БЛУЗА С КАЧУЛКА" product page is opened.
Step	2
Action	Click on "XL" size option
Input data	
Expected result	The choosen option is selected.

Actual

Zoom out a product picture

Severity **Priority Behavior** Type Positive Usability Not set lacktriangle Low Is Flaky Milestone **Automation** Layer Not set No Not automated Status

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Облекло" dropdown menu
Input data	
Expected result	A dropdown menu with options appears.
Step	2
Action	Select "Костюми" option
Input data	
Expected result	A user is redirected to a product page "Костюми за мъже".
Step	3
Action	Click on a product picture
Input data	
Expected result	A picture slider appears.
Step	4
Action	Click on a zoom out button
Input data	

Sorting items by colour

SeverityPriorityBehaviorType- Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Select "Якета" section

Step	1
Action	Click on "Бели" colour option
Input data	
Expected result	A page "Бели якета" is opened. There should be appear all products in the choosen colour.

Remove a filter

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Pre-conditions

Status Actual

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Go to "Блузи" page

Step	1
Action	Add a random colour filter.
Input data	
Expected result	The products are filtered by the chosen colour.
Step	2
Action	Add a random size filter.
Input data	
Expected result	The products are filtered by the chosen size.
Step	3
Action	Click on "Изчисти всички" filter.
Input data	
Expected result	The filterc ape removed. The products are not filtered by the chosen options.

Add a new filter

There are already selected previous filters

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Go to "Блузи" page

Step	1
Action	Add a random colour filter.
Input data	
Expected result	The products are filtered by the chosen colour.

Breadcrumbs are linked to the correct pages

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Put the cursor on "Облекло" section.
Input data	
Expected result	"Облекло" section is underlined.
Step	2
Action	Click on "Облекло" section.
Input data	
Expected result	User is redirected to "Облекло" page.
Step	3
Action	Put the cursor on "Якета" section.
Input data	
Expected result	"Якета" section is underlined.
Step	4
Action	Click on "Якета" section
Input data	
Expected result	User is redirected to "Якета" page.

Pagination works correctly

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Select "Якета" section

Step	1
Action	Click on the first page option.
Input data	
Expected result	User is redirected to the first page.
Step	2
Action	Click on the second page option.
Input data	
Expected result	User is redirected to the second page.
Step	3
Action	Click on the third page option.
Input data	
Expected result	User is redirected to the third page.

TB-37

Total number of products listed on the category page is right

FAILED

SeverityPriorityBehaviorType— Not set• MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Actual

Products unavailability in stores

Severity **Priority Behavior** Type Not set ↑ High Negative **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Pre-conditions

Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Select a random product
Input data	ех: "БЕЛИ КЕЦОВЕ С КОНТРАСТНИ ЕЛЕМЕНТИ И ПЕРФОРАЦИИ"
Expected result	The selected product page is opened.
Step	2
Action	Choose "Размер" option
Input data	размер: 43
Expected result	The selected option is shown.
Step	3
Action	Click on "Виж наличност по магазините"
Input data	
Expected result	A message "ТЕОДОР SERDIKA CENTER" appears.

Products availability in stores

SeverityPriorityBehaviorType→ Not set↑ HighNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Select a random product
Input data	ех: "БЕЛИ КЕЦОВЕ С КОНТРАСТНИ ЕЛЕМЕНТИ И ПЕРФОРАЦИИ"
Expected result	The selected product page is opened.
Step	2
Action	Choose "Размер" option
Input data	размер: 43
Expected result	The selected option is shown.
Step	3
Action	Click on "Виж наличност по магазините"
Input data	
Expected result	A message "ТЕОДОР SERDIKA CENTER" appears.

Change the language from Bulgarian to Romanian

Severity Priority **Behavior** Type Not set • Medium Positive **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clean web cache

Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should be opened.
Step	2
Action	Click on the language button
Input data	
Expected result	A dropdown menu with other languages should be shown.
Step	3
Action	Choose option "RO"
Input data	
Expected result	The homepage's language should be changed in Romanian.

Links are redirected to appropriate category pages/product pages

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on "Облекло" section.
Input data	
Expected result	User is redirected to "Облекло" page.
Step	2
Action	Click on "Якета" option.
Input data	
Expected result	User is redirected to "Якета" page.
Step	3
Action	Click on "Аксесоари" section.
Input data	
Expected result	User is redirected to "Аксесоари" page.

User should be able to use a chat

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/

Steps to reproduce

Step	1
Action	Click on the chat button.
Input data	
Expecte result	^{ed} A "Chat with Teodor" is opened.
Step	2
Action	Click on "Continue as guest" option.
Input data	
Expecte result	^{ed} The chat is opened.
Step	3
Action	Type and send a text message.
Input data	
	A chat response message "Здравейте, Guest 3464! Благодарим за вашето съобщение! Ще Ви отговорим възможно най-бързо в рамките на работното време от Понеделник до Петък от 08:00 до 17:00 часа." арре

възможно най-бързо в рамките на работното време от Понеделник до Петък от 08:00 до 17:00 часа." арре Expectedars.

result

За контакт с онлайн отдел: 0878 266 226

www.teodor.bg

Actual

Change the language from Bulgarian to Greek

Severity Priority **Behavior** Type Not set • Medium Positive **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated Status

Pre-conditions

Clean web cache

Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should be opened.
Step	2
Action	Click on the language button
Input data	
Expected result	A dropdown menu with other languages should be shown.
Step	3
Action	Choose option "GR"
Input data	
Expected result	The homepage's language should be changed in Greek.
Step Action Input data	3 Choose option "GR"

Facebook connection

SeverityPriorityBehaviorType— Not set• MediumPositiveOther

LayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/

Steps to reproduce

Step 1

Action Click on Facebook icon

Input data

Youtube connection

SeverityPriorityBehaviorType— Not set• MediumPositiveOther

LayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/

Steps to reproduce

Step 1

Action Click on Youtube icon

Input data

Instagram connection

SeverityPriorityBehaviorType— Not set• MediumPositiveOther

LayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache
Go to https://teodor.bg/

Steps to reproduce

Step 1

Action Click on Instagram icon

Input data

Expected result User is redirecterd to site's Instagram profile.

Add an item in a favourite list

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ log in user's profile

Step	1	
Action	Select "РИЗА КАРЕ ОТ БАГРЕН ПАМУК" item	
Input data		
Expected result	The product page is opened.	
Step	2	
Action	Click on "Добави в любими" button	
Input data		
Expected result	Message appears "РИЗА КАРЕ ОТ БАГРЕН ПАМУК е добавен към вашия списък с желани продукти Натисне те <u>тук</u> за да продължите с пазаруването." User is redirected to "Любими" section.	

Actual

User should be able to use contact form

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on "Контакти" section.
Input data	
Expected result	"Контакти" page is opened. "Форма за контакти" page is opened.
Step	2
Action	Fill in all required fields.
Input data	Име: Спаска Георгиева Email: zbd42235@jeoce.com Телефон: 088888888 Относно: ризи Съобщение: СССС
Expected result	
Step	3
Action	Click on "Изпрати" button.
Input data	
Expected result	A message "Благодарим Ви, че се свързахте с нас с вашите коментари и въпроси. Ще Ви отговорим мн ого скоро." appears.

"H&S" section is linked to "H&S" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "H&S" section.
Input data	
Expected result	User is redirected to "H&S" product page.

"OUTLET" section is linked to "OUTLET" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "OUTLET" section.
Input data	
Expected result	User is redirected to "OUTLET" product page.

"Нови" section is linked to new moedels product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Нови" section.
Input data	
Expected result	User is redirected to "Нови модели" product page.

"Облекло" section is linked to "Облекло" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Облекло" section.
Input data	
Expected result	A dropdown menu is opened.

"Обувки" section is linked to "Обувки" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Обувки" section.
Input data	
Expected result	User is redirected to "Обувки" product page.

"Аксесоари" section is linked to "Аксесоари" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Аксесоари" section.
Input data	
Expected result	User is redirected to "Аксесоари" product page.

"Ваучери" section is linked to "Ваучери" product page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Ваучери" section.
Input data	
Expected result	User is redirected to "Ваучери" product page.

"Магазини" section is linked to stores page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Steps to reproduce

Step 1
Action Click on "Магазини" section.

Input data

Expected result User is redirected to "Магазини" page.

"Каталог" section is linked to "Каталог" page

User selects autumn/winter collection

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Каталог" section.
Input data	
Expected result	A dropdown menu is opened.
Step	2
Action	Click on "ECEH-3ИМА 2021/2022" option.
Input data	
Expected result	User is redirected to "ECEH-ЗИМА 2021/2022" page.

"За клиенти" section is linked to clients page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "За клиенти" section.
Input data	
Expected result	User is redirected to "КОРПОРАТИВНИ КЛИЕНТИ" page.

"Блог" section is linked to blog

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Steps to reproduce

Step	1	
Action	Click on "Блог" section.	
Input data		

Expected result User is redirected to blog page.

"Контакти" section is linked to contact form page

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Контакти" section.
Input data	
Expected result	User is redirected to contact form page.

"Каталог" section is linked to "Каталог" page

User selects spring/summer collection

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Каталог" section.
Input data	
Expected result	A dropdown menu is opened.
Step	2
Action	Click on "ПРОЛЕТ-ЛЯТО 2022" option.
Input data	
Expected result	User is redirected to "ПРОЛЕТ-ЛЯТО 2022" page.

Actual

Searching stores in different towns

Severity **Priority Behavior** Type Positive Not set ↑ High **Functional** Is Flaky Milestone **Automation** Layer Not set No Not automated Status

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Магазини" section.
Input data	
Expected result	User is redirected to "TEODOR МАГАЗИНИ"
Step	2
Action	Click on "Изберете град" dropdown menu.
Input data	
Expected result	A dropdown menu is opened.
Step	3
Action	Select "Търговище" option.
Input data	
Expected result	A map finds store address in the selected town. The store adress in the selected town appears.

Newsletter subscription

SeverityPriorityBehaviorType→ Not set↓ LowPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

User should be able to add product to a shopping cart

Severity **Priority Behavior** Type - Not set Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	ex: "БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА" product is selected.
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

User removes a product from shopping cart

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged

Steps to reproduce

5

Step

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	ex: "БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА" is clicked.
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

Action	Go to the shopping cart.
Input data	
Expected result	
Step	6
Action	Click on the "Премахни" button.
Input data	
Expected result	The selected product is removed.

User increases the product quantity in the cart

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
A random item should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Количество" field.
Input data	
Expected result	
Step	3
Action	Increase the number of product quantity.
Input data	
Expected result	The product quantity is increased.

User can add products from different categories to the cart

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged

Step	1
Action	Go to "Облекло" section.
Input data	
Expected result	A dropdown menu is opened.
Step	2
Action	Click on "Ризи" option.
Input data	
Expected result	А "Ризи" page is opened.
Step	3
Action	Click on a random product.
Input data	
Expected result	
Step	4
Action	Add the product to the shopping cart.
Input data	
Expected result	The product is added to the shopping cart.
Step	5

Action	Go to "Облекло" section.
Input data	
Expected result	
Step	6
Action	Click on "Дънки" option.
Input data	
Expected result	А "Дънки" page is opened.
Step	7
Action	Click on a random product.
Input data	
Expected result	
Step	8
Step Action	Add the product to the shopping cart.
Action	
Action Input data	Add the product to the shopping cart.
Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step Action	Add the product to the shopping cart. The product is added to the shopping cart.
Action Input data Expected result Step Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.
Action Input data Expected result Step Action Input data	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button.
Action Input data Expected result Step Action Input data Expected result	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.
Action Input data Expected result Step Action Input data Expected result Step	Add the product to the shopping cart. The product is added to the shopping cart. 9 Click on the shopping button. A page "Количка" is opened.

Price updates when a user add/remove products

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

ck on the shopping button.
age "Количка" is opened.
move a random product from the shopping cart.
e total price is updated.
d a random product to the shopping cart.
e total price is updated.
i

User should be able to use a free delivery

SeverityPriorityBehaviorType— Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items for at least 100 leva should be added to the shopping cart

Step	1
Action	Click on the shopping icon.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Обобщение" form.
Input data	
Expected result	A message "Вие получавате безплатна доставка!" appears. The total price is calculated.

Shopping cart saves selected products

When a user closes a tab

SeverityPriorityBehaviorType— Not seto MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

1
Close the tab.
The tab is closed.
2
Go to https://teodor.bg/
3
Click on the shopping icon.
A page "Количка" is opened. All previous selected products are saved.

User should not order unavailable items

Severity **Priority Behavior** Type - Not set ↑ High Negative Other Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Click on a random page and random item
Add a random item in the shopping cart

Step	1
Action	Go to the shopping basket icon
Input data	
Expected result	"Количка" page is opened.
Step	2
Action	Go to "Количество" section
Input data	
Expected result	
Step	3
Action	Increase the item quantity
Input data	
Expected result	A message "Исканото количество не е налично" appears.

Discount calculation

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
At least 3 random items should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Отстъпка" button.
Input data	
Expected result	A 20% discount is shown. A 20% discount is calculated.

Completing an order

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Click on the shopping icon.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on "Към завършване" button.
Input data	
Expected result	User is redirected to "Адрес за доставка" form.
Step	3
Action	Fill in all required fields.
Input data	
Expected result	
Step	4
Action	Click on "Напред" button.
Input data	
Expected result	User is redirected to "Начин на плащане" page.
Step	5

Action	Click on a random option.
Input data	
Expected result	A button "Завърши поръчката" should be appeared.
Step	6
Action	Click on "Завърши поръчката" button.
Input data	
Expected result	

Review of all added items in the shopping basket

SeverityPriorityBehaviorType→ Not set↑ HighNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Random items should be added to the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Go to "Обобщение" part.
Input data	
Expected result	Review of all added items in the shopping basket is visible.

User adds the same product multiple times in the shopping cart

Priority Severity **Behavior** Type - Not set Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set Not automated No Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
A random item should be added to the shopping cart

Step	1
Action	Go to a random product page.
Input data	
Expected result	
Step	2
Action	Click on a random product.
Input data	
Expected result	The chosen product page is opened.
Step	3
Action	Choose a product size.
Input data	
Expected result	
Step	4
Action	Click on the "Добави" button.
Input data	
Expected result	A message "Добавихте БЯЛА ЕЛАСТИЧНА БЛУЗА С КАЧУЛКА във Вашата <u>количка</u> ." appears. The selected product is added in the shopping cart.

Step	5	
Action	Click on the "Добави" button more times.	
Input data		
Expected result The number of product quantity is increased.		

User can use the plus button in the shopping cart

SeverityPriorityBehaviorType→ Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random product into the basket

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.

User shouldn't enter negative numbers in the shopping cart

Severity **Priority Behavior** Type - Not set Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** Not set No Not automated Status

Pre-conditions

Actual

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random products into the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.
Step	3
Action	Click on the minus button until it shows 1.
Input data	
Expected result	The number doesn't change it.

User can use the minus button in the shopping cart

SeverityPriorityBehaviorType— Not set↑ HighPositiveOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/
User should be logged
Add random products into the shopping cart

Step	1
Action	Click on the shopping button.
Input data	
Expected result	A page "Количка" is opened.
Step	2
Action	Click on the plus button.
Input data	
Expected result	The number should be add one.
Step	3
Action	Click on the minus button.
Input data	
Expected result	The number should be subtracted one.

Shopping cart link in the comfirmation message

When user add a product in the shopping cart there is link to the cart

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged Go to random section

Step	1
Action	Add a random product to the shopping cart
Input data	
Expected result	A confirmation message "Добавихте СВЕТЛО КАФЯВИ МОКАСИНИ С МЕТАЛНА ТОКА ОТ НАБУК във Вашат а <u>количка</u> ." appears.
Step	2
Action	Click on the "количка" in the confirmation message.
Input data	
Expected result	User is redirected to the shopping cart.

Zoom in the map in "Контакти" section

Using zoom in button

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/ Click on "Контакти" section.

Step	1
Action	Go to map zoom in button
Input data	
Expected result	The map is zoomed in.

Zoom out the map in "Магазини" section

Using zoom out button

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Click on "Магазини" section.

Step	1
Action	Go to map zoom out button
Input data	
Expected result	The map is zoomed out.

Zoom in the map in "Магазини" section using cursor clicks

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Click on "Магазини" section.

Step	1
Action	Go to the map.
Input data	
Expected result	
Step	2
Action	Click on a random place at the map several times.
Input data	Clicked town "Сливен"
Expected result	The selected town "Сливен" is zoomed in.
•	

Zoom out the map in "Контакти" section

Using zoom out button

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Click on "Контакти" section.

Step	1
Action	Go to map zoom out button
Input data	
Expected result	The map is zoomed out.

Zoom in the map in "Магазини" section

Using zoom in button

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/ Click on "Магазини" section.

Step	1
Action	Go to map zoom in button
Input data	
Expected result	The map is zoomed in.

Open a product picture

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "H&S" a
Input data	
Expected result	All H&S products appear.
Step	2
Action	Select a product
Input data	
Expected result	A product page is opened.
Step	3
Action	Click on a product picture
Input data	
Expected result	
Step	4
Action	Click on the arrow
Input data	
Expected result	The photo changes.

Zoom in a product picture

SeverityPriorityBehaviorType— Not set↓ LowPositiveUsabilityLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Облекло" dropdown menu
Input data	
Expected result	A dropdown menu with options appears.
Step	2
Action	Select "Костюми" option
Input data	
Expected result	A user is redirected to a product page "Костюми за мъже".
Step	3
Step	3 Click on a product picture
Action	
Action Input data	Click on a product picture
Action Input data Expected result	Click on a product picture A picture slider appears.
Action Input data Expected result Step	Click on a product picture A picture slider appears.

Select different product size

SeverityPriorityBehaviorType- Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ user should be logged Go to "Блузи" product page

Step	1
Action	Click on "ЧЕРНА БЛУЗА С КАЧУЛКА" item
Input data	
Expected result	"ЧЕРНА БЛУЗА С КАЧУЛКА" product page is opened.
Step	2
Action	Click on "XL" size option
Input data	
Expected result	The choosen option is selected.

Actual

Zoom out a product picture

Severity **Priority Behavior** Type Positive Usability Not set lacktriangle Low Is Flaky Milestone **Automation** Layer Not set No Not automated Status

Pre-conditions

Go to https://teodor.bg/

Step	1
Action	Click on "Облекло" dropdown menu
Input data	
Expected result	A dropdown menu with options appears.
Step	2
Action	Select "Костюми" option
Input data	
Expected result	A user is redirected to a product page "Костюми за мъже".
Step	3
Action	Click on a product picture
Input data	
Expected result	A picture slider appears.
Step	4
Action	Click on a zoom out button
Innut data	
Input data	

Sorting items by colour

SeverityPriorityBehaviorType- Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Select "Якета" section

Step	1
Action	Click on "Бели" colour option
Input data	
Expected result	A page "Бели якета" is opened. There should be appear all products in the choosen colour.

Actual

Remove a filter

Severity **Priority Behavior** Type Not set **o** Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Go to "Блузи" page

Step	1
Action	Add a random colour filter.
Input data	
Expected result	The products are filtered by the chosen colour.
Step	2
Action	Add a random size filter.
Input data	
Expected result	The products are filtered by the chosen size.
Step	3
Action	Click on "Изчисти всички" filter.
Input data	
Expected result	The filterc ape removed. The products are not filtered by the chosen options.

Add a new filter

There are already selected previous filters

Severity	Priority	Behavior	Туре
─ Not set	• Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status

Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Go to "Блузи" page

Step	1
Action	Add a random colour filter.
Input data	
Expected result	The products are filtered by the chosen colour.

Breadcrumbs are linked to the correct pages

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Put the cursor on "Облекло" section.
Input data	
Expected result	"Облекло" section is underlined.
Step	2
Action	Click on "Облекло" section.
Input data	
Expected result	User is redirected to "Облекло" page.
Step	3
Action	Put the cursor on "Якета" section.
Input data	
Expected result	"Якета" section is underlined.
Step	4
Action	Click on "Якета" section
Input data	
Expected result	User is redirected to "Якета" page.

Pagination works correctly

SeverityPriorityBehaviorType— Not seto MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ user should be logged Click on "Облекло" dropdown menu Select "Якета" section

Step	1
Action	Click on the first page option.
Input data	
Expected result	User is redirected to the first page.
Step	2
Action	Click on the second page option.
Input data	
Expected result	User is redirected to the second page.
Step	3
Action	Click on the third page option.
Input data	
Expected result	User is redirected to the third page.

TB-145

Total number of products listed on the category page is right

FAILED

SeverityPriorityBehaviorType— Not set• MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Products unavailability in stores

SeverityPriorityBehaviorType— Not set↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Select a random product
Input data	ех: "БЕЛИ КЕЦОВЕ С КОНТРАСТНИ ЕЛЕМЕНТИ И ПЕРФОРАЦИИ"
Expected result	The selected product page is opened.
Step	2
Action	Choose "Размер" option
Input data	размер: 43
Expected result	The selected option is shown.
Step	3
Action	Click on "Виж наличност по магазините"
Input data	
Expected result	A message "TEOДOP SERDIKA CENTER" appears.

Products availability in stores

SeverityPriorityBehaviorType→ Not set↑ HighNot setFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Go to https://teodor.bg/ Go to a random product page

Step	1
Action	Select a random product
Input data	ех: "БЕЛИ КЕЦОВЕ С КОНТРАСТНИ ЕЛЕМЕНТИ И ПЕРФОРАЦИИ"
Expected result	The selected product page is opened.
Step	2
Action	Choose "Размер" option
Input data	размер: 43
Expected result	The selected option is shown.
Step	3
Action	Click on "Виж наличност по магазините"
Input data	
Expected result	A message "ТЕОДОР SERDIKA CENTER" appears.

Actual

Change the language from Bulgarian to Romanian

Severity Priority **Behavior** Type Not set • Medium Positive **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated Status

Pre-conditions

Clean web cache

Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should be opened.
Step	2
Action	Click on the language button
Input data	
Expected result	A dropdown menu with other languages should be shown.
Step	3
Action	Choose option "RO"
Input data	
Expected result	The homepage's language should be changed in Romanian.

User should be able to use a chat

Severity	Priority	Behavior	Туре
─ Not set	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation

Status Actual

Pre-conditions

Clear web cache
Go to https://teodor.bg/

Steps to reproduce

Step	1
Action	Click on the chat button.
Input data	
Expecte result	^d A "Chat with Teodor" is opened.
Step	2
Action	Click on "Continue as guest" option.
Input data	
Expecte result	^d The chat is opened.
Step	3
Action	Type and send a text message.
Input data	
	A chat response message "Здравейте, Guest 3464! Благодарим за вашето съобщение! Ще Ви отговорим възможно най-бързо в рамките на работното време от Понеделник до Петък от 08:00 до 17:00 часа." арре

A chat response message "Здравейте, Guest 3464! Благодарим за вашето съобщение! Ще Ви отговорим възможно най-бързо в рамките на работното време от Понеделник до Петък от 08:00 до 17:00 часа." арре Expectedars.

result

За контакт с онлайн отдел: 0878 266 226

www.teodor.bg

Actual

Change the language from Bulgarian to Greek

Severity Priority **Behavior** Type Not set • Medium Positive **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated Status

Pre-conditions

Clean web cache

Step	1
Action	Go to https://teodor.bg/
Input data	
Expected result	The site's homepage should be opened.
Step	2
Action	Click on the language button
Input data	
Expected result	A dropdown menu with other languages should be shown.
Step	3
Action	Choose option "GR"
Input data	
Expected result	The homepage's language should be changed in Greek.
Step Action Input data	3 Choose option "GR"

Links are redirected to appropriate category pages/product pages

SeverityPriorityBehaviorType→ Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

Clear web cache Go to https://teodor.bg/ User should be logged

Step	1
Action	Click on "Облекло" section.
Input data	
Expected result	User is redirected to "Облекло" page.
Step	2
Action	Click on "Якета" option.
Input data	
Expected result	User is redirected to "Якета" page.
Step	3
Action	Click on "Аксесоари" section.
Input data	
Expected result	User is redirected to "Аксесоари" page.