

Práctica S17


APP –BDD Android


Programación#4

“App”

Mariel Ayala Hernández

AH2473012020





File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

Project: Android

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for BDD_S17.app)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

Problems: Current File 10 Project Errors 56

Git TODO Problems Terminal Logcat App Inspection Build Profiler

15:32 LF UTF-8 4 spaces master

activity_main_app2.xml

```
5 android:layout_width="match_parent"
6 android:layout_height="match_parent"
7 tools:context=".MainActivityApp2">
8
9 <EditText
10     android:id="@+id/editTextTextPersonName"
11     android:layout_width="wrap_content"
12     android:layout_height="wrap_content"
13     android:ems="10"
14     android:inputType="textPersonName"
15     android:text="Ingresa Name"
16     tools:layout_editor_absoluteX="84dp"
17     tools:layout_editor_absoluteY="52dp" />
18
19 <EditText
20     android:id="@+id/editTextTextEmailAddress"
21     android:layout_width="wrap_content"
22     android:layout_height="wrap_content"
23     android:ems="10"
24     android:inputType="textEmailAddress"
25     tools:layout_editor_absoluteX="83dp"
26     tools:layout_editor_absoluteY="119dp"
27     tools:text="Ingresa Correo" />
```

Palette

- Common
 - Ab Text...
 - Ab Plai...
 - Ab Pass...
 - Ab Pass...
 - Ab E-m...
 - Ab Pho...
 - Ab Post...
 - Ab Mul...
 - Ab Time
 - Ab Date
 - Ab Nu...
 - Ab Nu...
 - Ab Nu...
 - Ab Aut...
 - Mul...
 - Che...
 - Ab Text...
- Text
- Buttons
- Widgets
- Layouts
- Containers
- Helpers
- Google
- Legacy

activity_main_app2.xml

Attributes

Layout Validation

Device Manager

Device File Explorer

Emulator

androidx.constraintlayout.widget.ConstraintLayout > EditText

This view is not constrained. It only has designtime positions, so it will jump to (0,0) at runtime unless you add the constraints :9

Hardcoded string "Name", should use `@string` resource

Event Log Layout Inspector

File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

Project: app, manifests, AndroidManifest.xml, java, com.example.bdd_s17, MainActivity, MainActivityApp2, RegistrosActivity, com.example.bdd_s17 (androidTest), com.example.bdd_s17 (test), res, drawable, layout, activity_main.xml, activity_main_app2.xml, mipmap, ic_launcher (6), ic_launcher_round (6), values, xml, Gradle Scripts, build.gradle (Project: BDD_S17), build.gradle (Module: BDD_S17.app), gradle-wrapper.properties (Gradle Version), proguard-rules.pro (ProGuard Rules for BDD_S17.app), gradle.properties (Project Properties), settings.gradle (Project Settings), local.properties (SDK Location)

activity_main.xml, activity_main_app2.xml, RegistrosActivity.kt, MainActivityApp2.kt

Code Split Design

Palette: Common, Text, Buttons, Widgets, Layouts, Containers, Helpers, Google, Legacy

activity_main_app2.xml

0dp

Ingres Name

Ingres Correo

Ingres Telefono

Component Tree: androidx.constraintlayout.widget.ConstraintLayout > EditText

```
13 android:ems="10"
14 android:inputType="textEmailAddress"
15 android:text="Ingres Name"
16 tools:layout_editor_absoluteX="84dp"
17 tools:layout_editor_absoluteY="52dp" /
18
19 <EditText
20 android:id="@+id/editTextTextEmailAddress"
21 android:layout_width="wrap_content"
22 android:layout_height="wrap_content"
23 android:ems="10"
24 android:inputType="textEmailAddress"
25 tools:layout_editor_absoluteX="83dp"
26 tools:layout_editor_absoluteY="119dp"
27 tools:text="Ingres Correo" />
28
29 <EditText
30 android:id="@+id/editTextPhone"
31 android:layout_width="wrap_content"
32 android:layout_height="wrap_content"
33 android:ems="10"
34 android:inputType="phone"
35 tools:layout_editor_absoluteX="83dp"
```

Problems: Current File 10, Project Errors 56

This view is not constrained. It only has designtime positions, so it will jump to (0,0) at runtime unless you add the constraints :9

Git, TODO, Problems, Terminal, Logcat, App Inspection, Build, Profiler, Event Log, Layout Inspector

Typo: In word 'Ingres'

27:23 LF UTF-8 4 spaces master

File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

Project

- Android
- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for BDD_S17.app)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

Component Tree

```
22 android:layout_height="30dp"
23 android:ems="10"
24 android:inputType="textEmailAddress"
25 tools:layout_editor_absoluteX="83dp"
26 tools:layout_editor_absoluteY="119dp"
27 tools:text="Ingresa Correo" />
28
29 <EditText
30 android:id="@+id/editTextPhone"
31 android:layout_width="wrap_content"
32 android:layout_height="wrap_content"
33 android:ems="10"
34 android:inputType="phone"
35 tools:layout_editor_absoluteX="83dp"
36 tools:layout_editor_absoluteY="201dp"
37 tools:text="Ingresa Telefono" />
38 </androidx.constraintlayout.widget.ConstraintLayout>
```

Palette

- Common
 - Ab Text...
 - Ab Plai...
 - Ab Pass...
- Buttons
 - Ab Pass...
- Widgets
 - Ab E-m...
- Layouts
 - Ab Pho...
- Containers
 - Ab Post...
- Helpers
 - Ab Mul...
- Google
 - Ab Time
 - Ab Date
- Legacy
 - Ab Nu...
 - Ab Nu...
 - Ab Nu...
 - Ab Aut...
 - Mul...
 - Ab Che...
 - Ab Text...

activity_main_app2.xml

0dp

Ingresa Name

Ingresa Correo

Ingresa Telefono

1:1

Problems: Current File 10 Project Errors 56

This view is not constrained. It only has designtime positions, so it will jump to (0,0) at runtime unless you add the constraints :9

Git TODO Problems Terminal Logcat App Inspection Build Profiler

Event Log Layout Inspector

Typo: In word 'Ingresa'

37:26 LF UTF-8 4 spaces master

Android Studio interface showing the development of an Android application named BDD_S17.

Project Structure:

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for BDD_S17.app)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Code Editor: The main editor displays the XML layout file `activity_main_app2.xml`. The code defines a `ConstraintLayout` containing an `EditText` widget.

```
<?xml version="1.0" encoding="utf-8" ?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Ingresa tu telefono"
    android:inputType="phone"
    tools:layout_editor_absoluteX="100dp"
    tools:layout_editor_absoluteY="268dp"
    tools:text="Ingresa Telefono" />

    <EditText
        android:id="@+id/editTextTextPassword"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:ems="10"
        android:inputType="textPassword"
        tools:layout_editor_absoluteX="89dp"
        tools:layout_editor_absoluteY="360dp"
        tools:text="Ingresa tu Contraseña" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

Design View: The right-hand pane shows a visual representation of the layout. It features three text input fields with the following labels: "Ingresa Name", "Ingresa Correo", and "Ingresa Telefono". Below these, there is a visual representation of the password field with a blue outline and a dashed line indicating the password input area.

Component Tree: The bottom of the Design View shows the component tree, indicating the current selection is `androidx.constraintlayout.widget.ConstraintLayout > EditText`.

Bottom Bar: The bottom bar contains various toolbars and status information:

- Git, TODO, Problems, Terminal, Logcat, App Inspection, Build, Profiler
- Event Log, Layout Inspector
- Status bar: 48:42, LF, UTF-8, 4 spaces, master

Android Studio interface showing the development of an Android application. The top toolbar includes menus (File, Edit, View, Navigate, Code, Refactor, Build, Run, Tools, Git, Window, Help) and a search bar. The breadcrumb navigation shows the path: BDD_S17 > app > src > main > res > layout > activity_main_app2.xml.

The left sidebar displays the Project view, showing the directory structure:


- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for BDD_S17.app)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

The central editor displays the XML code for activity_main_app2.xml:

```
41 android:id="@+id/
42 android:layout_width="wrap_content
43 android:layout_height="wrap_content
44 android:ems="10"
45 android:inputType="textPassword"
46 tools:layout_editor_absoluteX="100
47 tools:layout_editor_absoluteY="368
48 tools:text="Ingresa tu Contraseña"
49
50 <Button
51 android:id="@+id/button"
52 android:layout_width="wrap_content
53 android:layout_height="wrap_content
54 android:text="Button"
55 tools:layout_editor_absoluteX="149
56 tools:layout_editor_absoluteY="482
57 tools:text="SIGUIENTE" />
58
59 </androidx.constraintlayout.widget.ConstraintLayout>
```

The right sidebar shows the Design view, displaying a visual representation of the layout. It includes a search bar, a list of components (All Results: 11, Widgets: 5, Containers: 4, Helpers: 2), and a visual representation of the layout with text fields labeled "Ingresa Name", "Ingresa Correo", "Ingresa Telefono", and a button labeled "SIGUIENTE".

The bottom status bar shows the project name (BDD_S17) and the JDK location used for running Gradle: C:/Program Files/Android/Android Studio/jre. The bottom right corner displays the time (57:31), layout (LF), encoding (UTF-8), and tabs (4 spaces).



File Edit View Navigate Code R

BDD_S17 > app > src > main > res > layout

Project

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (android)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17)
 - gradle-wrapper.properties (Gradle)
 - proguard-rules.pro (ProGuard)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

Git

TODO

Problems

Pick a Resource

Module: BDD_S17.app save

Drawable Mip Map

Sample data (2)

Nothing to show

BDD_S17.app.main (2)

Nothing to show

android (174)

ic_menu_save
Drawable | 5 versions

Theme attributes (43)

Nothing to show

Preview

Name: ic_menu_save

Reference: @android:drawable/ic_menu...

| Configuration | Value |
|---------------|------------------------|
| hdpi | PNG - ic_menu_save.png |
| ldpi | PNG - ic_menu_save.png |
| mdpi | PNG - ic_menu_save.png |
| xhdpi | PNG - ic_menu_save.png |
| xxhdpi | PNG - ic_menu_save.png |


OK Cancel

Event Log

Layout Inspector

Project BDD_S17 is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes ... (40 minutes ago)

17:48 LF UTF-8 4 spaces master



File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

activity_main.xml x activity_main_app2.xml x RegistrosActivity.kt x MainActivityApp2.kt x

Project

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17)
 - gradle-wrapper.properties (Gradle)
 - proguard-rules.pro (ProGuard)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location, etc.)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

Grayscale

1

```
<?xml version="1.0" encoding="utf-8"?>
```

2

```
<androidx.constraintlayout.widget.ConstraintLayout xmlns:android="http://schemas.android.com/apk/res-auto"
```

3

```
xmlns:app="http://schemas.android.com/apk/res-auto"
```

4

```
xmlns:tools="http://schemas.android.com/tools"
```

5

```
android:layout_width="match_parent"
```

6

```
android:layout_height="match_parent"
```

7

```
tools:context=".MainActivityApp2">
```

8

9

```
<EditText
```

10

```
android:id="@+id/et_Nombre"
```

11

```
android:layout_width="wrap_content"
```

12

```
android:layout_height="wrap_content"
```

13

```
android:ems="10"
```

14

```
android:inputType="textPersonName"
```

15

```
android:hint="Ingresa tu Nombre"
```

16

```
tools:layout_editor_absoluteX="118dp"
```

17

```
tools:layout_editor_absoluteY="88dp" />
```

18

19

```
<EditText
```

20

```
android:id="@+id/editTextTextEmailAddress"
```

21

```
android:layout_width="wrap_content"
```

22

```
android:layout_height="wrap_content"
```

23

```
android:ems="10"
```

24

```
android:hint="Ingresa Correo"
```

25

```
android:inputType="textEmailAddress"
```

26

```
</EditText>
```

Component Tree

activity_main_app2.xml

Common

Text

Buttons

Widgets

Layouts

Containers

Helpers

Google

Legacy

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono

Ingresa tu Contraseña


SIGUIENTE

Event Log

Layout Inspector

15:41 LF UTF-8 4 spaces master

Hardcoded string "Ingresa tu Nombre", should use `@string` resource



File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

Project

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (androidTest)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17)
 - gradle-wrapper.properties (Gradle)
 - proguard-rules.pro (ProGuard)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

variants

22 android:layout_height="wrap_content" 9 5 11 ^

23 android:ems="10"

24 android:hint="Ingresa Correo"

25 android:inputType="textEmailAddress"

26 tools:layout_editor_absoluteX="118dp"

27 tools:layout_editor_absoluteY="181dp"/>

28

29

30 <EditText

31 android:id="@+id/et_Telefono"

32 android:layout_width="wrap_content"

33 android:layout_height="wrap_content"

34 android:ems="10"

35 android:hint="Ingresa tu telefono"

36 android:inputType="phone"

37 tools:layout_editor_absoluteX="118dp"

38 tools:layout_editor_absoluteY="271dp"~

39

40

41 <EditText

42 android:id="@+id/editTextTextPassword"

43 android:layout_width="wrap_content"

44 android:layout_height="wrap_content"

45 android:ems="10"

46 android:hint="Ingresa tu Contraseña"

Component Tree

activity_main_app2.xml

Pixel

0dp

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono


Ingresa tu Contraseña

SIGUIENTE

Event Log

Layout Inspector

Project BDD_S17 is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes ... (48 minutes ago) 31:38 LF UTF-8 4 spaces master



File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

activity_main.xml x activity_main_app2.xml x RegistrosActivity.kt x MainActivityApp2.kt x

Project

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.bdd_s17
 - MainActivity
 - MainActivityApp2
 - RegistrosActivity
 - com.example.bdd_s17 (android)
 - com.example.bdd_s17 (test)
 - res
 - drawable
 - layout
 - activity_main.xml
 - activity_main_app2.xml
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - xml
 - Gradle Scripts
 - build.gradle (Project: BDD_S17)
 - build.gradle (Module: BDD_S17)
 - gradle-wrapper.properties (Gradle)
 - proguard-rules.pro (ProGuard)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit

Pull Requests

Resource Manager

Structure

Bookmarks

Component Tree

```
<ImageButton
    android:id="@+id/imageButton"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:srcCompat="@android:drawable/ic_menu_save"
    tools:layout_editor_absoluteX="319dp"
    tools:layout_editor_absoluteY="513dp" />

<EditText
    android:id="@+id/et_Id"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Dame una Id"
    android:inputType="number"
    tools:layout_editor_absoluteX="118dp"
    tools:layout_editor_absoluteY="593dp" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

Palette

- Common
- Text
- Buttons
- Widgets
- Layouts
- Containers
- Helpers
- Google
- Legacy

activity_main_app2.xml

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono

Ingresa tu Contraseña

SIGUIENTE

Dame una Id

73:35 LF UTF-8 4 spaces master

Hardcoded string "Dame una Id", should use '@string' resource

File

Edit

View

Navigate

Code

Refactor

Build

Run

Tools

Git

Window

Help

BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17

app

src

main

res

layout

activity_main_app2.xml

app

manifests

AndroidManifest.xml

java

com.example.bdd_s17

MainActivity

MainActivityApp2

RegistrosActivity

com.example.bdd_s17 (android)

com.example.bdd_s17 (test)

res

drawable

layout

activity_main.xml

activity_main_app2.xml

mipmap

ic_launcher (6)

ic_launcher_round (6)

values

xml

Gradle Scripts

build.gradle (Project: BDD_S17)

build.gradle (Module: BDD_S17)

gradle-wrapper.properties (Gradle)

proguard-rules.pro (ProGuard)

gradle.properties (Project Properties)

settings.gradle (Project Settings)

local.properties (SDK Location)

activity_main.xml

activity_main_app2.xml

RegistrosActivity.kt

MainActivityApp2.kt

Code

Split

Design

activity_main_app2.xml

0dp

Align

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono

Ingresa tu Contraseña

SIGUIENTE

Dame una Id

Component Tree

androidx.constraintlayout.widget.ConstraintLayout

EditText

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout xmlns:android="http://schemas.android.com/apk/res-auto"

xmlns:tools="http://schemas.android.com/tools"

android:layout_width="match_parent"

android:layout_height="match_parent"

tools:context=".MainActivityApp2">

<EditText

android:id="@+id/et_Nombre"

android:layout_width="wrap_content"

android:layout_height="wrap_content"

android:ems="10"

android:hint="Ingresa tu Nombre"

android:inputType="textPersonName"

app:layout_constraintEnd_toEndOf="parent"

app:layout_constraintHorizontal_bias="0.5"

app:layout_constraintStart_toStartOf="parent"

tools:layout_editor_absoluteY="88dp" />

<EditText

android:id="@+id/er_email"

android:layout_width="wrap_content"

android:layout_height="wrap_content"

android:ems="10"

Align

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono

Ingresa tu Contraseña

SIGUIENTE

Dame una Id

Git

TODO

Problems

Terminal

Logcat

App Inspection

Build

Profiler

Event Log

Layout Inspector

9:5

LF

UTF-8

4 spaces

master

File Edit View Navigate Code Refactor Build Run Tools Git Window Help BDD_S17 - activity_main_app2.xml [BDD_S17.app.main]

BDD_S17 > app > src > main > res > layout > activity_main_app2.xml

Project
app
manifests
AndroidManifest.xml
java
com.example.bdd_s17
MainActivity
MainActivityApp2
RegistrosActivity
com.example.bdd_s17 (androidTest)
com.example.bdd_s17 (test)
res
drawable
layout
activity_main.xml
activity_main_app2.xml
mipmap
ic_launcher (6)
ic_launcher_round (6)
values
xml
Gradle Scripts
build.gradle (Project: BDD_S17)
build.gradle (Module: BDD_S17)
gradle-wrapper.properties (Gradle)
proguard-rules.pro (ProGuard)
gradle.properties (Project Properties)
settings.gradle (Project Settings)
local.properties (SDK Location)

Code Split Design

activity_main_app2.xml

0dp

Ingresa tu Nombre

Ingresa Correo

Ingresa tu telefono

Ingresa tu Contraseña

SIGUIENTE

Dame una Id

Component Tree


```
78 <ImageButton
79     android:id="@+id/imageButton"
80     android:layout_width="wrap_content"
81     android:layout_height="wrap_content"
82     app:srcCompat="@android:drawable/ic_menu_save"
83     tools:layout_editor_absoluteX="319dp"
84     tools:layout_editor_absoluteY="513dp" />
85
86 <EditText
87     android:id="@+id/et_Id"
88     android:layout_width="wrap_content"
89     android:layout_height="wrap_content"
90     android:ems="10"
91     android:hint="Dame una Id"
92     android:inputType="number"
93     app:layout_constraintBottom_toBottomOf="parent"
94     app:layout_constraintEnd_toEndOf="parent"
95     app:layout_constraintHorizontal_bias="0.5"
96     app:layout_constraintStart_toStartOf="parent"
97     app:layout_constraintTop_toBottomOf="@+id/button"
98     app:layout_constraintVertical_bias="0.5" />
99
100 </androidx.constraintlayout.widget.ConstraintLayout>
```


androidx.constraintlayout.widget.ConstraintLayout > EditText

Git TODO Problems Terminal Logcat App Inspection Build Profiler

Project BDD_S17 is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes ... (57 minutes ago)

86:5 LF UTF-8 4 spaces master







Servidor actual:

phpMyAdmin demo - My

Reciente Favoritas

Escribe para filtrar estos, «Enter» para borrar

- Nueva
- information_schema
- mysql
- performance_schema
- Portfolio_Marcus
- PRUEBA
- pw
- sakila
- serveruwebcoBressolia
- shoe_db
- sklepSerohenko
- sku
- StdMdDB
- Stefano
- students
- students 2020
- superpos
- ...

Bases de datos SQL Estado actual Cuentas de usuarios Exportar Importar Configuración Registro binario Más

Administrar tu configuración

Autenticación de dos factores

Características

Consultas SQL

Panel de navegación

Panel principal

Exportar

Importar

⚠ Las preferencias serán guardadas sólo para la sesión actual. Almacenarlas permanentemente necesita de [almacenamiento de configuración phpMyAdmin](#).

Importar

☒ Importar de un archivo

Buscar en su ordenador: Sin archivos seleccionados

☐ Importar del almacenamiento del navegador

Se importarán las configuraciones del almacenamiento local del navegador.

⚠ ¡No se encontraron configuraciones guardadas!

☐ Combinar con la configuración actual

Continuar

Exportar

☐ Guardar como archivo JSON

☒ Guardar como archivo PHP

☐ Guardar en almacenamiento del navegador

La configuración será guardada en el almacenamiento local del navegador.

Continuar

Reiniciar

Se pueden reiniciar todas las configuraciones y devolverlas a sus valores predeterminados.

Reiniciar

Consola

El modo restringido está destinado a la navegación segura por el código. Confíe en esta ventana para habilitar todas las funciones. [Administrar](#) [Más información](#)

phpMyAdmin-config-demo.phpmyadmin.net.php

D: > User > Mariel Ayala > Descargas > phpMyAdmin-config-demo.phpmyadmin.net.php

```
1  /* Fragmento de configuración de phpMyAdmin */
2
3  /* Pegue esto en su archivo config.inc.php */
4
5  $cfg['lang'] = 'es';
6  $cfg['Console']['Mode'] = 'collapse';
7  $cfg['NavigationWidth'] = 236;
8
```

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda borrar.php - Visual Studio Code

El modo restringido está destinado a la navegación segura por el código. Confíe en esta ventana para habilitar todas las funciones. Administrar Más información

phpMyAdmin-config-demo.phpmyadmin.net.php insertar.php borrar.php X

D: > User > Mariel Ayala > Descargas > borrar.php

```
1 <?php
2 if($_SERVER["REQUEST_METHOD"]=="POST"){
3     require_once 'conexion.php';
4     $id=$_POST['id'];
5     $eliminar="DELETE FROM usuarios WHERE id='".$id."'";
6     $resultado=$mysql->query($eliminar);
7     if($mysql->affected_rows > 0){
8         if($resultado==true){
9             echo "Usuario borrado exitosamente";
10        }
11    }else{
12        echo "Error al borrar el usuario";
13    }
14    $mysql->close();
15 }
16
17 ?>
```

Modo restringido 0 0 0

Lín. 1, col. 1 Espacios: 4 UTF-8 CRLF PHP



ArchivoEditarSelecciónVerIrEjecutarTerminalAyuda

consulta.php - Visual Studio Code

El modo restringido está destinado a la navegación segura por el código. Confíe en esta ventana para habilitar todas las funciones. AdministrarMás información

phpMyAdmin-config-demo.phpmyadmin.net.phpinsertar.phpborrar.phpconexion.phpconsulta.php

D: > User > Mariel Ayala > Descargas > consulta.php

1<?php

2if(\$_SERVER["REQUEST_METHOD"]=="GET"){

3 require_once 'conexion.php';

4 \$id=\$_GET['id'];

5 \$consulta= "SELECT * FROM usuarios WHERE id='".\$id."'";

6 \$resultado = \$mysql->query(\$consulta);

7 if(\$mysql->affected_rows>0){

8 while(\$row=\$resultado->fetch_assoc()){

9 \$array=\$row;

10 }

11 echo json_encode(\$array);

12 }else{

13 echo "No hay registros";

14 }

15 \$resultado->close();

16 \$mysql->close();

17}

18}

19

20

21?>

Modo restringido

00

Lín. 1, col. 1Espacios: 4UTF-8CRLFPHP

Archivo Editar Selección Ver Ir Ejecutar Terminal Ayuda

editar.php - Visual Studio Code

El modo restringido está destinado a la navegación segura por el código. Confíe en esta ventana para habilitar todas las funciones. Administrar Más información

phpMyAdmin-config-demo.phpmyadmin.net.php insertar.php borrar.php conexion.php consulta.php editar.php

D: > User > Mariel Ayala > Descargas > editar.php

```
1 <?php
2 if($_SERVER['REQUEST_METHOD']=='POST'){
3     include_once 'conexion.php';
4     $id=$_POST['id'];
5     $nombre=$_POST['nombre'];
6     $email=$_POST['email'];
7     $telefono=$_POST['telefono'];
8     $pass=$_POST['pass'];
9
10    $actualizar = "UPDATE usuarios SET
11    nombre = '". $nombre."',
12    email = '". $email."',
13    telefono = '". $telefono."',
14    pass = '". $pass."'
15    WHERE id='". $id."'";
16
17    $resultado = $mysql->query($actualizar);
18    if($mysql->affected_rows>0 && $resultado==true){
19        echo "El usuario se edito correctamente";
20    }else{
21        echo "Error al editar usuario";
22    }
23    $mysql->close();
24 }
25
26
27 ?>
```

Modo restringido 0 0

Lín. 1, col. 1 Espacios: 4 UTF-8 CRLF PHP

D: > User > Mariel Ayala > Descargas > 🐞 insertar.php

```

1  <?php
2  if($_SERVER["REQUEST_METHOD"]=="POST"){
3      require_once 'conexion.php';
4      $nombre=$_POST["nombre"];
5      $email=$_POST["email"];
6      $telefono=$_POST["telefono"];
7      $pass=$_POST["pass"];
8      $query="INSERT INTO usuarios
9      | | | (nombre      ,email      ,telefono      ,pass)
10     VALUES('".$nombre."','".$email."','".$telefono."','".$pass."')";
11     $resultado=$mysql->query($query);
12     if($resultado==true){
13         echo "El usuario se inserto de forma exitosa";
14     }else{
15         echo "Error al insertar el usuario";
16     }
17 }
```

