

مریم علی غازی
شبكات / مسائي

Lecture Two

Discussion

Q / Write html code to generate following outputs

A //

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
</head>
```

```
<body>
```

```
<h1>A Nested List</h1>
```

```
<p>Lists can be nested (list inside list):</p>
```

```
<ul>
```

```
<li>Apples</li>
```

```
<li>Pears</li>
```

```
<li>Berries

  <ul>

    <li>Blueberries</li>

    <li>Strawberries</li>

    <li>Kiwi fruits</li>

  </ul>

</li>

<li>Citrus

  <ul>

    <li>Limes</li>

    <li>Oranges</li>

    <li>Grapefruits</li>

  </ul>

</li>

<li>Bananas</li>

<li>Melons

  <ul>

    <li>Honeydew melons</li>

    <li>Watermelons</li>

    <li>Rockmelons</li>

  </ul>

</li>

</ul>
```

```
</body>
```

```
</html>
```

```
B //
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
table {  
  
    font-family: Arial, sans-serif;  
  
    border-collapse: collapse;  
  
    width: 70%;  
  
}
```

```
th, td {  
  
    border: 1px solid #dddddd;  
  
    text-align: left;  
  
    padding: 8px;  
  
}
```

```
    th {  
        text-align: center;  
    }  
    </style>  
</head>  
  
<body>  
  
    <table>  
        <tr>  
            <th>No.</th>  
            <th>Full Name</th>  
            <th>Position</th>  
            <th>Salary</th>  
            <th>Type</th>  
        </tr>  
        <tr>  
            <td>1</td>  
            <td>Bill Gates</td>  
            <td>Founder Microsoft</td>  
            <td>$1000</td>  
            <td rowspan="4">Company Founder</td>
```

</tr>

<tr>

<td>2</td>

<td>Steve Jobs</td>

<td>Founder Apple</td>

<td>\$1200</td>

</tr>

<tr>

<td>3</td>

<td>Larry Page</td>

<td>Founder Google</td>

<td>\$1100</td>

</tr>

<tr>

<td>4</td>

<td>Mark Zuckerberg</td>

<td>Founder Facebook</td>

<td>\$1300</td>

</tr>

<tr>

<td colspan="3" style="text-align: center;">Total Expense:</td>

<td>\$4600</td>

</tr>

</table>

</body>

</html>