# Chapter 1

# Sensing matrix = identity

#### 1.1 Sparse Recovery

#### 1.1.1 Sparsity = 50%

SNR = 20dB:




Figure 1.1: MSE with Sparse Recovery SNR = 10dB




Figure 1.2: Rates with Sparse Recovery SNR = 10dB

#### 1.1.2 Sparsity = 25%




Figure 1.3: MSE with Sparse Recovery SNR = 20 dB




Figure 1.4: Rates with Sparse Recovery  $\mathrm{SNR} = 20\mathrm{dB}$ 

#### 1.2 Sparsity Tests

Sparsity = 25%, 32 antennas

#### 1.2.1 Sparsity = 25%




Figure 1.5: Comparison of input and output with CNN with 8000 samples and  $\mathrm{SNR} = 0\mathrm{dB}$ 

#### 1.3 MSE = f(SNR)

Sparsity = 25%

### 1.4 MSE = f(sparsity)




Figure 1.6: Comparison of input and output with CNN with 8000 samples and  $\mathrm{SNR} = 10\mathrm{dB}$ 




Figure 1.7: Comparison of input and output with CNN with 8000 samples and  $\mathrm{SNR} = 20\mathrm{dB}$ 




Figure 1.8: 8 antennas




Figure 1.9: 16 antennas




Figure 1.10: 32 antennas




Figure 1.11: 8 antennas




Figure 1.12: 16 antennas




Figure 1.13: 32 antennas

# Chapter 2

# Sensing matrix = $e^{j}\phi$

## 2.1 Sparse Recovery with 25% sparsity




Figure 2.1: MSE with Sparse Recovery SNR = 0dB

## 2.2 Sparsity Tests




Figure 2.2: Comparison of input and output with CNN with 8000 samples and  $\mathrm{SNR} = 0\mathrm{dB}$ 

Table 2.1: Simulation parameters

SNR	0/10/20
nLearningBatches	8000
nLearningBatchSize	50
sparsity	25%
nBatches	200
nBatchSize	50

Table 2.2: Testing parameters

rasic z.z. resems parameters	
Number of samples	6000
Number of antennas	32