



Corbeille



Logo Shower
Builder



Git-2.39.1-64-bit



5D Viewer



Maria



Notion



Adobe Acrobat



First_site



git_workshop



GeForce
Experience



GoMyCode



learn_git



Google Chrome



McAfee Safe
Connect



McAfee Security
Scan Plus



Microsoft Edge

Activer Windows

Accédez aux paramètres pour activer Windows.



Taper ici pour



12°C Ensoleillé



13:04

11/02/2023



Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.



Taper ici pour




14°C Ensoleillé



13:08

11/02/2023





Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git> git init

Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.



Taper ici pour



14°C Ensoleillé



13:12

11/02/2023



Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git> git init
Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
 new file: third.txt

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.



Taper ici pour



14°C Ensoleillé



13:17
11/02/2023



Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git> git init

Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git status

On branch master

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: third.txt

C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"

[master (root-commit) d1e36e1] adding third.txt

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 third.txt

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.



Taper ici pour




14°C Ensoleillé



13:20
11/02/2023






```
C:\Users\MMA> cd Desktop
```

```
C:\Users\MMA\Desktop> cd learn_git
```

```
C:\Users\MMA\Desktop\learn_git> git init
```

```
Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/
```

```
C:\Users\MMA\Desktop\learn_git> git add .
```

```
C:\Users\MMA\Desktop\learn_git> git status
```

```
On branch master
```

```
No commits yet
```

```
Changes to be committed:
```

```
(use "git rm --cached <file>..." to unstage)
```

```
new file:   third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"
```

```
[master (root-commit) d1e36e1] adding third.txt
```

```
1 file changed, 0 insertions(+), 0 deletions(-)
```

```
create mode 100644 third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git log
```

```
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
```

```
Author: Maria <mariia.mesbah@gmail.com>
```

```
Date:   Sat Feb 11 13:20:18 2023 +0100
```



```
    adding third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"
```

```
C:\Users\MMA\Desktop\learn_git>
```

Activer Windows

Accédez aux paramètres pour activer Windows.



Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git> git init
Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: third.txt

C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"
[master (root-commit) d1e36e1] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

C:\Users\MMA\Desktop\learn_git> git log
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:20:18 2023 +0100

adding third.txt

C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"

C:\Users\MMA\Desktop\learn_git> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPaths false"

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.

```
Microsoft Windows [version 10.0.19044.2486]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\MMA> cd Desktop

C:\Users\MMA\Desktop> cd learn_git

C:\Users\MMA\Desktop\learn_git> git init
Initialized empty Git repository in C:/Users/MMA/Desktop/learn_git/.git/

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   third.txt

C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"
[master (root-commit) d1e36e1] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt

C:\Users\MMA\Desktop\learn_git> git log
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date:   Sat Feb 11 13:20:18 2023 +0100

    adding third.txt

C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"

C:\Users\MMA\Desktop\learn_git> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPathspec false"

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git commit -m "removing third.txt"
[master 9dc2c68] removing third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename third.txt => fourth.txt (100%)

C:\Users\MMA\Desktop\learn_git>
```

Activer Windows
Accédez aux paramètres pour activer Windows.

```
Invite de commandes
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   third.txt

C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"
[master (root-commit) d1e36e1] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

C:\Users\MMA\Desktop\learn_git> git log
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date:   Sat Feb 11 13:20:18 2023 +0100

    adding third.txt

C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"

C:\Users\MMA\Desktop\learn_git> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Turn this message off by running
hint: "git config advice.addEmptyPathspec false"

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git commit -m "removing third.txt"
[master 9dc2c68] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
rename third.txt => fourth.txt (100%)

C:\Users\MMA\Desktop\learn_git> git log
commit 9dc2c6823bbf3cc1fbe14c8d2956e12939ee1fc4 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date:   Sat Feb 11 13:25:03 2023 +0100

    removing third.txt

commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399
Author: Maria <mariia.mesbah@gmail.com>
Date:   Sat Feb 11 13:20:18 2023 +0100

    adding third.txt

C:\Users\MMA\Desktop\learn_git>
```

Activer Windows

Accédez aux paramètres pour activer Windows.

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)
new file: third.txt

C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"

[master (root-commit) d1e36e1] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

C:\Users\MMA\Desktop\learn_git> git log

commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:20:18 2023 +0100

adding third.txt

C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"

C:\Users\MMA\Desktop\learn_git> git add

Nothing specified, nothing added.

hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running

hint: "git config advice.addEmptyPathspec false"

hint: "git config advice.addEmptyPathspec false"

C:\Users\MMA\Desktop\learn_git> git add .

C:\Users\MMA\Desktop\learn_git> git commit -m "removing third.txt"

[master 9dc2c68] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
rename third.txt => fourth.txt (100%)

C:\Users\MMA\Desktop\learn_git> git log

commit 9dc2c6823bbf3cc1f8e14c8d2956e12939ee1fc4 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:25:03 2023 +0100

removing third.txt

commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399

Author: Maria <mariia.mesbah@gmail.com>

Date: Sat Feb 11 13:20:18 2023 +0100

adding third.txt

C:\Users\MMA\Desktop\learn_git> git config --global core.pager "cat"

C:\Users\MMA\Desktop\learn_git>

Activer Windows

Accédez aux paramètres pour activer Windows.

```
C:\Users\MMA\Desktop\learn_git> git commit -m "adding third.txt"
[master (root-commit) d1e36e1] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git log
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:20:18 2023 +0100
```

```
    adding third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git add "fourth.txt"
```

```
C:\Users\MMA\Desktop\learn_git> git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPathsSpec false"
```

```
C:\Users\MMA\Desktop\learn_git> git add .
```

```
C:\Users\MMA\Desktop\learn_git> git commit -m "removing third.txt"
[master 9dc2c68] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
rename third.txt => fourth.txt (100%)
```

```
C:\Users\MMA\Desktop\learn_git> git log
commit 9dc2c6823bbf3cc1f8e14c8d2956e12939ee1fc4 (HEAD -> master)
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:25:03 2023 +0100
```

```
    removing third.txt
```

```
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399
Author: Maria <mariia.mesbah@gmail.com>
Date: Sat Feb 11 13:20:18 2023 +0100
```

```
    adding third.txt
```

```
C:\Users\MMA\Desktop\learn_git> git config --global core.pager "cat"
```

```
C:\Users\MMA\Desktop\learn_git> git config --global --list
user.name=Maria
user.email=mariia.mesbah@gmail.com
core.pager=cat
```

```
C:\Users\MMA\Desktop\learn_git>
```

Activer Windows

Accédez aux paramètres pour activer Windows.

≡ fourth.txt

fourth.txt X

≡ fourth.txt

1

≡ fourth.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

 powershell ...

```
commit 9dc2c6823bbf3cc1fbe14c8d2956e12939ee1fc4 (HEAD -> master)
```

Author: Maria <maria.mesbah@gmail.com>

Date: Sat Feb 11 13:25:03 2023 +0100

```
removing third.txt
```

```
commit d1e36e1f8ae60a2c37f0a259b9609f47a0cce399
```

Author: Maria <maria.mesbah@gmail.com>

Date: Sat Feb 11 13:20:18 2023 +0100

```
adding third.txt
```

```
PS C:\Users\MMa\Desktop\learn_git> git remote add origin https://github.com/Mariiaa99/learn_git.git
```

```
PS C:\Users\MMA\Desktop\learn git>
```

Activer Windows

master 0 0

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF Plain Text Prettier

13:45
11/02/2023

≡ fourth.txt

≡ fourth.txt

1

≡ fourth.txt

TERMINAL

 powershell ...

Date: Sat Feb 11 13:25:03 2023 +0100

```
removing third.txt
```

Author: Maria <mariaa.mesbah@gmail.com>

Date: Sat Feb 11 13:20:18 2023 +0100

```
adding third.txt
```

```
PS C:\Users\MMA\Desktop\learn_git> git remote add origin https://github.com/Mariiaa99/learn_git.git
```

```
PS C:\Users\MMA\Desktop\learn git> git branch -M main
```

```
PS C:\Users\MMA\Desktop\learn git>
```

main 0 0

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF Plain Text Prettier

14°C Très ensoleillé 13:46 11/02/2023

