

# DOKUMENTACIJA- PRAKTIKUM IZ WEB PROGRAMIRANJA PHP

Marijana Mitrovic 10/15

## Sadržaj:

1. Organizacija koda
2. Baza podataka
3. Stranice i opis funkcionalnosti
4. Kodovi

4.1 assets/js/  
destinations/destinations.js  
destinations/dest.js  
user/delete.js  
user/register.js  
adminpage.js

4.2 config

4.3 models/author/  
download\_author.php

4.4 models/bookings/  
book.php  
get\_bookings.php

4.5 models/destinations/  
delete.php  
export\_to\_excel.php  
filter.php

- get\_destinations.php
- get\_one.php
- insert.php
- sort\_by\_price.php

#### 4.6 models/experiences/

- get\_exp.php
- share.php

#### 4.7 models/users/

- access\_functions.php
- delete.php
- get\_one.php
- get\_users.php
- insert.php
- logout.php
- register.php

#### 4.8 models/functions.php

#### 4.9 views/fixed/

- head.php
- header.php
- footer.php

#### 4.10 views/pages/


- author.php
- admin.php
- user.php
- home.php
- destinations.php
- destination.php
- login.php
- register.php



booking.php  
one\_destination.php  
404.php

4.11 views/partials/destination.php

4.12 index.php

# 1. ORGANIZACIJA KODA





## 2. BAZA PODATAKA

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> author	★ Browse Structure Search Insert Empty Drop	1	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> blog	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> booking	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> continent	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> destinations	★ Browse Structure Search Insert Empty Drop	9	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> experiences	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> home_blocks	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> menu	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> slider	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> user	★ Browse Structure Search Insert Empty Drop	7	InnoDB	utf8_unicode_ci	16 KiB	-
<input type="checkbox"/> user_role	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 KiB	-
11 tables	Sum	36	InnoDB	utf8_unicode_ci	176 KiB	0 B

## 3. SLIKE I OPIS FUNKCIONALNOSTI

### Our Destinations

Choose Your Next Destination



## What they said about us



"Came back from Rome few days ago. I just have no word for this city, full organisation and everything this agency offered to us. Can't wait next trip!"

— John Smith

<index.php?page=home>

-Dinamički učitani meni, slajder i blokovi iz baze. Dinamički učitane destinacije koje su na akcijskoj ceni i iskustva koja su ostavili korisnici.



Search for destinations

Sort by price

Search...

Price - High to low



Sydney, Australia



Playa del Carmen, Mexico



Mount Fuji, Japan



Bali, Indonesia



Dubai, UAE



London, UK

<index.php.php?page=destinations>

-Dinamicki učitane destinacije iz baze. Serversko filtriranje prema unetom nazivu i po ceni – opadajuće ili rastuće. Klikom na neku od njih, prosledjeni ste na stranicu sa detaljima. U dnu stranice link za export informacija u excel fajl.



## Mount Fuji, Japan (Asia)

Mount Fuji (富士山, Fujisan) is with 3776 meters Japan's highest mountain. It is not surprising that the nearly perfectly shaped volcano has been worshiped as a sacred mountain and experienced big popularity among artists and common people throughout the centuries. If you want to enjoy Mount Fuji at a more leisurely pace and from a nice natural surrounding, you should head to the Fuji Five Lake (Fujigoko) region at the northern foot of the mountain, or to Hakone, a nearby hot spring resort. Mount Fuji is officially open for climbing during July and August via several routes.

**Price: \$1690**

[Book now](#)

index.php?page=one\_destination

- Detalji o određenoj destinaciji prema prosledjenom id-u iz url adrese. Klikom na book now, ulogovan korisnik dobija opciju za booking, neautorizovani korisnici su prosledjeni na stranicu za login.

### Book your trip to Mount Fuji, Japan

First Name	Last Name
<input type="text" value="First Name"/>	<input type="text" value="Last Name"/>
Date of Travel	Email
<input type="text" value="Date of visit"/>	<input type="text" value="Email"/>
How Many Person	
<input type="text" value="Person"/>	
Notes	
<input type="text" value="Write your notes or questions here..."/>	
<input type="button" value="Book"/>	



#### More Info

Before submit, read again carefully your personal data. You can't change it later. You can book for you or someone else. This is just temporary reservation, before payment.

index.php?page=booking

- Autorizovan korisnik, nakon sto je izabrao destinaciju dobija mogucnost rezervacije. Ako prethodno nije izabrao destinaciju vec direktno pristupio stranici, dobija obavestenje da prvo mora izabrati.



Marijana Mitrovic

My name is Marijana Mitrovic. I was born on 12.07.1996. At the moment, I am a student of ICT College in Belgrade. This web site was made for Practicum PHP.

[Download](#)

index.php?page=author

-Informacije o autoru sa opcijom za download word fajla sa tim informacijama.

#### Your bookings

Destination:

Santorini, Greece

Traveler:

For Someone

Date of trip:

2019-06-25

Persons:

1

Destination:

Playa del Carmen, Mexico

Traveler:

Vlad Mitrovic

Date of trip:

2019-09-12

Persons:

2

Share your experience with us!

Notes

Write your experience here...

Import photo

Choose File No file chosen

Share

`index.php?page=user`

-Korisnik na svom nalogu ima informacije o rezervisanim putovanjima na svoje ili tudje ime, sa tog naloga. Takodje ima opciju da objavi svoje iskustvo koje ce se prikazati na pocetnoj stranici. Rad sa slikom primenjen, prikazace se slika zadatih dimenzija.

## All users

First Name	Last name	Email	Date of reg	Role	Delete
Marijana	Mitrovic	marijana1207@admin.com	2019-06-04 00:00:00	1	DELETE
Perica	Peric	perica@gmail.com	2019-06-06 18:43:50	2	DELETE
Vladimir	Mitrovic	vladimir@gmail.com	2019-06-12 15:11:45	2	DELETE
Neko	Ime	nesto@gmail.com	2019-06-12 15:24:08	2	DELETE
John	Smith	johnsmith@gmail.com	2019-06-14 00:45:31	2	DELETE
Neki	Korisnik	neko@gmail.com	2019-06-18 01:46:52	2	DELETE

## Add user

**First Name**

**Last Name**

**Email**

**Password**

**Role id**

Add user

## All destinations

Name	Description	Picture	Price	Hot	Delete
Santorini, Greece	Did you know that the whole complex of Santorini islands is still an active volcano (the same as Méthana, Milos and Nisiros) and probably the only volcano in the world whose crater is in the sea? Santorini is considered to be the most sought after place for a romantic getaway in Greece, since there are not many places in the world where you can enjoy exquisitely clear waters while perched on the rim of a massive active volcano in the middle of the sea! The island has a growing reputation as a "wedding destination" for couples not only from Greece but from all over the world.	assets/images/01-greece.jpg	590	yes	DELETE

## Add destination

### Name

### Description

### Photo

 No file chosen

### Price

### Hot

Number of logged users now: 4 Number of pages: 6

Home	Destinations	Author	Login	Register	Booking
76.13 %	7.1 %	2.58 %	0.65 %	8.39 %	5.16 %

index.php?page=admin

-Administrator ima opcije dodavanja i brisanja korisnika i destinacija. Klikom na dugme za statistiku, prikazuje se broj trenutno ulogovanih korisnika, broj stranica i posećenost svake stranice u prethodnih 24h. Statistika pristupa i broj ulogovanih dobijeni iz tekstualnih fajlova. Greske obradjene i skladistene u tekstualnom fajlu.



## Login and access your account



A login form with two text input fields, one for 'Email' and one for 'Password', both with light gray borders. Below the fields are two red buttons: 'Login' and 'Register', each with white text.

<index.php?page=login>

-Opcija za logovanje korisnika i admina

## Register here



A registration form with four text input fields, each with a light gray border: 'First Name', 'Last Name', 'Email', and 'Password'. Below the fields is a red button with the text 'Register' in white.

<index.php?page=register>

- Registracija novog korisnika.

## 4. KODOVI

### 4.1 assets/js/destinations/delete.js

```
5. $(document).ready(function(){
6.     $(document).on('click', '.delete-dest', function(e){
7.         e.preventDefault();
8.         let id = $(this).data('id');
9.
10.        $.ajax({
11.            url: 'models/destinations/delete.php',
12.            method: 'GET',
13.            data: {
14.                id: id
15.            },
16.            dataType: 'json',
17.            success: function(data, status, request){
18.                console.warn('successfully');
19.            },
20.            error: showErrors
21.        })
22.    });
23.
24.    function showErrors(error, status, statusText){
25.        console.error('ERROR AJAX: ');
26.        console.log(status);
27.        console.log(statusText);
28.        if(greska.status == 500){
29.            console.log(error.parseJSON);
30.            alert(error.parseJSON.message);
31.        }
32.        else if(error.status == 400){
33.            alert('Inserted data is incorrect')
34.        }
35.    }
36.    });
37.
```

destinations/dest.js

```
$(document).ready(function(){

    $("#destination").keydown(function(){
        let destination = $(this).val();

        $.ajax({
            url: "models/destinations/filter.php",
            method: "POST",
            data: {
                destination: destination
            },
            dataType: 'json',
            success: function(data){
                console.log(data);
                showDestinations(data);
            },
            error: function(error){
                console.log(error);
                console.log("ovde je greska");
            }
        })
    });

    $("#sort").change(function(){
        let sort = $(this).val();

        $.ajax({
            url: "models/destinations/sort_by_price.php",
            method: "POST",
            data: {
                sort: sort
            },
            dataType: 'json',
            success: function(data){
                console.log(data);
                showDestinations(data);
            },
            error: function(error){
                console.log(error);
                console.log("Greska ajax");
            }
        })
    });
});
```

```

    });

});

function showDestinations(data){
    let html="";
    for(let d of data){
        html+=`<div class="col-md-6 col-lg-4 mb-4 mb-lg-4">
            <a href="index.php?page=destination&id=${d.id}" class="unit-1 text-center">

                
                <div class="unit-1-text">
                    <strong class="text-primary mb-2 d-block">${d.price}</strong>
                    <h3 class="unit-1-heading">${d.name}</h3>
                </div>
            </a>
        </div>`;
    }
    $("#prikaz").html(html);
}

```

## users/delete.js

```

$(document).ready(function(){
$(document).on('click', '.delete-user', function(e){
    e.preventDefault();
    let id = $(this).data('id');

    $.ajax({
        url: 'models/users/delete.php',
        method: 'GET',
        data: {
            id: id
        },
        dataType: 'json',
        success: function(data, status, request){
            console.warn('successfully');
        },
        error: showErrors
    })
})

```

```

});

function showErrors(error, status, statusText){
    console.error('ERROR AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(error.parseJSON);
        alert(error.parseJSON.message);
    }
    else if(error.status == 400){
        alert('Inserted data is incorrect')
    }
}
});

```

## users/register.js

```

$(document).ready(function () {
    $("#btnRegister").click(function (event) {
        event.preventDefault();
        console.log("dugme radi");
        var arrayOk = [];
        var arrayNotOk = [];
        var firstName = document.querySelector("#tbFirstName").value;
        var reName = /^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*/;
        var flag = true;
        if (!reName.test(firstName)) {
            document.querySelector("#tbFirstName").style.border = "1px solid red";
            arrayNotOk.push("First name is not ok");
            flag = false;
        }
        else if (firstName==""){
            document.querySelector("#tbFirstName").style.border = "1px solid red";
        }
        else {
            document.querySelector("#tbFirstName").style.border = "1px solid #ccc";
        }
        var lastName = document.querySelector("#tbLastName").value;
        if (!reName.test(lastName)) {
            document.querySelector("#tbLastName").style.border = "1px solid red";
            arrayNotOk.push("Last name is not ok");
        }
    });
});

```

```

flag = false;
}
else if (lastName===""){
    document.querySelector("#tbLastName").style.border = "1px solid red";
}
else {
    document.querySelector("#tbLastName").style.border = "1px solid #ccc";
}
var email = document.querySelector("#tbEmail").value;
var reEmail = /^[A-Za-z-_.]{2,15}@[A-Za-z-_.-]{2,10}\.[a-z]{2,5}$/;
if (!reEmail.test(email)) {
    document.querySelector("#tbEmail").style.border = "1px solid red";
    arrayNotOk.push("Email is not ok");
    flag = false;
}
else if (email===""){
    document.querySelector("#tbEmail").style.border = "1px solid red";
}
else {
    document.querySelector("#tbEmail").style.border = "1px solid #ccc";
}
var pass = document.querySelector("#tbLozinka").value;
var rePassword = /^[a-zA-Z]{2,50}$/;
if (!rePassword.test(pass)) {
    document.querySelector("#tbLozinka").style.border = "1px solid red";
    arrayNotOk.push("Password is not ok");
    flag = false;
}
else if (pass===""){
    document.querySelector("#tbLozinka").style.border = "1px solid red";
}
else {
    document.querySelector("#tbLozinka").style.border = "1px solid #ccc";
}
if (!flag) {
    return flag;
}

$.ajax({
    method: "POST",
    url: "models/users/register.php",
    data: {

```

```

btnRegister: true,
tbFirstName: firstName,
tbLastName: lastName,
tbEmail: email,
tbLozinka: pass
},
success: function (podaci) {
alert(podaci);
},
error: function (xhr, statusTxt, error) {
var status = xhr.status;
switch (status) {
case 500:
alert("Greska na serveru. Trenutno nije moguće uneti korisnika.");
break;
case 404:
alert("Stranica nije pronađena.");
break;
default:
alert("Greska: " + status + " - " + statusTxt);
break;
}
}
});
});
});
});

```

assets/js/adminpage.js

```

$(document).ready(function(){

    $("#users").hide();
    $("#btnUsers").click(function(e){
        e.preventDefault();
        if($("#users").is(':visible')){
            $("#users").hide();

        } else {
            $("#users").show();

        }
    });
});

```

```

        $("#dest").hide();
        $("#btnDest").click(function(e){
            e.preventDefault();
            if($("#dest").is(':visible')){
                $("#dest").hide();

            } else {
                $("#dest").show();

            }
        });

        $("#statistics").hide();
        $("#btnShow").click(function(e){
            e.preventDefault();
            if($("#statistics").is(':visible')){
                $("#statistics").hide();

            } else {
                $("#statistics").show();

            }
        });

    });

```

## 4.2 config

### config.php

```

<?php

define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/travelers/travelers");

```



```

define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");
define("LOG_FAJL", ABSOLUTE_PATH."/data/log.txt");
define("LOGIN_FAJL", ABSOLUTE_PATH."/data/log_users.txt");
define("ERRORS_FAJL", ABSOLUTE_PATH."/data/errors.txt");

define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));

function env($naziv){
    $podaci = file(ENV_FAJL);
    $vrednost = "";
    foreach($podaci as $key=>$value){
        $konfig = explode("=", $value);
        if($konfig[0]==$naziv){
            $vrednost = trim($konfig[1]);
        }
    }
    return $vrednost;
}

```

## connection.php

```

<?php

require_once "config.php";

try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
    USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}

function executeQuery($query){
    global $conn;

```

```

        return $conn->query($query)->fetchAll();
    }

function listOfAccess(){
    @ $open = fopen(LOG_FAJL, "a");
    if($open){
        $date = date('d-m-Y H:i:s');
        @ fwrite($open,
        "{$_SERVER['REQUEST_URI']}\t{$date}\t{$_SERVER['REMOTE_ADDR']}\t\n");
        @ fclose($open);
    }
}

function errorsList($error){
    @$open=fopen(ERRORS_FAJL,"a");
    $insert=$error."\t".date('d-m-Y H:i:s')."\n";
    @fwrite($open,$insert);
    @fclose($open);
}

```

### 4.3 models/author download\_author.php

```

<?php
include "../../config/connection.php";
include "../functions.php";

$authors=getAuthor();
$author=$authors[0];
var_dump($author);

$wordApp=new COM("Word.Application");
$wordApp->Visible = true;

$wordApp->Documents->Add();
$wordApp->Selection->TypeText("$author->name \n $author->last_name \n $author->bio");
var_dump($word_app->Selection);
$wordApp->Documents[1]->SaveAs("Author.doc");

```

```
header("Location: ../../index.php?page=author");
```

## 4.4 models/bookings/ book.php

```
<?php
session_start();

if(isset($_POST['btnBook'])){
    require_once "../../config/connection.php";

    $fname=$_POST['bookName'];
    $lname=$_POST['bookLname'];
    $dateBook=strtotime($_POST['begDate']);
    $email=$_POST['bookEmail'];
    $person=$_POST['bookPerson'];
    $note=$_POST['bookNote'];
    $destBook=$_POST['bookDest'];
    $user=$_SESSION['user']->id;

    $errors=[];

    if(empty($fname)){
        $errors[]="First name can not be empty.";
        echo ("This field can not be empty!");
    }

    if(empty($lname)){
        $errors[]="Last name can not be empty.";
        echo ("This field can not be empty!");
    }

    if(empty($dateBook)){
        $errors[]="Date can not be empty.";
        echo ("This field can not be empty!");
    }

    if(empty($email)){
```

```

        $errors[]="Email can not be empty.";
        echo ("This field can not be empty!");
    }
    if(empty($person)){
        $errors[]="Person field can not be empty.";
        echo ("This field can not be empty!");
    }

    if(count($errors) > 0){

        echo "<ol>";

        foreach($errors as $error){
            echo "<li> $error </li>";
        }

        echo "</ol>";
    }
    else {

try{

        $insert_book = $conn->prepare("INSERT INTO booking VALUES ('', ?, ?, ?,
?, ?, ?,?,?)");

        $insert_book->bindValue(1, $fname);
        $insert_book->bindValue(2, $lname);

        $start_date=date("Y-m-d", $dateBook);

        $insert_book->bindValue(3, $start_date);
        $insert_book->bindValue(4, $person);
        $insert_book->bindValue(5, $destBook);
        $insert_book->bindValue(6, $user);
        $insert_book->bindValue(7,$note);
        $insert_book->bindValue(8,$email);

        $result = $insert_book->execute();
    }
}

```

```

        if($result){
            echo "You have booked trip successfully!";
            header("Location: ../../index.php?page=user");

        } else {
            echo "Error with booking!";
            header("Location: ../../index.php?page=booking");
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        echo "Problem with booking!";
        errorsList($e->getMessage());
        header("Location: ../../index.php?page=booking");
    }
}
?>

```

## get\_bookings.php

```

<?php

function getUsersBookings(){
    global $conn;
    try{
        $usr_id=$_SESSION['user']->id;
        $select = $conn->prepare("SELECT *, u.id AS id_user, d.name AS dest_name
FROM booking b INNER JOIN user u ON b.user_id=u.id INNER JOIN destinations d ON
b.destination_id=d.id WHERE u.id = :usr_id");
        $select->bindParam(":usr_id", $usr_id);
        $select->execute();

        return $select->fetchAll();

    } catch(PDOException $ex){
        return null;
    }
}

```

## 4.5 models/destinations/ delete.php

```
<?php

header('Content-Type: application/json');

if(isset($_GET['id'])){
    require_once '../../config/connection.php';

    $id = $_GET['id'];
    $result = $conn->prepare("DELETE FROM destinations WHERE id = ?");
    $result->bindValue(1, $id);

    try {
        $result->execute();
        http_response_code(204);
    }
    catch(PDOException $ex){
        echo json_encode(['message'=> 'Problem with database ' . $ex->getMessage()]);
        errorsList($ex->getMessage());
        http_response_code(500);
    }
} else {
    http_response_code(400);
}
```

## export\_to\_excel.php

```
<?php

require_once "../../config/connection.php";
include "get_destinations.php";

$destinations = getDestinations();
```

```

$excel = new COM("Excel.Application");
$excel->Visible = 1;
$workbook = $excel->Workbooks->Add();

$sheet = $workbook->Worksheets("Sheet1");
$sheet->activate;

$br = 1;
foreach($destinations as $dest){
    $field = $sheet->Range("A{$br}");
    $field->activate;
    $field->value = $dest->dest_id;

    $field = $sheet->Range("B{$br}");
    $field->activate;
    $field->value = $dest->name;

    $field = $sheet->Range("C{$br}");
    $field->activate;
    $field->value = $dest->description;

    $field = $sheet->Range("D{$br}");
    $field->activate;
    $field->value = $dest->price;

    $br++;
}

$workbook->_SaveAs("destinations_offer.xlsx", -4143);
$workbook->Save();

```

## filter.php

```

<?php
header("Content-Type: application/json");
include "../config/connection.php";

if(isset($_POST['destination'])){
    $destination="%".strtolower($_POST['destination'])."%";
}

```

```

$query="SELECT * FROM destinations d WHERE LOWER(d.name) LIKE :destination";

$res=$conn->prepare($query);
$res->bindParam(":destination", $destination);
$res->execute();

$destinations = $res->fetchAll();
echo json_encode($destinations);
} else {
    http_response_code(400);
}

```

## get\_destinations.php

```

<?php

function getHomeDestinations(){
    return executeQuery("SELECT *, d.id AS dest_id FROM destinations d WHERE
hot='yes' LIMIT 6");
}

function get_one_dest($dest_id){
    global $conn;
    try{
        $select_dest=$conn->prepare("SELECT *, d.id AS dest_id FROM destinations d
INNER JOIN continent c ON d.continent_id=c.id WHERE d.id=?");
        $select_dest->execute([$dest_id]);
        $destination=$select_dest->fetch();

        return $destination;
    }
    catch(PDOException $ex){
        return $ex->getMessage();
        errorsList($ex->getMessage());
    }
}

```



```
function getDestinations(){
    return executeQuery("SELECT *, d.id AS dest_id FROM destinations d INNER JOIN
continent c ON d.continent_id=c.id ");
}

?>
```

## get\_one.php

```
<?php
header('Content-Type: application/json');

if(isset($_GET['id'])){
    require_once '../config/connection.php';

    $id = $_GET['id'];

    $result = $conn->prepare("SELECT * FROM destinations WHERE id = ?");

    $result->bindValue(1, $id);

    try {
        $result->execute();
        $user = $result->fetch();
        echo json_encode($destination);
    }
    catch(PDOException $ex){
        echo json_encode(['Message', 'Problem with database: ' . $ex-
>getMessage()]);
        errorsList($ex->getMessage());
        http_response_code(500);
    }
} else {
    http_response_code(400);
}
```

## insert.php

```
<?php

//header('Content-Type: application/json');
```

```
if (isset($_POST['btnAddDest'])) {
    require_once '../../config/connection.php';

    $destination_name = trim($_POST['dName']);
    $description = trim($_POST['dDesc']);

    $price = $_POST['dPrice'];
    $hot= $_POST['dHot'];

    $photo_name = $_FILES['dImg']['name'];
    $photo_tmpLocation = $_FILES['dImg']['tmp_name'];
    $photo_type = $_FILES['dImg']['type'];
    $photo_size = $_FILES['dImg']['size'];

    $errors=[];

    $allowed_types = ['image/jpg', 'image/jpeg', 'image/png'];

    if(!in_array($photo_type, $allowed_types)){
        array_push($errors, "This type of file is not allowed.");
    }
    if($photo_size > 5000000){
        array_push($errors, "Max size of photo is 5MB.");
    }

    if(empty($destination_name)){
        $errors[]="Text field can not be empty.";
        echo ("This field can not be empty!");
    }
    if(empty($description)){
        $errors[]="Text field can not be empty.";
        echo ("This field can not be empty!");
    }
    if(empty($price)){
        $errors[]="Text field can not be empty.";
        echo ("This field can not be empty!");
    }
}

if(count($errors) > 0){
    echo "<ol>";
    foreach($errors as $error){
```

```

        echo "<li> $error </li>";
    }
    echo "</ol>";
}
else {

    list($width, $height) = getimagesize($photo_tmpLocation);

    $existingImage = null;
    switch($photo_type){
        case 'image/jpeg':
            $existingImage = imagecreatefromjpeg($photo_tmpLocation);
            break;
        case 'image/png':
            $existingImage = imagecreatefrompng($photo_tmpLocation);
            break;
    }

    $newWidth=700;
    $newHeight=800;

    $newImage = imagecreatetruecolor($newWidth, $newHeight);
    imagecopyresampled($newImage, $existingImage, 0, 0, 0, 0, $newWidth,
    $newHeight, $width, $height);

    $name = time().$photo_name;
    $newImagePath = 'assets/images/destinations/new_'. $name;

    switch($photo_type){
        case 'image/jpeg':
            imagejpeg($newImage, '../../'.$newImagePath);
            break;
        case 'image/png':
            imagepng($newImage, '../../'.$newImagePath);
            break;
    }

    $originalImagePath = 'assets/images/destinations/'. $name;

    if(move_uploaded_file($photo_tmpLocation,
    '../../'.$originalImagePath)){
        echo "Photo is uploaded on server";
    }
}

```



```

        break;
    case 2:
        $query .= " ORDER BY d.price DESC";
        break;
    }

    $res = executeQuery($query);
    echo json_encode($res);
} else {
    http_response_code(400);
    echo json_encode(["error"=> "greska u sort"]);
}

```

## 4.6 models/experiences/

### get\_exp.php

```

<?php

function getExperiences(){
    return executeQuery("SELECT * FROM experiences e INNER JOIN user u ON
e.user_id=u.id");
}

```

### share.php

```

<?php
session_start();

if(isset($_POST['btnShare'])){
    require_once "../config/connection.php";

    $experience=$_POST['taExp'];
    $user=$_SESSION['user']->id;

    $photo_name = $_FILES['photo']['name'];
    $photo_tmpLocation = $_FILES['photo']['tmp_name'];
    $photo_type = $_FILES['photo']['type'];
    $photo_size = $_FILES['photo']['size'];
}

```

```
$errors=[];

$allowed_types = ['image/jpg', 'image/jpeg', 'image/png'];

if(!in_array($photo_type, $allowed_types)){
    array_push($errors, "This type of file is not allowed.");
}
if($photo_size > 5000000){
    array_push($errors, "Max size of photo is 5MB.");
}

if(empty($experience)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}

if(count($errors) > 0){
    echo "<ol>";
    foreach($errors as $error){
        echo "<li> $error </li>";
    }
    echo "</ol>";
}
else {

    list($width, $height) = getimagesize($photo_tmpLocation);

    $existingImage = null;
    switch($photo_type){
        case 'image/jpeg':
            $existingImage = imagecreatefromjpeg($photo_tmpLocation);
            break;
        case 'image/png':
            $existingImage = imagecreatefrompng($photo_tmpLocation);
            break;
    }

    $newWidth=700;
    $newHeight=800;

    $newImage = imagecreatetruecolor($newWidth, $newHeight);
    imagecopyresampled($newImage, $existingImage, 0, 0, 0, 0, $newWidth,
    $newHeight, $width, $height);
```

```

$name = time().$photo_name;
$newImagePath = 'assets/images/experiences/new_'. $name;

switch($photo_type){
    case 'image/jpeg':
        imagejpeg($newImage, '../../'.$newImagePath);
        break;
    case 'image/png':
        imagepng($newImage, '../../'.$newImagePath);
        break;
}

$originalImagePath = 'assets/images/experiences/'. $name;

if(move_uploaded_file($photo_tmpLocation, '../../'.$originalImagePath)){
    echo "Photo is uploaded on server";
}

try{

    $insert_exp = $conn->prepare("INSERT INTO experiences VALUES ('', ?, ?,
    ?,?)");

    $insert_exp->bindValue(1, $experience);
    $insert_exp->bindValue(2, $newImagePath);
    $insert_exp->bindValue(3, $user);
    $insert_exp->bindValue(4, $originalImagePath);

    $result = $insert_exp->execute();

    if($result){
        echo "You have shared your experience successfully!";
        header("Location: ../../index.php?page=home");
    } else {
        echo "Error with sharing!";
        header("Location: ../../index.php?page=user");
    }
}
catch(PDOException $e){
    echo $e->getMessage();
}

```

```

        echo "Problem with sharing!";
        errorsList($e->getMessage());
        header("Location: ../../index.php?page=user");
    }}}
}
?>

```

#### 4.7 models/users/ access\_functions.php

```

<?php
function allPages(){
    return
        ["Home","Destinations","Author","Login","Register","Booking"];
}
function accessPercentage(){
    $array=[];
    $count=0;
    $home=0;
    $destinations=0;
    $author=0;
    $login=0;
    $register=0;
    $booking=0;

    $oneDayAgo=strtotime("1 day ago");

    @$file=file("data/log.txt");
    if(count($file)){
        foreach($file as $i){
            $part=explode("\t",$i);
            $url=explode(".php",$part[0]);
            $page=explode("&",$url[1]);

            if(strtotime($part[1])>=$oneDayAgo)
                switch($page[0]){
                    case "": $home++;$count++;break;
                    case "?page=home": $home++;$ukupno++;break;
                    case "?page=destinations": $destinations++;$count++;break;
                    case "?page=author": $author++;$count++;break;
                }
        }
    }
}

```



```

        case "?page=register":$register++;$count++;;break;
        case "?page=login":$login++;$count++;;break;
        case "?page=booking":$booking++;$count++;;break;

        default:$home++;$count++;;break;
    }
}
}

if($count>0){
$array[]=round($home*100/$count,2);
$array[]=round($destinations*100/$count,2);
$array[]=round($author*100/$count,2);
$array[]=round($register*100/$count,2);
$array[]=round($login*100/$count,2);
$array[]=round($booking*100/$count,2);
}

return $array;
}

function getLogin($id){
    @$open=fopen(LOGIN_FAJL,"a");
    $insert=$id."\n";

    @fwrite($open,$insert);
    @fclose($open);
}

function numberOfLogged(){
    return count(file(LOGIN_FAJL));
}

function unsetLogin($id){
    $id=(int)$id;
    $insert="";
    @$file=file(LOGIN_FAJL);
    if(count($file)){
        foreach($file as $i){
            $iId=trim((int)$i);
            if($iId!=$id){
                $insert.=$iId."\n";
            }
        }
    }
}

```

```

    }
}
@$open=fopen(LOGIN_FAJL,"w");
@fwrite($open,$insert);
@fclose($open);
}

```

## delete.php

```

<?php
header('Content-Type: application/json');

if(isset($_GET['id'])){
    require_once '../../config/connection.php';

    $id = $_GET['id'];
    $result = $conn->prepare("DELETE FROM user WHERE id = ?");
    $result->bindValue(1, $id);

    try {
        $result->execute();
        http_response_code(204);
    }
    catch(PDOException $ex){
        echo json_encode(['message'=> 'Problem with database ' . $ex-
>getMessage()]);
        errorsList($ex->getMessage());
        http_response_code(500);
    }
} else {
    http_response_code(400);
}

```

## get\_one.php

```

<?php
header('Content-Type: application/json');

if(isset($_GET['id'])){
    require_once '../../config/connection.php';

```

```

$id = $_GET['id'];

$result = $conn->prepare("SELECT * FROM user WHERE id = ?");

$result->bindValue(1, $id);

try {
    $result->execute();
    $user = $result->fetch();
    echo json_encode($user);
}
catch(PDOException $ex){
    echo json_encode(['Message', 'Problem with database: ' . $ex-
>getMessage()]);
    errorsList($ex->getMessage());
    http_response_code(500);
}
} else {
    http_response_code(400);
}

```

## get\_users.php

```

<?php

function getUsers(){
return executeQuery("SELECT * FROM user");
}

```

## insert.php

```

<?php

//header('Content-Type: application/json');

if (isset($_POST['btnAddUser'])) {
    require_once '../config/connection.php';

    $first_name = trim($_POST['tbAddName']);
    $last_name = trim($_POST['tbAddLast']);
    $email = trim($_POST['tbAddEmail']);
}

```

```

$pass = $_POST['tbAddLozinka'];
$role= $_POST['tbRole'];
$reg_date = date("Y-m-d H:i:s");

$errors=[];
if(empty($first_name)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}
if(empty($last_name)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}
if(empty($email)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}
if(empty($pass)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}
if(empty($role)){
    $errors[]="Text field can not be empty.";
    echo ("This field can not be empty!");
}

if(count($errors) > 0){
    echo "<ol>";
    foreach($errors as $error){
        echo "<li> $error </li>";
    }
    echo "</ol>";
}
else {

$pass=md5($pass);

$result = $conn->prepare("INSERT INTO user VALUES ('', ?, ?, ?, ?, ?,
?)"");

```

```

try {

    $result->bindValue(1, $first_name);
    $result->bindValue(2, $last_name);
    $result->bindValue(3, $email);
    $result->bindValue(4, $pass);
    $result->bindValue(5, $reg_date);
    $result->bindValue(6, $role);
    $r=$result->execute();

    if($r){
        echo "User inserted successfully!";
        header("Location: ../../index.php?page=admin");
    } else {
        echo "Error!";
        header("Location: ../../index.php?page=admin");
    }
}
catch(PDOException $e){
    echo "Problem with adding user!";
    errorsList($e->getMessage());
    header("Location: ../../index.php?page=admin");
}}

```

## logout.php

```

<?php
session_start();
include("access_functions.php");
unsetLogin($_SESSION['user']->id);
unset($_SESSION['user']);
header("Location: ../../index.php?page=home");
?>

```

## register.php

```

<?php

if(isset($_POST['btnRegister'])){

```

```
require_once "../../config/connection.php";

$first_name = trim($_POST['tbFirstName']);
$last_name = trim($_POST['tbLastName']);
$email = trim($_POST['tbEmail']);
$password=trim($_POST['tbLozinka']);

$errors = [];

$reName = "/^[A-Z][a-z]{2,20}$/";
$rePass = "/^[\S]{5,32}$/";

if(!preg_match($reName, $first_name)){
    $errors[] = "Name is not ok";
}

if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
    $errors[] = "Email is not ok";
}

if(!preg_match($rePass, $password)){
    $errors[] = "Password is not ok.";
}

if(count($errors) > 0){

    echo "<ol>";

    foreach($errors as $error){
        echo "<li> $error </li>";
    }

    echo "</ol>";
}
else {

try{

    $password = md5($password);
```

```

        $insert_user = $conn->prepare("INSERT INTO user VALUES ('', ?, ?, ?, ?,
?, 2)");

        $insert_user->bindValue(1, $first_name);
        $insert_user->bindValue(2, $last_name);
        $insert_user->bindValue(3, $email);
        $insert_user->bindValue(4, $password);

        $reg_date = date("Y-m-d H:i:s");

        $insert_user->bindValue(5, $reg_date);

        $result = $insert_user->execute();

        if($result){
            header("Location: ../../index.php?page=home");
            echo "Registration successfully!";

        } else {
            header("Location: ../../index.php?page=register");
            echo "Error with registration!";
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        echo "Problem with registration!";
        errorsList($e->getMessage());
        header("Location: ../../index.php?page=register");
    }
}
?>

```

## 4.8 models/functions.php

```

<?php

function getMenu(){
    return executeQuery("SELECT * FROM menu");
}

function getSlider(){
    return executeQuery("SELECT * FROM slider");
}

```

```

function getBlock(){
    return executeQuery("SELECT * FROM home_blocks");
}

function getContinents(){
    return executeQuery("SELECT * FROM continent");
}

function getAuthor(){
    return executeQuery("SELECT * FROM author");
}

?>

```

## 4.8 views/fixed head.php

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <title>
    <?php

if(isset($_GET['page'])){
    switch($_GET['page'])
    {
        case 'home':
            echo "Welcome to site with cheapest deals for holiday!";
            break;
        case 'destinations':
            echo "Find your perfect destination!";
            break;
        case 'blog':
            echo "Read the newest interesting informations from travel world.";
            break;
        default:
            echo "Travelers - travel the whole world with us!";
            break;
    }
}

```



```

}}
?>
</title>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
<meta name="robots" content="all, follow">
<meta name="googlebot" content="index, follow, snippet, archive">
<meta name="author" content="mailto:marijana.mitrovic242@gmail.com" />
<meta name="keywords" content="travel, destination, cheap, vacation, holiday,
Europe, Asia, Rome, Paris, Santorini" />
<meta name="description" content="Find cheapest deals for your ideal
holiday!" />
<meta name="copyright" content="Marijana Mitrovic @ 2019" />
<meta name="language" content="english" />

<link rel="shortcut icon" type="image/png" href="assets/images/favicon.png"/>

<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Poppins:200,300,400,700,900|Display
+Playfair:200,300,400,700">
<link rel="stylesheet" href="assets/fonts/icomoon/style.css">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/magnific-popup.css">
<link rel="stylesheet" href="assets/css/jquery-ui.css">
<link rel="stylesheet" href="assets/css/owl.carousel.min.css">
<link rel="stylesheet" href="assets/css/owl.theme.default.min.css">

<link rel="stylesheet" href="assets/css/bootstrap-datepicker.css">

<link rel="stylesheet" href="assets/fonts/flaticon/font/flaticon.css">

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/mediaelement@4.2.7/build/mediaelementplayer.mi
n.css">

<link rel="stylesheet" href="assets/css/aos.css">

<link rel="stylesheet" href="assets/css/style.css">
<link rel="stylesheet" href="assets/css/my.css">

```

```
</head>
```

## header.php

```
<body>
<?php
    require_once "models/functions.php";
    require_once "config/connection.php";
    ?>

    <div class="site-wrap">

        <div class="site-mobile-menu">
            <div class="site-mobile-menu-header">
                <div class="site-mobile-menu-close mt-3">
                    <span class="icon-close2 js-menu-toggle"></span>
                </div>
            </div>
            <div class="site-mobile-menu-body"></div>
        </div>

        <header class="site-navbar py-1" role="banner">

            <div class="container">
                <div class="row align-items-center">

                    <div class="col-6 col-xl-2">
                        <h1 class="mb-0"><a href="index.html" class="text-black h2 mb-0">Travelers</a></h1>
                    </div>
                    <div class="col-10 col-md-8 d-none d-xl-block">
                        <nav class="site-navigation position-relative text-right text-lg-center" role="navigation">

                            <ul class="site-menu js-clone-nav mx-auto d-none d-lg-block">

                                <?php

                                    $menus=getMenu();

                                    foreach ($menus as $menu): ?>
                                        <li> <a href="<?=$menu->path?>" ><?=$menu->title?> </li>
```

```

        <?php endforeach; ?>

        <?php if(isset($_SESSION['user']) && $_SESSION['user']->role_id===1): ?>
    >role_id===1"): ?>
        <li><a href="index.php?page=admin"> Admin </a></li>
    <?php endif;?>
    <?php if(isset($_SESSION['user']) && $_SESSION['user']->role_id===2): ?>
        <li><a href="index.php?page=user"> User account </a></li>
    <?php endif;?>

    </ul>
</nav>
</div>

<div class="col-6 col-xl-2 text-right">
    <div class="d-none d-xl-inline-block">
        <ul class="site-menu js-clone-nav ml-auto list-unstyled d-flex
text-right mb-0" data-class="social">
            <li>
                <a href="#" class="pl-0 pr-3 text-black"><span class="icon-
tripadvisor"></span></a>
            </li>
            <li>
                <a href="#" class="pl-3 pr-3 text-black"><span class="icon-
facebook"></span></a>
            </li>
            <li>
                <a href="#" class="pl-3 pr-3 text-black"><span class="icon-
instagram"></span></a>
            </li>
            <?php if(isset($_SESSION['user'])): ?>
                <li><a href="models/users/logout.php">LOGOUT</a></li>
            <?php else: ?>
                <li><a href="index.php?page=login">LOGIN</a></li>
            </li>
        <?php endif;?>

    </ul>
</div>

    <div class="d-inline-block d-xl-none ml-md-0 mr-auto py-3"
style="position: relative; top: 3px;"><a href="#" class="site-menu-toggle js-
menu-toggle text-black"><span class="icon-menu h3"></span></a></div>

```

```
</div>

</div>
</div>

</header>
```

## footer.php

```
<footer class="site-footer">
  <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <div class="mb-5">
          <h3 class="footer-heading mb-4">About Travelers</h3>
          <p>Find cheapest deals for your future trips... Discover nature and
urban cities with us, everything you want - we make and organize for you!</p>
          <h3 class="footer-heading mb-4"><a
href="data/documentation.pdf">Documentation</a></h3>
        </div>
      </div>
    </div>

    <div class="col-lg-6 mb-5 mb-lg-0">

      <p class="mb-0 font-weight-bold">Address</p>
      <p class="mb-4">203 Fake St. Mountain View, San Francisco,
California, USA</p>

      <p class="mb-0 font-weight-bold">Phone</p>
      <p class="mb-4"><a href="#">+1 232 3235 324</a></p>

      <p class="mb-0 font-weight-bold">Email Address</p>
      <p class="mb-0"><a href="#">authormail@domain.com</a></p>

    </div>
```

```

    </div>
    <div class="row pt-5 mt-5 text-center">
      <div class="col-md-12">
        <div class="mb-5">
          <a href="#" class="pl-0 pr-3"><span class="icon-
facebook"></span></a>
          <a href="#" class="pl-3 pr-3"><span class="icon-
twitter"></span></a>
          <a href="#" class="pl-3 pr-3"><span class="icon-
instagram"></span></a>
          <a href="#" class="pl-3 pr-3"><span class="icon-
linkedin"></span></a>
        </div>

        <p>
          <!-- Link back to Colorlib can't be removed. Template is licensed
under CC BY 3.0. -->
          Copyright &copy;<script>document.write(new
Date().getFullYear());</script> All rights reserved | This template is made with
<i class="icon-heart-o" aria-hidden="true"></i> by <a href="https://colorlib.com"
target="_blank" >Colorlib</a>
          <!-- Link back to Colorlib can't be removed. Template is licensed
under CC BY 3.0. -->
        </p>
      </div>
    </div>
  </div>
</footer>
</div>

<script src="assets/js/jquery-3.3.1.min.js"></script>
<script src="assets/js/jquery-migrate-3.0.1.min.js"></script>
<script src="assets/js/jquery-ui.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/jquery.stellar.min.js"></script>
<script src="assets/js/jquery.countdown.min.js"></script>
<script src="assets/js/jquery.magnific-popup.min.js"></script>
<script src="assets/js/bootstrap-datepicker.min.js"></script>
<script src="assets/js/aos.js"></script>
<script src="assets/js/user/register.js"></script>

```

```

<script src="assets/js/main.js"></script>
<script src="assets/js/destinations/dest.js"></script>
<script src="assets/js/adminpage.js"></script>
<!--<script src="assets/js/user/update_insert.js"></script>-->
<script src="assets/js/user/delete.js"></script>
<script src="assets/js/destinations/delete.js"></script>
<!-- <script src="assets/js/destinations/update_insert.js"></script>-->

</body>
</html>

```

## 4.9 views/pages

### author.php

```

<?php listOfAccess(); ?>
<div class="container">
    <div class="row align-items-center justify-content-center text-center">

        <div class="col-md-8" data-aos="fade-up" data-aos-delay="400">
            <h1 class="text-white font-weight-light">About author</h1>
        </div>
    </div>
</div>
</div>
<?php
require_once "models/functions.php";

$aut=getAuthor();
foreach($aut as $author): ?>

    <div class="site-section" data-aos="fade-up">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-md-6 mb-5 mb-md-0">
                    
                </div>
                <div class="col-md-6 pl-md-5">

```

```

        <h2 class="font-weight-light text-black mb-4"><?=$author-
>name?>&nbsp;<?=$author->last_name?></h2>
        <p><?=$author->bio?></p>
        <h2 class="font-size-regular"><a
href="models/author/download_author.php">Download</a></h2>

    </div>
</div>

</div>
</div>
<?php endforeach; ?>

```

## admin.php

```

<?php if(isset($_SESSION['user']) && $_SESSION['user']->role_id===1): ?>

<div class="site-section bg-light">
    <div class="container">
        <h3 class="h5 text-black mb-3">Manage: Click on button to manage categories
of site </h3>
        <div class="row">
            <input type="button" value="Users" id="btnUsers" name="btnUsers"
class="btn btn-primary pill text-white px-5 py-2">
            <br/>
            <input type="button" value="Destinations" id="btnDest" name="btnDest"
class="btn btn-primary pill text-white px-5 py-2">
            <br/>
            <input type="button" value="Statistics" id="btnShow" name="btnShow"
class="btn btn-primary pill text-white px-5 py-2">
        </div>

    </div>

<br/>
<div class="row" id="users">

<!-- LIST OF USERS AND DELETE OPTION -->

    <div class="col-md-12 col-lg-8 mb-5 bg-white" id="listUsers">
        <br/>
        <br/>
    </div>

```

```

        <h3 class="mb-5">All users</h2>
        <br/>
        <table class='table'>
<thead>
<tr>
<th scope='col'>First Name</th>
<th scope='col'>Last name</th>
<th scope='col'>Email</th>
<th scope='col'>Date of reg</th>
<th scope='col'>Role</th>
<th scope='col'>Delete</th>

</tr>
</thead>
<tbody>
<?php
include "models/users/get_users.php";
$users=getUsers();

        foreach($users as $user): ?>

<tr>
<td><?= $user->first_name ?> </td>
<td><?= $user->last_name?></td>
<td><?= $user->email?></td>
<td><?= $user->reg_date?></td>
<td><?= $user->role_id ?> </td>
<td> <a href='#' class='delete-user' data-id='<?= $user->id?>'>DELETE</a></td>

</tr>
<?php endforeach; ?>

</tbody>
</table>
</div>

<!-- FORM FOR ADD NEW USER -->
        <div class="col-md-12 col-lg-8 mb-5" id="addUpdateUser">
            <form method="POST" action="models/users/insert.php" class="p-5 bg-white"
enctype="multipart/form-data">
                <h3 class="mb-5" >Add user</h2>

```



```
<input type="hidden" id="hdnId" name="id" value=""/>

<div class="row form-group">
  <div class="col-md-12 mb-3 mb-md-0">
    <label class="font-weight-bold" for="name">First Name</label>
    <input type="text" id="tbAddName" name="tbAddName" class="form-
control" placeholder="First Name">
  </div>
</div>

<div class="row form-group">
  <div class="col-md-12 mb-3 mb-md-0">
    <label class="font-weight-bold" for="name">Last Name</label>
    <input type="text" id="tbAddLast" name="tbAddLast" class="form-
control" placeholder="Last Name">
  </div>
</div>

<div class="row form-group">
  <div class="col-md-12 mb-3 mb-md-0">
    <label class="font-weight-bold" for="email">Email</label>
    <input type="text" id="tbAddEmail" name="tbAddEmail"
class="form-control" placeholder="Email">
  </div>
</div>
<div class="row form-group">
  <div class="col-md-12">
    <label class="font-weight-bold" for="email">Password</label>
    <input type="password" id="tbAddLozinka" name="tbAddLozinka"
class="form-control" placeholder="Password">
  </div>
</div>
<div class="row form-group">
  <div class="col-md-12">
    <label class="font-weight-bold" for="email">Role id</label>
    <input type="text" id="tbRole" name="tbRole" class="form-
control" placeholder="Role id">
  </div>
</div>

<div class="row form-group">
  <div class="col-md-12">
    <input type="submit" value="Add user" id="btnAddUser"
name="btnAddUser" class="btn btn-primary pill text-white px-5 py-2">
  </div>
</div>
```

```

        </div>
        <br/>
        <br/>

    </div>

</form>

</div>

</div>
<br/>

<div class="row" id="dest">

<div class="col-md-12 col-lg-8 mb-5 bg-white" id="listDest">
    <br/>
    <br/>
    <h3 class="mb-5">All destinations</h2>
    <br/>
    <table class='table'>
<thead>
<tr>
<th scope='col'> Name</th>
<th scope='col'>Description</th>
<th scope='col'>Picture</th>
<th scope='col'>Price</th>
<th scope='col'>Hot</th>
<th scope='col'>Delete</th>

</tr>
</thead>
<tbody>
<?php
include "models/destinations/get_destinations.php";
$destinations=getDestinations();

    foreach($destinations as $d): ?>

```

```

<tr>
<td><?= $d->name ?> </td>
<td><?= $d->description?></td>
<td><?= $d->picture?></td>
<td><?= $d->price?></td>
<td><?= $d->hot ?> </td>
<td> <a href='#' class='delete-dest' data-id='<?= $d->dest_id?>'>DELETE</a></td>
</tr>
<?php endforeach; ?>

</tbody>
</table>
</div>

<!-- FORM FOR ADD NEW USER -->
<div class="col-md-12 col-lg-8 mb-5" id="addUpdateDest">
    <form method="POST" action="models/destinations/insert.php"class="p-5 bg-
white" enctype="multipart/form-data">
        <h3 class="mb-5" >Add destination</h2>

        <input type="hidden" id="hiddenId" />

        <div class="row form-group">
            <div class="col-md-12 mb-3 mb-md-0">
                <label class="font-weight-bold" for="name">Name</label>
                <input type="text" id="dName" name="dName" class="form-control"
placeholder="Name">
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12 mb-3 mb-md-0">
                <label class="font-weight-bold" for="name">Description</label>
                <textarea id="dDesc" name="dDesc" class="form-control"
placeholder="Add description"></textarea>
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12 mb-3 mb-md-0">
                <label class="font-weight-bold" for="name">Photo</label>

```

```

        <input type="file" id="dImg" name="dImg" class="form-
control" placeholder="Choose Image">
    </div>
    </div>
    <div class="row form-group">
        <div class="col-md-12">
            <label class="font-weight-bold" for="email">Price</label>
            <input type="text" id="dPrice" name="dPrice" class="form-
control" placeholder="Price">
        </div>
    </div>
    <div class="row form-group">
        <div class="col-md-12">
            <label class="font-weight-bold" for="email">Hot</label>
            <input type="text" id="dHot" name="dHot" class="form-control"
placeholder="Is on dicount">
        </div>
    </div>

    <div class="row form-group">
        <div class="col-md-12">
            <input type="submit" value="Add destination" id="btnAddDest"
name="btnAddDest" class="btn btn-primary pill text-white px-5 py-2">
        </div>
        <br/>
        <br/>

    </div>

    </form>

</div>

</div>
<br/>

</div>
<br/>
<div class="row" id="statistics">

```

```

<?php
include "models/users/access_functions.php";

    $pages=allPages();
    $br=count($pages);
    $acces=accessPercentage();
    $log=numberOfLogged();
    ?>
<p> Number of logged users now: <?=$log ?> </p>
<br/>
<p>&nbsp;</p>
<p> Number of pages: <?=$br; ?> </p>

<table class="table table-hover">

<thead class="text-warning">
<?php foreach($pages as $p): ?>
    <th><?=$p?></th>
<?php endforeach; ?>
</thead>

<tbody id="stat">

    <tr>
        <?php foreach ($acces as $a) :?>
            <td><?=$a?> % </td>
        <?php endforeach; ?>
    </tr>

</tbody>
</table>

</div>

<br/>

</div>

```

```
</div>
```

```
<?php else: ?>  
<?php header("Location: index.php?page=login"); ?>  
<?php endif; ?>
```

## booking.php

```
<?php if(isset($_SESSION['user']) && $_SESSION['user']->role_id===2):  
    listOfAccess();  
include "models/destinations/get_destinations.php";  
  
?>  
<div class="site-section bg-light">  
    <div class="container">  
        <div class="row">  
            <div class="col-md-7 mb-5">  
  
                <form action="models/bookings/book.php" method="POST" class="p-5 bg-  
white">  
<h2 class="font-size-regular"><?php if(isset($_GET['id'])): ?>  
    <?php $destination=get_one_dest($_GET['id']);?> Book your trip to  
<?=$destination->name?><?php else:?><?php echo "You must first choose  
destination!" ?><?php endif; ?> </h2>  
  
                <div class="row form-group">  
                    <div class="col-md-6 mb-3 mb-md-0">  
                        <label class="text-black" for="fname">First Name</label>  
                        <input type="text" id="bookName" name="bookName" class="form-  
control" placeholder="First Name">  
                    </div>  
                    <div class="col-md-6">  
                        <label class="text-black" for="lname">Last Name</label>  
                        <input type="text" id="bookLname" name="bookLname" class="form-  
control" placeholder="Last Name">  
                    </div>  
                </div>  
            </div>  
        </div>  
    </div>
```

```

        <div class="row form-group">
            <div class="col-md-6 mb-3 mb-md-0">
                <label class="text-black" for="date">Date of Travel</label>
                <input type="text" id="begDate" name="begDate" class="form-
control datepicker px-2" placeholder="Date of visit">
            </div>
            <div class="col-md-6">
                <label class="text-black" for="email">Email</label>
                <input type="email" id="bookEmail" name="bookEmail" class="form-
control" placeholder="Email">
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12">

                <input type="hidden" id="bookDest" name="bookDest" class="form-
control" placeholder="Destination" value="<?=$destination->dest_id?>">
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12">
                <label class="text-black" for="treatment">How Many
Person</label>
                <input type="text" id="bookPerson" name="bookPerson"
class="form-control" placeholder="Person">
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12">
                <label class="text-black" for="note">Notes</label>
                <textarea name="bookNote" id="bookNote" cols="30" rows="5"
class="form-control" placeholder="Write your notes or questions
here..."></textarea>
            </div>
        </div>

        <div class="row form-group">
            <div class="col-md-12">

```

```

        <input type="submit" value="Book" name="btnBook" id="btnBook"
class="btn btn-primary py-2 px-4 text-white">
    </div>
</div>

</form>
</div>
<div class="col-md-5">

    <div class="p-4 mb-3 bg-white">
        
        <h3 class="h5 text-black mb-3">More Info</h3>
        <p>Before submit, read again carefully your personal data. You
can't change it later. You can book for you or someone else. This is just
temporary reservation, before payment.</p>

    </div>

</div>
</div>
</div>
</div>
<?php else: ?>
<?php header("Location: index.php?page=login"); ?>
<?php endif; ?>

```

## destinations.php

```

<?php listOfAccess(); ?>
<div class="site-blocks-cover inner-page-cover" style="background-image:
url(assets/images/hero_bg_2.jpg);" data-aos="fade" data-stellar-background-
ratio="0.5">
    <div class="container">
        <div class="row align-items-center justify-content-center text-center">

            <div class="col-md-8" data-aos="fade-up" data-aos-delay="400">
                <h1 class="text-white font-weight-light">Destinations</h1>
            </div>
        </div>
    </div>
</div>

```



```

        <div><a href="index.php?page=home">Home</a> <span class="mx-2 text-
white">&bullet;</span> <span class="text-white">Destinations</span></div>

    </div>
</div>
</div>
</div>

<div class="site-section">
    <div class="container">
<div class="row form-group">
<div class="col-md-6 mb-3 mb-md-0">
<label class="text-black" for="fname">Search for destinations</label>
        <input type="text" id="destination" name="destination"
class="form-control" placeholder="Search...">

<br/>
</div>
<div class="col-md-6">
<label class="text-black" for="fname">Sort by price</label>
        <select id="sort" name="sort" class="form-control">
            <option value="0">Sort</option>
            <?php
$options = [
    [
        "value" => 1,
        "text"=> "Price - Low to high"
    ],
    [
        "value" => 2,
        "text" => "Price - High to low"
    ]
];

        foreach($options as $option):
?>

            <option value="<?= $option['value'] ?>">
                <?= $option['text'] ?>
            </option>

        <?php endforeach; ?>

```

```

        </select>
    </div>

</div>
</div>
</div>
    <br/>

    <div class="container">

        <div class="row" id="prikaz" >
            <?php
                require_once "models/destinations/get_destinations.php";
                $destination=getDestinations();

                foreach($destination as $dest):
                    include "views/partials/destination.php";
                endforeach; ?>
        </div>
        <h3><a href="models/destinations/export_to_excel.php">Download Excel
file</a></h3>
    </div>

</div>

```

## one\_destination.php

```

<?php

include "models/destinations/get_destinations.php";
$destination=get_one_dest($_GET['id']);

if($destination):

?>

<div class="site-blocks-cover inner-page-cover" style="background-image:
url(images/hero_bg_2.jpg);" data-aos="fade" data-stellar-background-ratio="0.5">
    <div class="container">

```

```

        <div class="row align-items-center justify-content-center text-center">

            <div class="col-md-8" data-aos="fade-up" data-aos-delay="400">
                <h1 class="text-white font-weight-light">About <?=$destination-
>name?></h1>
                <div><a href="index.php?page=destinations">All destinations</a>
<span class="mx-2 text-white">&bullet;</span> <span class="text-
white">About</span></div>

            </div>
        </div>
    </div>
</div>

<div class="site-section" data-aos="fade-up">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-md-6 mb-5 mb-md-0">
                
            </div>
            <div class="col-md-6 pl-md-5">
                <h2 class="font-weight-light text-black mb-4"><?=$destination->name?>
(<?=$destination->cont_name?>)</h2>
                <p><?=$destination->description?></p>
                <h2 class="font-size-regular"> Price: $<?=$destination->price?></h2>
                <br/>
                <h2 class="font-size-regular"><a
href="index.php?page=booking&id=<?=$destination->dest_id?>">Book now</a></h2>

            </div>
        </div>
    </div>
</div>
</div>
<?php endif; ?>

```

home.php

```

<?php
require_once "models/functions.php";
?>

```

```

<div class="slide-one-item home-slider owl-carousel">

<?php

$slides=getSlider();

foreach($slides as $slide): ?>

    <div class="site-blocks-cover overlay" style="background-image:
url(<?=$slide->image?>);" data-aos="fade" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row align-items-center justify-content-center text-center">

                <div class="col-md-8" data-aos="fade-up" data-aos-delay="400">

                    <h1 class="text-white font-weight-light"><?=$slide->title?></h1>
                    <p class="mb-5"><?=$slide->description?></p>

                </div>
            </div>
        </div>
    </div>

<?php endforeach; ?>

</div>

<div class="site-section">

    <div class="container overlap-section">
        <div class="row">

            <?php

            $blocks=getBlock();

            foreach($blocks as $block): ?>
                <div class="col-md-6 col-lg-6 mb-4 mb-lg-4">
                    <a href="<?=$block->href?>" class="unit-1 text-center">

```

```

        
        <div class="unit-1-text">
            <h3 class="unit-1-heading"><?=$block->title?></h3>
        </div>
    </a>
</div>

<?php endforeach; ?>

    </div>
</div>

</div>

<div class="site-section">

    <div class="container">
        <div class="row justify-content-center mb-5">
            <div class="col-md-7 text-center">
                <h2 class="font-weight-light text-black">Our Destinations</h2>
                <p class="color-black-opacity-5">Choose Your Next Destination</p>
            </div>
        </div>
        <div class="row">
            <?php
                include "models/destinations/get_destinations.php";
                $destinations=getHomeDestinations();
                foreach($destinations as $dest):
                    include "views/partials/destination.php";
                endforeach;
            ?>

        </div>
    </div>

</div>

<div class="site-section block-13 bg-light">

```

```

<div class="container">
  <div class="row justify-content-center mb-5">
    <div class="col-md-7">
      <h2 class="font-weight-light text-black text-center">What they said
about us</h2>
    </div>
  </div>

  <div class="nonloop-block-13 owl-carousel">
<?php
include "models/experiences/get_exp.php";
$experiences=getExperiences();

foreach($experiences as $ex): ?>
  <div class="item">
    <div class="container">
      <div class="row">
        <div class="col-lg-6 mb-5">
          
        </div>
        <div class="overlap-left col-lg-6 bg-white p-md-5 align-self-
center">
          <p class="text-black lead">&ldquo;<?=$ex->impression?>&rdquo;</p>
          <p class="">&mdash; <em><?=$ex->first_name?> <?=$ex-
>last_name?></em></p>
        </div>
      </div>
    </div>
  </div>
<?php endforeach; ?>

</div>
</div>
</div>

```

login.php

```

<?php
include "models/users/access_functions.php";

```

```

listOfAccess();
if(isset($_POST['btnLogin'])){

    $email = $_POST['tbEmail'];
    $pass = $_POST['tbLozinka'];

    $errors = [];
    $reLozinka = "/^[\\S]{5,}$"/;

    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $errors[] = "Email not ok";
        echo ("Email is not correct.");
    }

    if(!preg_match($reLozinka, $pass)){
        $errors[] = "Password not ok.";
        echo ("Password is not correct");
    }

    if(count($errors) > 0){
        $_SESSION['errors'] = $errors;

        header("Location: index.php?page=login");
    }
    else {

        $pass = md5($pass);

        try{

            $upit = "SELECT *, u.id FROM user u INNER JOIN user_role r
                ON u.role_id = r.id WHERE email = ? AND pass = ?";

            $stmt = $conn->prepare($upit);
            $stmt->bindValue(1, $email);
            $stmt->bindValue(2, $pass);

            $stmt->execute();
            $user = $stmt->fetch();
            if($user) {
                $_SESSION['user'] = $user;
                getLogin($user->id);
            }
        }
    }
}

```

```

        header("Location: index.php?page=home");

    } else {
        $_SESSION['errors'] = "Wrong email or password.";
        echo ("Wrong email or password");
        header("Location: index.php?page=login");
    }
}

catch(PDOException $ex){
    echo json_encode(['message'=> 'Problem with database ' . $ex->getMessage()]);
    errorsList($ex->getMessage());
    http_response_code(500);
}
}
}
?>

<div class="site-section site-section-sm">
    <div class="container">
        <div class="row">

            <div class="col-md-12 col-lg-8 mb-5">

                <form action="" method="POST" class="p-5 bg-white">
                    <div class="row form-group">
                        <h2 class="font-size-regular">Login and access your account</h2>
                    </div>

                    <div class="row form-group">
                        <div class="col-md-12 mb-3 mb-md-0">
                            <input type="text" id="tbEmail" name="tbEmail" class="form-control" placeholder="Email">
                        </div>
                    </div>
                    <div class="row form-group">
                        <div class="col-md-12">
                            <input type="password" id="tbLozinka" name="tbLozinka" class="form-control" placeholder="Password">

```



```

        </div>
    </div>

    <div class="row form-group">
        <div class="col-md-12">
            <input type="submit" value="Login" id="btnLogin"
name="btnLogin" class="btn btn-primary pill text-white px-5 py-2">
        </div>
        <br/>
        <br/>
        <div class="col-md-12">
            <a class="btn btn-primary pill text-white px-5 py-2"
href="index.php?page=register" name="btnRegister">
                Register
            </a>
        </div>
    </div>

</form>

</div>
<?php
if (isset($_SESSION['errors'])):
echo "<div class='text-center'><br/>
<strong>Please enter valid email and password.</strong>
</div>";
unset($_SESSION['errors']);
?>
<?php endif;?>

</div>
</div>
</div>

```

register.php

```

<?php    listOfAccess(); ?>
<div class="site-section site-section-sm">

```

```
<div class="container">
  <div class="row">

    <div class="col-md-12 col-lg-8 mb-5">

      <form action="models/users/register.php" method="POST" class="p-5 bg-
white" enctype="multipart/form-data">
        <div class="row form-group">
          <h2 class="font-size-regular">Register here</h2>
        </div>

        <div class="row form-group">
          <div class="col-md-12 mb-3 mb-md-0">
            <input type="text" id="tbFirstName" name="tbFirstName"
class="form-control" placeholder="First Name">
          </div>
        </div>

        <div class="row form-group">
          <div class="col-md-12 mb-3 mb-md-0">
            <input type="text" id="tbLastName" name="tbLastName"
class="form-control" placeholder="Last Name">
          </div>
        </div>

        <div class="row form-group">
          <div class="col-md-12 mb-3 mb-md-0">
            <input type="text" id="tbEmail" name="tbEmail" class="form-
control" placeholder="Email">
          </div>
        </div>

        <div class="row form-group">
          <div class="col-md-12">
            <input type="password" id="tbLozinka" name="tbLozinka"
class="form-control" placeholder="Password">
          </div>
        </div>

        <div class="row form-group">
          <div class="col-md-12">
            <input type="submit" value="Register" id="btnRegister"
name="btnRegister" class="btn btn-primary pill text-white px-5 py-2">
          </div>
        </div>
      </form>
    </div>
  </div>
</div>
```

```

        </div>
        <br/>
        <br/>

    </div>

</form>

</div>

</div>
</div>
</div>

```

## user.php

```

<?php if(isset($_SESSION['user'])) && $_SESSION['user']->role_id=="2"): ?>
<div class="site-section bg-light">
    <div class="container">
        <h3 class="h5 text-black mb-3">Your bookings</h3>

        <div class="row">

            <?php
            include "models/bookings/get_bookings.php";

            $bookings=getUsersBookings();

            foreach($bookings as $booking): ?>

<div class="col-md-4 p-4 mb-3 bg-white">

                <p>Destination: <h4><?=$booking->dest_name?></h4></p>
                <p>Traveler: <h4><?=$booking->fname?> <?=$booking->lname?></h4></p>
                <p> Date of trip:<h4> <?=$booking->date_of_travel?></h4></p>
                <p>Persons: <h4><?=$booking->persons?></h4></p>
            
```

```

        </div>

        <?php endforeach; ?>

</div>
<br/>
<h3 class="h5 text-black mb-3">Share your experience with us!</h3>
<form action="models/experiences/share.php" method="POST"
enctype="multipart/form-data" class="p-5 bg-white">

        <div class="row form-group">
                <div class="col-md-12">
                        <label class="text-black" for="note">Notes</label>
                        <textarea name="taExp" id="taExp" cols="30" rows="5"
class="form-control" placeholder="Write your experience here..."></textarea>
                </div>
        </div>
        <div class="row form-group">
                <div class="col-md-12">
                        <label class="text-black" for="note">Import photo</label>
                        <input type="file" name="photo" id="photo" cols="30" rows="5"
class="form-control" value="Choose file"/>
                </div>
        </div>

        <div class="row form-group">
                <div class="col-md-12">
                        <input type="submit" value="Share" name="btnShare"
id="btnShare" class="btn btn-primary py-2 px-4 text-white">
                </div>
        </div>

        </form>

</div>

</div>

<?php else: ?>
<?php header("Location: index.php?page=login"); ?>
<?php endif; ?>

```

## 404.php

```
<div class="content">
  <div class="container-fluid">
    <div class="row">
      <div class="col-sm-10 offset-sm-1">
        <div class="row">
          <br/>
          <h3>404 - Page Not Found</h3>
          <br/>
        </div>
      </div>
    </div>
  </div>
</div>
```

## 4.11 views/partials/destination.php

```
5 <div class="col-md-6 col-lg-4 mb-4 mb-lg-4">
6     <a href="index.php?page=destination&id=<?=$dest->dest_id?"
  class="unit-1 text-center">
7         
8         <div class="unit-1-text">
9             <strong class="text-primary mb-2 d-block"><?=$dest-
  >price?></strong>
10             <h3 class="unit-1-heading"><?=$dest->name?></h3>
11         </div>
12     </a>
13 </div>
```

## 4.12 index.php

```
<?php
    session_start();
    ob_start();

    require_once "config/connection.php";

    include "views/fixed/head.php";
    include "views/fixed/header.php";

    if(isset($_GET['page'])){
        switch($_GET['page'])
        {
            case 'home':
                include "views/pages/home.php";
                break;
            case 'destinations':
                include "views/pages/destinations.php";
                break;
            case 'author':
                include "views/pages/author.php";
                break;
            case 'blog':
                include "views/pages/blog.php";
                break;
            case 'booking':
                include "views/pages/booking.php";
                break;
            case "login":
                include "views/pages/login.php";
                break;
            case "register":
                include "views/pages/register.php";
                break;
            case "admin":
                include "views/pages/admin.php";
                break;
            case "user":
                include "views/pages/user.php";
                break;
            case 'destination':
                if(isset($_GET['id'])){
                    include "views/pages/one_destination.php";
                } else {
```

```
        include "views/pages/404.php";
    }
    break;
default:
    include "views/pages/404.php";
}
} else {
    include "views/pages/home.php";
}
include "views/fixed/footer.php";
?>
```