PMD database

Table of the combined 100 most frequent PMDs detected in the 5 types of locations detected with the rda function of the PMD package (total of 118 PMD).

PMD	Reference	Putative transformation	Interpretation	Instrument	Study matrix	Reference type
0.036	[1]	-CH4+O		FTICR-MS	environmental	Experimental study
0.036	[2]	-CH4+O		FTICR-MS	food	Experimental study
0.036	[3]	-CH4+O		FTICR-MS	environmental	Experimental study
0.036	[4]	-CH4+O		LC–MS/MS	living	Experimental study
0.036	[5,6]	-CH4+O		FTICR-MS	environmental	Curated database
1.979	[1]	-CH2+O		FTICR-MS	environmental	Experimental study
1.979	[7]	-CH2+O		FTICR-MS	industrial	Experimental study
1.979	[5,6]	-CH2+O		FTICR-MS	environmental	Curated database
2.016	[1]	H2		FTICR-MS	environmental	Experimental study
2.016	[8]	H2		HRMS	living	Methods study
2.016	[5,6,9]	H2	hydrogenation/dehydrogenation	FTICR-MS	environmental	Curated database
2.052	[1]	-CH6+O		FTICR-MS	environmental	Experimental study
2.052	[5,6]	-CH6+O		FTICR-MS	environmental	Curated database
3.959	*Not referenced*					
3.995	[1]	-C+O		FTICR-MS	environmental	Experimental study
3.995	[5]	-C+O		FTICR-MS	environmental	Curated database
4.031	[1]	-H4		FTICR-MS	environmental	Experimental study
4.031	[5,6]	-H4		FTICR-MS	environmental	Curated database
5.989	[5]	+C2 - H2 - O		FTICR-MS	environmental	Curated database

6.011	[1]	-C+H2O		FTICR-MS	environmental	Experimental study
	[5,6]	-C+H2O		FTICR-MS	environmental	Curated database
6.047	[5,6]	H6		FTICR-MS	environmental	Curated database
7.969	[1]	-H4 + C		FTICR-MS	environmental	Experimental study
	[5,6]	-H4 + C		FTICR-MS	environmental	Curated database
8.005	[1]	-C2 + O		FTICR-MS	environmental	Experimental study
	[5,6]	-C2 + O		FTICR-MS	environmental	Curated database
8.041	[5,6]	+C3H4 - O2		FTICR-MS	environmental	Curated database
9.948	[1]	-H6 + O		FTICR-MS	environmental	Experimental study
	[5,6]	-H6 + O		FTICR-MS	environmental	Curated database
9.984	[1]	-H2 + C		FTICR-MS	environmental	Experimental study
	[5,6]	-H2 + C		FTICR-MS	environmental	Curated database
10.021	[1]	-C2H2 + O		FTICR-MS	environmental	Experimental study
	[5,6]	-C2H2 + O		FTICR-MS	environmental	Curated database
11.964	[1]	-H4 + O		FTICR-MS	environmental	Experimental study
	[5,6]	-H4 + O		FTICR-MS	environmental	Curated database
12	[1]	C		FTICR-MS	environmental	Experimental study
	[5]	C		FTICR-MS	environmental	Curated database
12.036	[1]	-C2H4 + O		FTICR-MS	environmental	Experimental study
	[8]	-C2H4 + O		HRMS	living	Methods study
	[5,6]	-C2H4 + O		FTICR-MS	environmental	Curated database
13.979	[1]	-H2 + O		FTICR-MS	environmental	Experimental study
	[10]	-H2 + O		LC-HRMS	environmental	Experimental study

	[5,6]	-H2 + O		FTICR-MS	environmental	Curated database
14.016	[1]	CH2		FTICR-MS	environmental	Experimental study
	[9]	CH2	methylation	FTICR-MS	environmental	Curated database
	[5,6]	CH2	methanol	FTICR-MS	environmental	Curated database
14.052	[8]	+C2H6 - O		HRMS	living	Methods study
	[5,6]	+C2H6 - O		FTICR-MS	environmental	Curated database
15.959	[5]	-C -H4 + O2		FTICR-MS	environmental	Curated database
15.995	[1]	O		FTICR-MS	environmental	Experimental study
	[5,6,9]	O	Oxidation/ Hydroxylation	FTICR-MS	environmental	Curated database
16.031	[1]	CH4		FTICR-MS	environmental	Experimental study
	[5,6]	CH4		FTICR-MS	environmental	Curated database
16.068	[5,6]	+C2H8 - O		FTICR-MS	environmental	Curated database
17.974	[5]	-C - H2 + O2		FTICR-MS	environmental	Curated database
18.011	[1]	H2O		FTICR-MS	environmental	Experimental study
	[5,6,9]	H2O	Condensation/hydration/dehydration	FTICR-MS	environmental	Curated database
18.047	[5,6]	CH6		FTICR-MS	environmental	Curated database
19.99	[5,6]	-C + O2		FTICR-MS	environmental	Curated database
20.026	[5,6]	H4O		FTICR-MS	environmental	Curated database
20.063	*Not referenced*					
21.984	[5,6]	+ C2 - H2		FTICR-MS	environmental	Curated database
23.964	[5,6]	+C - H4 + O		FTICR-MS	environmental	Curated database
24	[5,6]	C2		FTICR-MS	environmental	Curated database
24.036	[5,6]	+C3H4 - O		FTICR-MS	environmental	Curated database

25.979	[5,6]	-H2 + C + O		FTICR-MS	environmental	Curated database
26.016	[11]	+O - C2H2		MS/MS	living	Review
	[5,6,9]	+O - C2H2		FTICR-MS	environmental	Curated database
26.052	[5,6]	C3H6O_1		FTICR-MS	environmental	Curated database
27.959	[5,6]	-H4 + O2		FTICR-MS	environmental	Curated database
27.995	[5,6,9]	CO	Formic Acid (-H2O)	FTICR-MS	environmental	Curated database
	[12]	CO		QTOF	living	Methods study
28.031	[1]	C2H4		FTICR-MS	environmental	Experimental study
	[5,6,9]	C2H4	Ethyl addition (-H2O)	FTICR-MS	environmental	Curated database
29.974	[11]	+O2 - CH2		MS/MS	living	Review
	[5,6,9]	+O2 - CH2	Nitro Reduction (-O2)			Curated database
30.011	[11]	CH2O		MS/MS	living	Review
	[12]	CH2O		QTOF	living	Experimental study
	[5]	CH2O		FTICR-MS	environmental	Curated database
30.047	[13]	C2H6	loss of 2 methyl radicals		living	Experimental study
	[14]	C2H6		QTOF	living	Methods study
31.99	[11]	O2		MS/MS	living	Review
	[5,6]	O2		FTICR-MS	environmental	Curated database
32.008	[5,6]	+ CH4 - O + S		FTICR-MS	environmental	Curated database
32.026	[12]	CH4O		QTOF	living	Methods study
	[5,6]	CH4O		FTICR-MS	environmental	Curated database
32.063	[5,6]	C2H8		FTICR-MS	environmental	Curated database
34.005	[11]	H2O2		MS/MS	living	Review
	[5,6]	H2O2		FTICR-MS	environmental	Curated database

34.042	[5,6]	CH6O		FTICR-MS	environmental	Curated database
35.964	*Not referenced*					
36	[5,6]	C3		FTICR-MS	environmental	Curated database
36.036	[5]	+ C4H4 - O		FTICR-MS	environmental	Curated database
36.058	*Not referenced*					
37.979	[5,6]	+ C2 - H2 + O		FTICR-MS	environmental	Curated database
38.016	[5,6]	C3H2		FTICR-MS	environmental	Curated database
39.959	[5]	+C - H4 + O2		FTICR-MS	environmental	Curated database
39.995	[5]	C2O		FTICR-MS	environmental	Curated database
40.031	[5,6]	C3H4		FTICR-MS	environmental	Curated database
41.974	[5,6]	C-H2+O2		FTICR-MS	environmental	Curated database
42.011	[11]	C2H2O		MS/MS	living	Review
	[5,6,9]	C2H2O	Acetylation (-H2)	FTICR-MS	environmental	Curated database
42.047	[5,6]	C3H6		FTICR-MS	environmental	Curated database
43.99	[12]	CO2		QTOF	living	Methods study
	[5,6,9]	CO2	Carboxylation	FTICR-MS	environmental	Curated database
44.008	*Not referenced*					
44.026	[15]	C2H4O	PEG / ethoxy repeating unit contamination	LC-HRMS	living	Methods study
	[16]	C2H4O	Ethoxy / ethylene oxide repeating unit (EO unit)	MALDI spiral-TOFMS	industrial	Experimental study
	[5,6]	C2H4O		FTICR-MS	environmental	Curated database
44.063	[5,6]	C3H8		FTICR-MS	environmental	Curated database

46.005	[5,6]	CH2O2		FTICR-MS	environmental	Curated database
46.042	[5,6]	C2H6O1		FTICR-MS	environmental	Curated database
48.021	[5,6]	CH4O2		FTICR-MS	environmental	Curated database
48.058	[5,6]	C2H8O		FTICR-MS	environmental	Curated database
51.995	[5,6]	C3O		FTICR-MS	environmental	Curated database
52.031	[5,6]	C4H4		FTICR-MS	environmental	Curated database
53.974	[5]	+ C2 - H2 + O2		FTICR-MS	environmental	Curated database
54.011	[5]	C3H2O		FTICR-MS	environmental	Curated database
54.047	[5]	C4H6		FTICR-MS	environmental	Curated database
55.99	[5,9]	C2O2	Glyoxylate (-H2O)	FTICR-MS	environmental	Curated database
56.008	*Not referenced*					
56.026	[5,6]	C3H4O		FTICR-MS	environmental	Curated database
56.063	[5,6]	C4H8		FTICR-MS	environmental	Curated database
58.005	[5,6]	C2H2O2		FTICR-MS	environmental	Curated database
58.042	[5,6]	C3H6O		FTICR-MS	environmental	Curated database
60.021	[5,6]	C2H4O2		FTICR-MS	environmental	Curated database
60.058	[5,6]	C3H8O		FTICR-MS	environmental	Curated database
62.037	[5,6]	C2H6O2		FTICR-MS	environmental	Curated database
66.011	[5,6]	C4H2O		FTICR-MS	environmental	Curated database
67.99	[5,6]	C3O2		FTICR-MS	environmental	Curated database
68.026	[5,6]	C4H4O		FTICR-MS	environmental	Curated database
68.063	[5,6]	C5H8		FTICR-MS	environmental	Curated database
70.005	[5,6]	C3H2O2		FTICR-MS	environmental	Curated database
70.042	[5,6]	C4H6O		FTICR-MS	environmental	Curated database

71.985	[5,6]	C2O3		FTICR-MS	environmental	Curated database
72.021	[5,6]	C3H4O2		FTICR-MS	environmental	Curated database
72.058	[5,6]	C4H8O		FTICR-MS	environmental	Curated database
74	[6]	C2H2O3		FTICR-MS	environmental	Curated database
74.037	[5,6]	C3H6O2		FTICR-MS	environmental	Curated database
76.052	*Not referenced*					
80.026	[5,6]	C5H4O		FTICR-MS	environmental	Curated database
82.005	[5]	C4H2O2		FTICR-MS	environmental	Curated database
82.042	[5,6]	C5H6O		FTICR-MS	environmental	Curated database
83.985	[5,6]	C3O3		FTICR-MS	environmental	Curated database
84.021	[5,6,9]	C4H4O2	Acetotacetate (-H2O)	FTICR-MS	environmental	Curated database
84.058	[5,6]	C5H8O		FTICR-MS	environmental	Curated database
86	[6,9]	C3H2O3	Malonyl_group_(-H2)	FTICR-MS	environmental	Curated database
86.037	[5,6]	C4H6O2		FTICR-MS	environmental	Curated database
88.016	[5,6]	C3H4O3		FTICR-MS	environmental	Curated database
88.052	[5,6]	C4H8O2		FTICR-MS	environmental	Curated database
94.005	[5,6]	C5H2O2		FTICR-MS	environmental	Curated database
96.021	[5,6]	C5H4O2		FTICR-MS	environmental	Curated database
98	[6]	C4H2O3		FTICR-MS	environmental	Curated database
98.037	[5,6]	C5H6O2		FTICR-MS	environmental	Curated database
100.016	[5,6]	C4H4O3		FTICR-MS	environmental	Curated database
100.052	[5,6]	C5H8O2		FTICR-MS	environmental	Curated database
102.032	[5,9]	C4H8O4	Erythrose (-H2O)	FTICR-MS	environmental	Curated database
110	[6]	C5H2O3		FTICR-MS	environmental	Curated database

112.052	[5,6]	C6H8O2		FTICR-MS	environmental	Curated database
114.032	[5,6]	C5H6O3		FTICR-MS	environmental	Curated database

(1) Wang, L.; Lin, Y.; Li, J.; Yu, Q.; Xu, K.; Ren, H.; Geng, J. Deciphering Microbe-Mediated Dissolved Organic Matter Reactome in Wastewater Treatment Plants Using Directed Paired Mass Distance. *Environ. Sci. Technol.* **2024**, *58* (1), 739–750. https://doi.org/10.1021/acs.est.3c06871.

(2) Linne, B. M.; Tello, E.; Simons, C. T.; Peterson, D. G. Chemical Characterization and Sensory Evaluation of a Phenolic-Rich Melanoidin Isolate Contributing to Coffee Astringency. *Food Funct.* **2025**, *16* (7), 2870–2880. https://doi.org/10.1039/D4FO04934A.

(3) Lobodin, V. V.; Nyadong, L.; Ruddy, B. M.; Curtis, M.; Jones, P. R.; Rodgers, R. P.; Marshall, A. G. DART Fourier Transform Ion Cyclotron Resonance Mass Spectrometry for Analysis of Complex Organic Mixtures. *International Journal of Mass Spectrometry* **2015**, *378*, 186–192. https://doi.org/10.1016/j.ijms.2014.07.050.

(4) Urban, J.; Jin, C.; Thomsson, K. A.; Karlsson, N. G.; Ives, C. M.; Fadda, E.; Bojar, D. Predicting Glycan Structure from Tandem Mass Spectrometry via Deep Learning. *Nat Methods* **2024**, *21* (7), 1206–1215. https://doi.org/10.1038/s41592-024-02314-6.

(5) Danczak, R. E.; Goldman, A. E.; Chu, R. K.; Toyoda, J. G.; Garayburu-Caruso, V. A.; Tolić, N.; Graham, E. B.; Morad, J. W.; Renteria, L.; Wells, J. R.; Herzog, S. P.; Ward, A. S.; Stegen, J. C. Ecological Theory Applied to Environmental Metabolomes Reveals Compositional Divergence despite Conserved Molecular Properties. *Science of The Total Environment* **2021**, *788*, 147409. https://doi.org/10.1016/j.scitotenv.2021.147409.

(6) Wu, M.; Li, P.; Li, G.; Liu, K.; Gao, G.; Ma, S.; Qiu, C.; Li, Z. Using Potential Molecular Transformation To Understand the Molecular Trade-Offs in Soil Dissolved Organic Matter. *Environ. Sci. Technol.* **2022**, *56* (16), 11827–11834. https://doi.org/10.1021/acs.est.2c01137.

(7) Naim, A.; Hubert-Roux, M.; Cirriez, V.; Welle, A.; Vantomme, A.; Kirillov, E.; Carpentier, J.-F.; Giusti, P.; Afonso, C. Characterization of Modified Methylaluminoxane by Ion Mobility Spectrometry Mass Spectrometry and Ultra-High Resolution Fourier-Transform Ion Cyclotron Resonance Mass Spectrometry. *New J. Chem.* **2023**, *47* (46), 21244–21252. https://doi.org/10.1039/D3NJ03877G.

(8) Yu, L.; Xiong, Y.-M.; Polfer, N. C. Periodicity of Monoisotopic Mass Isomers and Isobars in Proteomics. *Anal. Chem.* **2011**, *83* (20), 8019–8023. https://doi.org/10.1021/ac201624t.

(9) Ayala-Ortiz, C.; Graf-Grachet, N.; Freire-Zapata, V.; Fudyma, J.; Hildebrand, G.; AminiTabrizi, R.; Howard-Varona, C.; Corilo, Y. E.; Hess, N.; Duhaime, M. B.; Sullivan, M. B.; Tfaily, M. M. MetaboDirect: An Analytical Pipeline for the Processing of FT-ICR MS-Based Metabolomic Data. *Microbiome* **2023**, *11* (1), 28. https://doi.org/10.1186/s40168-023-01476-3.

(10) Oberleitner, D.; Schmid, R.; Schulz, W.; Bergmann, A.; Achten, C. Feature-Based Molecular Networking for Identification of Organic Micropollutants Including Metabolites by Non-Target Analysis Applied to Riverbank Filtration. *Anal Bioanal Chem* **2021**, *413* (21), 5291–5300. https://doi.org/10.1007/s00216-021-03500-7.

(11) Gicquel, T.; Pelletier, R.; Bourdais, A.; Ferron, P.-J.; Morel, I.; Allard, P.-M.; Le Daré, B. Interest of Molecular Networking in Fundamental, Clinical and Forensic Toxicology: A State-of-the-Art Review. *TrAC Trends in Analytical Chemistry* **2024**, *172*, 117547. https://doi.org/10.1016/j.trac.2024.117547.

(12) Ma, Y.; Kind, T.; Yang, D.; Leon, C.; Fiehn, O. MS2Analyzer: A Software for Small Molecule Substructure Annotations from Accurate Tandem Mass Spectra. *Anal. Chem.* **2014**, *86* (21), 10724–10731. https://doi.org/10.1021/ac502818e.

(13) Cheng, C.; Yang, M.; Yu, K.; Guan, S.; Tao, S.; Millar, A.; Pang, X.; Guo, D. Identification of Metabolites of Ganoderic Acid D by Ultra-Performance Liquid Chromatography/Quadrupole Time-of-Flight Mass Spectrometry. *Drug Metabolism and Disposition* **2012**, *40* (12), 2307–2314. https://doi.org/10.1124/dmd.112.047506.

(14) Aron, A.; Gentry, E.; Mcphail, K.; Nothias, L.-F.; Nothias-Esposito, M.; Bouslimani, A.; Petras, D.; Gauglitz, J.; Sikora, N.; Vargas, F. Reproducible Molecular Networking of Untargeted Mass Spectrometry Data Using GNPS.

(15) Hess, S. *Sample Preparation Guide for Mass Spectrometry–Based Proteomics | LCGC International*. https://www.chromatographyonline.com/view/sample-preparation-guide-mass-spectrometry-based-proteomics-0 (accessed 2026-04-23).

(16) Sato, H.; Nakamura, S.; Teramoto, K.; Sato, T. Structural Characterization of Polymers by MALDI Spiral-TOF Mass Spectrometry Combined with Kendrick Mass Defect Analysis. *J. Am. Soc. Mass Spectrom.* **2014**, *25* (8), 1346–1355. https://doi.org/10.1007/s13361-014-0915-y.