

# Cucumber Report

Mar 26, 2024, 9:20:20 AM

Start : Mar 26, 9:20:18.210 AM

End : Mar 26, 9:20:20.130 AM

Duration : 1.920 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 3  
FAILED - 1  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Calculator Plan 1 X Way Pulse Starter</u>	1.920 s	1	0	1	0	7	3	1	3

#	Feature Name	Scenario Name
1	<u>Calculator Plan 1 X Way Pulse Starter</u>	<u>User is using X Way Pulse Starter Plan 1 to calculate expected Saas Price financially beneficial</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@functional	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Calculator Plan 1 X Way Pulse Starter</u>	1	0	1	0	1.920 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Calculator Plan 1 X Way Pulse Starter</u>	<u>User is using X Way Pulse Starter Plan 1 to calculate expected Saas Price financially beneficial</u>	7	3	1	3	1.918 s

## Calculator Plan 1 X Way Pulse Starter

<b>FAILED</b>	<b>DURATION - 1.920 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 9:20:18.210 AM // 9:20:20.130 AM /					


## User is using X Way Pulse Starter Plan 1 to calculate expected SaaS Price financially beneficial

<div>FAILED</div> <div>DURATION - 1.918 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 9:20:18.212 AM // 9:20:20.130 AM /</div>			
<div>Calculator Plan 1 X Way Pulse Starter</div>			
<div>@functional</div>			

#	Step / Hook Details	Status	Duration
1	Given User opens "https://axilion.z6.web.core.windows.net/#/" to use X Way Pulse Starter and generated SaaS Price	PASSED	0.727 s
2	And User is using unit switcher "METRIC"	PASSED	0.049 s
3	And User selects a service "X Way Pulse" from dropdown Select a Service	PASSED	0.028 s
4	And User sets Road Length equal to value of Twenty "20 km"	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [User sets Road Length equal to value of Twenty {string}] defined at 'stepDefinitions.testCases.planCalculatorTCs.positiveTCs.Plan1XwayPulseStarterSteps.user_sets_road_length_equal_to_value_of_twenty(int)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p> <p>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)</p> <p>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</p> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.testCases.planCalculatorTCs.positiveTCs.Plan1XwayPulseStarterSteps.user_sets_road_length_equal_to_value_of_twenty(int) throws java.lang.InterruptedException</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	<b>AFTER_STEP</b> - stepDefinitions.hooks.Hooks.captureExceptionImage(io.cucumber.java.Scenario) 1711437619929	PASSED	0.126 s
			
5	Then User gets SaaS price of "\$980 per month"	SKIPPED	0.001 s
6	And User get Estimated ACR**: "\$2 500 per month"	SKIPPED	0.001 s
7	And User selects Number of Signalized Intersections equal to "7"	SKIPPED	0.000 s