Start: Mar 06, 12:29:53.717 PM End: Mar 06, 12:30:16.019 PM **Duration**: 22.302 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 30 Pass % Pass % 70 Pass % 70 70 20 80 20 80 20 80 90 90 10 33 % 100 100


| Feature | | | Scenario | | | | Step | | | |
|--|----------|---|----------|---|---|---|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Logo of hotNews is clickable on the homepage | 22.302 s | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 1 | |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name | Scenario Name |
|---|--|--|
| 1 | Logo of hotNews is clickable on the homepage | User clicks on the logo of hotNews and it's redirected to the homepage |

| TAG | Scenario | | | | Feature | | | | | |
|------|----------|---|---|---|---------|---|---|---|--|--|
| Name | T | P | F | S | T | P | F | S | | |
| @UI5 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |

FEATURES SUMMARY -- 5 --




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Logo of hotNews is clickable on the homepage | 1 | 0 | 1 | 0 | 22.302 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|---|----------|
| 1 | Logo of hotNews is clickable on the | User clicks on the logo of hotNews and it's redirected to the | 3 | 1 | 1 | 1 | 22.301 s |
| | <u>homepage</u> | <u>homepage</u> | | | | | |

DETAILED SECTION -- 7 --

Logo of hotNews is clickable on the homepage



User clicks on the logo of hotNews and it's redirected to the homepage



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User opens the following url "https://hotnews.bg/" to click on the logo fo hotNews | PASSED | 1.092 s |
| 2 | And User clicks in the logo of hotNews on the homepage | FAILED | 20.087 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: (//img[contains(@alt,'Hotnews.bg123123'))][1]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.BasePage.waitAndClickOnElement(BasePage.java:83) at pages.HomePage.clickOnLogo(HomePage.java:137) at stepDefinitions.positiveTCsHappyPath.homepageTCs.LogolsClickableSteps. user_clicks_in_the_logo_of_hot_news_on_the_homepage(LogolsClickableSteps.java:22) at ?.User clicks in the logo of hotNews on the homepage(classpath:features/HomepageFeatues/HotNewsLogolsClickable.feature:6) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//img[contains(@alt,'Hotnews.bg123123'))][1]"} (Session info: chrome=122.0.6261.69) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: Linux', os.arch: 'amd64', os.version: '6.5.0-21-generic', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c84b4a42f04ad6fd339e7fe1288a7c8, findElement {using=xpath, value=(//img[contains(@alt,'Hotnews.bg123123'))][1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.69, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c, userDataDir: /tmp/.org.chromium.Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhots:34183}, networkConnectionEnabled: false, pageLoadStrategy: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:34183/devtoo, se:cdpVersion: 122.0.6261.69, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: 6c84b4a42f04ad6fd339e7fe1288a7c8 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) | | |
| | at pageObjects.BasePage.waitAndClickOnElement(BasePage.java:83) | | |
| | at pages.HomePage.clickOnLogo(HomePage.java:137) | | |
| | at stepDefinitions.positiveTCsHappyPath.homepageTCs.LogoIsClickableSteps. | | |
| | user_clicks_in_the_logo_of_hot_news_on_the_homepage(LogoIsClickableSteps.java:22) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | $at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda\$run Test Case\$5 (Cucumber Execution Context. java: 137)$ | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepDefinitions.base.Hooks.captureExceptionImage(io.cucumber.java.Scenario) | PASSED | 0.203 s |
| | 1709721015737 | | |
| | Control of the contro | | |
| 3 | Then User sees refreshed page | SKIPPED | 0.001 s |