


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Adds page	22.156 s	1	0	1	0	3	2	1	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Adds page	User opens the Adds page to validate the data in it


TAG Scenario Feature					ture			
Name	T	P	F	S	T	P	F	S
@footerAdds	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Adds page	1	0	1	0	22.156 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Adds page	User opens the Adds page to validate the data in it	3	2	1	0	22.155 s

DETAILED SECTION -- 7

Adds page

FAILED	DURATION - 22.156 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:13:57.894 AM //	/ 11:14:20.050 AM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

User opens the Adds page to validate the data in it



#	Step / Hook Details	Status	Duration
1	Given User opens the following url "https://hotnews.bg/" to open Adds page	PASSED	1.504 s
2	When User clicks Adds link in the footer	PASSED	6.076 s
3	Then User sees the following title of the page "ADVERTISEMENT & PRICES"	FAILED	12.795 s
	org.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-25-generic', java.version: '17.0.10' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [fdab8059-27f0-4e44-9470-3b965db19c82, findElement {value=//h2[contains(.,'Advertisement & prices')], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 123.0.1, moz:accessibilityChecks: false, moz:buildID: 20240304104836, moz:debuggerAddress: 127.0.0.1:21360, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 6.5.0-25-generic, moz:processID: 45033, moz:profile: /tmp/rust_mozprofilehJmScJ, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://127.0.0.1:21360/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fdab8059-27f0-4e44-9470-3b965db19c82 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
π	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.BttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:36) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at jgk.proxy2fjdk.proxy2.\$Proxy2.\$Proxy2.\$DefaultElementLocator.findElement(DefaultElementHandler.java:38) at jgk.proxy2fjdk.proxy2.\$Proxy2.\$Proxy2.\$DefaultElementLocator.findElement(DefaultElementHandler.java:38) at jgk.proxy2fjdk.proxy2.\$Proxy2.\$	Jiaius	
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.base.Hooks.captureExceptionImage(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: WebDriver session does not exist, or is not active Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-25-generic', java.version: '17.0.10' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [fdab8059-27f0-4e44-9470-3b965db19c82, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 123.0.1, moz:accessibilityChecks: false, moz:buildID: 20240304104836, moz:debuggerAddress: 127.0.0.1:21360, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 6.5.0-25-generic, moz:processID: 45033, moz:profile: /tmp/rust_mozprofilehJmScJ, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://127.0.0.1:21360/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fdab8059-27f0-4e44-9470-3b965db19c82 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.008 s

ŧ	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:322)		
	at stepDefinitions.base.Hooks.captureExceptionImage(Hooks.java:33)		
\exists	AFTER - stepDefinitions.base.Hooks.tearDown()	FAILED	0.008 s
	org.openga.selenium.remote.http.ConnectionFailedException: JdkWebSocket initial request execution error Build info: version: '4.18.1',	1	
	revision: 'b1d3319b48' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-25-generic', java.version: '17.0.10' Driver info: driver.		
	version: FirefoxDriver		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.openSocket(JdkHttpClient.java:250)		
	at org.openqa.selenium.devtools.Connection. <init>(Connection.java:87)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver.maybeGetDevTools(FirefoxDriver.java:335)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:427)		
	at org.openqa.selenium.firefox.FirefoxDriver.quit(FirefoxDriver.java:393)		
	at SeleniumDriver.DriverFactory.cleanUpDriver(DriverFactory.java:61)		
	at stepDefinitions.base.Hooks.tearDown(Hooks.java:40)		
	Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1055)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:198)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:230)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:206)		
	at java.het.http://ava.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)		
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:511) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)		
	at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)		
	at java.base/java.lang.Thread.run(Thread.java:840)		
	Caused by: java.nio.channels.ClosedChannelException		
	at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195)		
	at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760)		
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183)		
	at java.base/java.security.AccessController.doPrivileged(AccessController.java:569)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:185)		